

CONOCO INC -- UNIVERSAL GEAR LUBRICANT 80W-90, 85W-140 -- 9150-01-035-5394

===== Product Identification =====

Product ID:UNIVERSAL GEAR LUBRICANT 80W-90, 85W-140

MSDS Date:03/01/1990

FSC:9150

NIIN:01-035-5394

MSDS Number: BMGRF

=== Responsible Party ===

Company Name:CONOCO INC

Address:600 N DAIRY ASHFORD RD RM 3012

Box:4784

City:HOUSTON

State:TX

ZIP:77210-4784

Country:US

Emergency Phone Num:800-441-3637(MED), 800-424-9300

CAGE:15445

=== Contractor Identificati

on ===

Company Name:CONOCO INC

Address:600 N DAIRY ASHFORD RD RM 3012

Box:4784

City:HOUSTON

State:TX

ZIP:77210-4784

Country:US

Phone:800-441-3637/800-424-9300(CHEMTREC)

CAGE:15445

===== Composition/Information on Ingredients =====

Ingred Name:THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE  
PRESENT IN THIS PRODUCT.

RTECS #:9999999ZZ

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:N

O Skin: YES Ingestion: NO  
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO  
Health Hazards Acute and Chronic: NONE SPECIFIED BY MANUFACTURER.  
Effects of Overexposure: THE PRODUCT DOES NOT POSE A SIGNIFICANT HEALTH HAZARD, BUT AS WITH MANY PETROLEUM PRODUCTS, POOR HYGIENIC PRACTICES OR INADEQUATE ENGINEERING DESIGN THAT ALLOW PROLONGED OR REPEATED EXPOSURE, MAY CAUSE MINOR SKIN IRRITATION.  
Medical Condition Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

===== F  
First Aid Measures =====

First Aid: EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MIN. CALL A PHYSICIAN. SKIN: IMMEDIATELY WASH WITH SOAP AND PLENTY OF WATER. IF IRRITATION DEVELOPS, CALL A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. ASSIST WITH BREATHING MEASURES IF NEEDED. INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point Method: PMCC  
Flash Point: 295F, 146C  
Autoignition Temp: Autoignition Temp Text: 680F  
Extinguishing Media: USE WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, FOAM.  
Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING. USE WATER KEEP FIRE-EXPOSED CONTAINERS COOL. WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM EXPOSURES.  
Unusual Fire/Explosion Hazard: HAZARDOUS DECOMPOSITION PRODUCTS ARE FORMED UNDER FIRE CONDITIONS. DO NOT ENTER ENCLOSED OR CONFINED SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT.

===== Accidental Release Measures =====

Spill Release Procedures: CONTAIN SPILL IMMEDIATELY IN SMALLEST POSSIBLE AREA. RECOVER AS MUCH OF THE PRODUCT AS POSSIBLE BY SHOVEL, VACUUMING OR OTHER MECHANICAL MEANS. AVOID WASHING, DRAINING OR DIRECTING MATERIAL TO STORM OR SANITARY SEWERS.  
Neutralizing Agent: NONE

===== Handling and Storage =====

Handling and Storage Precautions

ons:AVOID PROLONGED SKIN CONTACT.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NORMAL SHOP VENTILATION.

Protective Gloves:NONE REQUIRED.

Eye Protection:NONE REQUIRED.

Other Protective Equipment:COMPLETE PROTECTIVE CLOTHING IF MATERIAL IS  
BEING HANDLED HOT.

Work Hygienic Practices:WASH HANDS AFTER HANDLING THIS MATERIAL.

Supplemental Safety and Health

NONE

===== Physical/C

hemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:750F,399C

Vapor Pres:NIL

Vapor Density:>1

Spec Gravity:0.89

Evaporation Rate & Reference:NIL

Solubility in Water:INSOLUBLE

Appearance and Odor:DARK BROWN LIQUID, MILD PETROLEUM HYDROCARBON ODOR.

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT AND FLAMES.

Hazardous Decomposition

Products:CARBON DIOXIDE, CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:RECYCLE AS MUCH OF THE RECOVERABLE PRODUCT AS  
POSSIBLE. TREATMENT, STORAGE, TRANSPORTATION AND DISPOSAL MUST BE  
IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United Stat

es of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.