

MARCO CO -- MARCOLOY 203 -- 3439-01-155-2376

=====  
Product Identification  
=====

Product ID:MARCOLOY 203

MSDS Date:10/05/1990

FSC:3439

NIIN:01-155-2376

MSDS Number: BMGSP

=== Responsible Party ===

Company Name:MARCO CO

Address:5722 UNION PACIFIC AVENUE

City:LOS ANGELES

State:CA

ZIP:90022-5135

Country:US

Info Phone Num:213-723-0711

Emergency Phone Num:213-723-0711

CAGE:55278

=== Contractor Identific

ation ===

Company Name:MARCO CO

Address:5722 UNION PACIFIC AVENUE

Box:City:LOS ANGELES

State:CA

ZIP:90022-5135

Country:US

Phone:213-723-0711

CAGE:55278

=====  
Composition/Information on Ingredients  
=====

Ingred Name:IRON

CAS:7439-89-6

RTECS #:NO4565500

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (MFR)

ACGIH TLV:10 MG/M3 FE2O3 (MFR)

Ingred Name:MANGANESE (SARA III)

CAS:7439-96-5

RTECS #:OO9275000

Other REC Limits:NONE SPECIFIED

OSHA PEL:(C) 5 MG/M3 DUST

ACGIH TLV:5 MG/M3

DUST 9293

Ingred Name:SILICON

CAS:7440-21-3

RTECS #:VW0400000

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:CELLULOSE (PAPER FIBER)

CAS:9004-34-6

RTECS #:FJ5691460

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3; 9192

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 CAO (MFR)

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:SILICA GEL/SILICONE DIOXIDE

CAS:112945-52-5

RTECS #:VV7310000

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (MFR)

ACGIH TLV:3 MG/M3 (MFR)

Ingred Name:POTASSIUM TITANATE

CAS:12030-97-6

Other REC Limits:NONE SPECIFIED

ACGIH TLV:10 MG/M3 (MFR)

Ingred Name:SODIUM TITANATE

CAS:12034-34-3

Other REC Limits:NONE SPECIFIED

ACGIH TLV:10 MG/M3 (MFR)

Ingred Name:FEL

DSPAR  
CAS:68476-25-5  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:2 MG/M3 (MFR)

Ingred Name:MAGNETITE/IRON OXIDE  
CAS:1309-38-2  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:5 MG/M3 (MFR)  
ACGIH TLV:10 MG/M3 FE2O3 (MFR)

Ingred Name:GRAPHITE, NATURAL  
CAS:7782-42-5  
RTECS #:MD9659600  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15 MPPCF RDUST  
ACGIH TLV:2 MG/M3 RDUST; 9293

Ingred Name:ALPHA-ALUMINA (ALUMINUM OXIDE) (EPA LISTS ONLY FIBROUS  
FORMS) (SARA III)  
CAS:1344-28-1  
RTECS #:BD1200000  
Other REC Limits  
:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:POTASSIUM SILICATE  
CAS:1312-76-1  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:5 MG/M3 (MFR)

Ingred Name:SODIUM SILICATE  
CAS:1344-09-8  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:5 MG/M3 (MFR)

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:3.5 MG/M3  
ACGIH TLV:3.5 MG/M3; 9192

=====  
===== Hazards Identification =====

Routes of Entry: Inhal

ation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE-FUMES & GASES CAN BE DANGEROUS  
TO YOUR HEALTH.EYES/SKIN:ARC RAYS CAN INJURE EYES & BURNS  
SKIN.INHALED:WELDING FUMES MAY RESULT IN DISCOMFORT  
(DIZZINESS,NAUSEA), DRYNESS & IRRITATION OF NOSE,THRO  
AT/EYES.ELECTRIC SHOCK CAN KILL.CHRONIC-INHALED:IRON MAY DEPOSIT IN  
LUNG & AFFECTS PULMONARY FUNCTION.

Effects of Overexposure:FUMES & GASES CAN BE DANGEROUS T  
O YOUR HEALTH.

ARC RAYS CAN INJURE EYES & BURNS SKIN. WELDING FUMES MAY RESULT IN  
DISCOMFORT (DIZZINESS, NAUSEA), DRYNESS & IRRITATION OF  
NOSE,THROAT/EYES. ELECTRIC SHO CK CAN KILL.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS  
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES OR RESPIRATORY  
TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:CALL FOR MEDICAL AID.EMPLOY FIRST A  
ID TECHNIQUES RECOMMENDED

BY THE AMERICAN RED CROSS.INHALED:REMOVE TO FRESH AIR.PROVIDE  
CPR/OXYGEN IF NEEDED.IN CASE OF ELECTRICAL SHOCK,TURN OFF POWER &  
FOLLOW RECO MMENDED TREATMENT.IN CASE OF BURNS,CALLPHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FU

LL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:WELDING ARC AND SPARKS CAN IGNITE  
COMBUSTIBLE MATERIALS.

=====  
===== Accidental Release Measures =====

Neutralizing Agent:NOT APPLICABLE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A DRY PLACE.

Other Precautions:READ AND UNDERSTAND THE MANUFACTURER'S INSTRUCTIONS  
AND THE P

RECAUTIONARY LABEL ON THE PRODUCT. AVOID BREATHING FUMES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE RESPIRABLE FUME RESPIRATOR OR AIR SUPPLIED RESPIRATOR WHILE WELDING IN CONFINED SPACE OR GENERAL WORK AREA.

Ventilation:LOCAL EXHAUST AT THE ARC.

Protective Gloves:WELDER'S GLOVES

Eye Protection:HELMET OR FACE SHIELD WITH FILTER LENS

Other Protective Equipment:WE

AR HAND, HEAD AND BODY PROTECTION WHICH

HELP TO PREVENT INJURY FROM RADIATION, SPARKS AND ELECTRICAL SHOCK.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

INSULATE FROM WORK AND GROUND. TRAIN THE WELDER NOT TO PERMIT ELECTRICALLY LIVE PARTS TO CONTACT SKIN OR CLOTHING OR GLOVES IF THEY ARE WET.

=====  
===== Physical/Chemical Properties =====

HCC:N1

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS

Stability Condition to Avoid:OPEN FLAMES

Hazardous Decomposition Products:CO, CO2, OZONE, NITROGEN OXIDE, COMPLEX OXIDES OF IRON, MANGANESE, SILICON MAY BE FORMED.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT.DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR LINER IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profession

al advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.