

LOCTITE CORP -- 7400206 DEPEND ACTIVATOR

=====

MSDS Safety Information

=====

FSC: 8040

NIIN: 01-154-0038

MSDS Date: 01/01/1991

MSDS Num: BMNQJ

Product ID: 7400206 DEPEND ACTIVATOR

MFN: 01

Responsible Party

Cage: 7K128

Name: LOCTITE CORP

Address: 705 NORTH MOUNTAIN ROAD

City: NEVINGTON CT 06111-1

411

Info Phone Number: (203) 278-1280

Emergency Phone Number: (203) 278-1280

Preparer's Name: STEPHEN REPETTO

Review Ind: Y

Published: Y

=====

Preparer Co. when other than Responsible Party Co.

=====

Cage: 7K128

Name: LOCTITE CORP

Address: 705 N MT RD

City: NEWINGTON CT 06111

=====

Contractor Summary

=====

=====

Cage: 7K128

Name: LOCTITE CORP

Address: 705 N MT RD

City: NEWINGTON CT 06111

Phone: 312-689-6200

Cage: 05972

Name: LOCTITE CORPORATION

Address: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT 06067-3910

Phone: 860-571-5100

=====

Item Description Information

=====

Item Manager: GSA

Item Name: ADHESIVE

Unit of Issue: KT

UI Container Qty: 0

=====

=====

Ingredients

=====

Cas: 71-55-6

RTECS #: KJ2975000

Name: METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (CHLOROTHENE NU), AEROTHANE TT, CHLOROTHENE

% Wt: 48-55%

Other REC Limits: 450 PPM STEL

OSHA PEL: 350 PPM

ACGIH TLV: 1910 MG/CUM

EPA Rpt Qty: 1000 LBS

DOT Rpt Qty: 1000 LBS

Ozone Depleting Chemical: 1

-----

Cas: 106-97-8

RTECS #: EJ4200000

Name: BUTANE, N-BUTANE

% Wt: 20-22%

Other REC Limits: 800 PPM

OSHA PEL: 800 PPM

ACGIH TLV: 1900 MG/CUM

-----

Cas: 68411-20-1

Name: BUTANAL, REACTION PRODUCTS W/ANILINE  
\*91-4\*

% Wt: 18-22%

-----

Cas: 74-98-6

RTECS #: TX2275000

Name: PROPANE

% Wt: 2-4%

Other REC Limits: 1800 MG/CUM

OSHA PEL: 1000 PPM

ACGIH TLV: SIMPLE ASPHYXIAN

-----

Cas: 109-87-5

RTECS #: PA8750000

Name: METHYLAL (DIMETHOXYMETHANE)

% Wt: 1-3%

Other REC Limits: 1000 PPM

OSHA PEL: 3100 MG/CUM

ACGIH TLV: 3100 MG/CUM

--

-----  
Cas: 67-63-0  
RTECS #: NT8050000  
Name: ISOPROPANOL (ISOPROPYL ALCOHOL), 2-PROPANOL, DIMETHYL CARBINOL  
% Wt: 1-3%  
Other REC Limits: 400 PPM  
OSHA PEL: 400 PPM  
ACGIH TLV: 400 PPM  
-----

Cas: 13395-16-9  
RTECS #: GL6520000  
Name: ORGANO-COPPER COMPLEX  
% Wt: 0.01-.1  
=====

#### Health Hazards Data

=====

LD50 LC50 Mixture: ORAL (RAT) LD50: 2000 MG/KG  
Route Of  
Entry Inds - Inhalation: YES  
Skin: YES  
Ingestion: YES  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of Exposure: EYES: IRRITATION. INHALATION: HEADACHE, NAUSEA, DIZZINESS  
& NARCOSIS.  
Explanation Of Carcinogenicity: NONE  
Signs And Symptions Of Overexposure: EYES: IRRITATION. INHALATION: HEADACHE,  
NAUSEA, DIZZINESS & NARCOSIS.  
Medical Cond Aggravated By Exposure: SKIN DISORDERS, EYE & RESPIRATORY  
PROBLEMS  
First Aid: EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS.  
SKIN: WASH  
W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE  
VOMITING. KEEP PERSON CALM. OBTAIN MEDICAL ATTENTION IN ALL CASE S.

#### Handling and Disposal

=====

Spill Release Procedures: ELIMINATE SOUCES OF IGNITION. ALLOW TO EVAPORATE  
W/GOOD VENTILATION. SOAK UP RESIDUE IN AN INERT ABSORBENT. STORE IN CLOSED  
CONTAINER UNTIL DISPOSAL.  
Waste Disposal Methods: DI

SPOSAL BY INCINERATION IN COMPLIANCE W/LOCAL, STATE,  
& FEDERAL REGULATIONS.  
Handling And Storage Precautions: STORE <110F TO PRESERVE SHELF LIFE. AVOID  
SKIN/EYE CONTACT & BREATHING OF VAPORS. ELIMINATE SOURCES OF IGNITION.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: TCC  
Lower Limits: 7%  
Upper Limits: 15%  
Extinguishing Media: CO2, FOAM & DRY CHEMICAL  
Un  
usual Fire/Explosion Hazard: CANS MAY RUPTURE IN FIRES.

=====  
Control Measures  
=====

Ventilation: PROVIDE LOCAL TO KEEP <TLV.  
Protective Gloves: RUBBER OR PLASTIC  
Eye Protection: SAFETY GLASSES OR GOGGLES

=====  
Physical/Chemical Properties  
=====

HCC: V3  
B.P. Text: 170-180F  
Vapor Pres: <100  
V  
apor Density: 4.5  
Spec Gravity: 1.2  
Solubility in Water: NIL  
Appearance and Odor: BROWN LIQUID W/SHARP ODOR

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: SOURCES OF IGNITION  
Materials To Avoid: ALUMINUM  
Hazardous Decomposition Products: CHLOROACETYLENES  
Hazardous Polymerization Indicator: NO

=====  
Toxicological

Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

HAZCOM Label

Product ID: 7400206 DEPEND ACTIVATOR  
Cage: 7K128  
Company Name: LOCTITE CORP  
Street: 705 N MT RD  
City: NEWINGTON CT  
Zipcode: 06111  
Health Emergency Phone: 203) 278-1280  
Label Required IND: Y  
Date Of Label Review: 12/16/1998  
Status Code: C  
Label Date: 12/16/1998  
Origination Code: G  
Hazard And Precautions: EYES: IRRITATION. INHALATION: HEADACHE, NAUSEA, DIZZINESS & NARCOSIS.  
EYES: IRRITATION. INHALATION: HEADACHE, NAUSEA, DIZ ZINESS & NARCOSIS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility f

or the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.