

DIHOMA CHEMICAL AND MFG -- RUG & UPHOLSTERY AEROSOL -- 7930-00-724-9556

===== Product Identification =====

Product ID:RUG & UPHOLSTERY AEROSOL

MSDS Date:01/04/1990

FSC:7930

NIIN:00-724-9556

MSDS Number: BMQFW

=== Responsible Party ===

Company Name:DIHOMA CHEMICAL AND MFG

Address:195 DREW RD

City:MULLINS

State:SC

ZIP:29574

Country:US

Info Phone Num:803-423-7799

Emergency Phone Num:803-423-7799

CAGE:0FMP6

=== Contractor Identification ===

Company Name:DIHOMA CHE

MICAL & MFG INC

Address:RT 3

Box:City:MULLINS

State:SC

ZIP:29574

Country:US

Phone:803-423-7799

CAGE:0FMP6

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT (H2O)

CAS:7732-18-5

RTECS #:ZC0110000

Other REC Limits:NONE SPECIFIED

Ingred Name:STPP (SARA III)

CAS:7758-29-4

RTECS #:YK4570000

Fraction by Wt: 4-6%

Other REC Limits:NONE SPECIFIED

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:8000 BASE

Fraction by Wt: 1-3%

Other REC Limits:NONE SPECIFIED

Ingred Name:ALPHA STEP ML-40
CAS:4016-21-1
Fraction by Wt: 3 - 5%
Other REC Limits:NONE SPECIFIED

Ingred Name:LAURAL AMINE OXIDE
CAS:1643-20-5
RTECS #:JR6650000
Fraction by Wt: 1 - 3%
Other REC Limits:NONE SPECIFIED

Ingred Name:PROPELLANT PROPANE
CAS:74-98-6
RTECS #:TX2275000
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM

Ingred Name:PROPELLANT BUTANE
CAS:106-97-8
RTECS #:EJ4200000
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM

=====
== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL: CAN CAUSE DAMAGE TO NASAL &
RESPIRATORY PASSAGES. CENTRAL NERVOUS SYSTEM DEPRESSION &
ANESTHESIA ARE POSSIBLE W/VERY HIGH CONCENTRATIONS. INGEST: CAN
CAUSE GASTROINTESTINAL IRRITATION. ASPIRATION OF MATERIAL INTO
LUNGS CAN CAUSE CHEMICAL PNEUMONITIS. EYES: CAN CAUSE IRRITATION.
Effects of Overexposure:INGESTION: NAUSEA, VOMITING AND DIARRHEA. EYES:
REDNESS TEARING, BLURRED VISION.

===== First Aid Measures =====

First Aid:EYES/SKIN: FLUSH EYES W/WATER, LIFTING EYELIDS. GET MED ATTN.
WASH EXPOSED SKIN W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR.
IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. IF BREATHING STOPS
ADMINISTER ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION.
INGESTION: DO NOT INDUCE VOMITING. GET MEDIC

AL ATTENTION.

ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE
CHEMICAL PNEUMONITIS.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER, FOAM, DRY CHEMICAL, CARBON DIOXIDE

Fire Fighting Procedures:KEEP CONTAINERS COOL. USE EQUIP/SHIELDING TO
PROTECT PERSONEL AGAINST BURSTING, RUPTURING OR VENTING CONTAINERS.
WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (ABO
VE 120
DEG.F) CONTAINERS MAY VENT RUPTURE OR BURST.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP AREA BY MOPPING OR WITH ABSORBENT
MATERIALS AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. CONTACT
FEDERAL, STATE OR LOCAL AUTHORITIES FOR APPROVED DISPOSAL
PROCEDURES.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURES ABOVE 120
DEG F.

Other Pr

ecautions:PLEASE READ AND FOLLOW THE DIRECTIONS ON THE PRODUCT
LABEL: THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST
EFFECTIVE WAY, AND THEY ALSO GIVE THE NECESSARY SAFETY PRECAUTION
TO PROTECT YOUR HEALTH.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:THE USE OF RESPIRATORY PROTECTION DEPENDS ON
VAPOR CONCENTRARTION ABOVE TLV. USE A NIOSH APPROVED CARTRIDGE
RESPIRATOR OR GAS MASK.

Ventilation:PROVIDE SUFFICIENT MECH

ANICAL (GENERAL) AND/OR LOCAL

EXHAUST VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:NONE REQUIRED

Eye Protection:CHEM SPLASH GOGGLES (COMPLY W/OSHA REG)

Work Hygienic Practices:DON'T EAT, DRINK OR SMOKE IN WORK AREA. WASH
HANDS BEFORE EATING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V2

Vapor Pres:60PSIG@75F

Spec Gravity:1.00

pH:9.5

Solubility in Water:COMPLETE

Appearance and Odor:MILKY WHITE LIQUID FOAM

P

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, ACID ANHYDRIDES AND HALOGENS.

Stability Condition to Avoid:DO NOT EXPOSE TO TEMPERATURES ABOVE 120
DEG.F.

Hazardous Decomposition Products:THERMAL DECOMPOSITION IN THE PRESENCE
OF AIR MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:WHEN USED

PROPERLY AEROSOL PRODUCTS DON'T

GENERATE HAZARDOUS WASTE. EMPTY DE-PRESSURIZED CONTAINERS CAN'T BE
REUSED & SHOULD BE WRAPPED & PUT IN A PERMITTED WASTE MANGMT
FACILITY. CONSULT FED, ST & LO CAL DISPOSAL AUTHORITIES FOR
APPROVED PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants
this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.