View NSN Online: https://aerobasegroup.es/nsn/8040-01-010-8758

POLYMERIC SYSTEMS, INC. -- PSI-601 SILICONE SEALANT -- 8040-01-010-8758

Product ID:PSI-601 SILICONE SEALANT

MSDS Date:12/14/1990

FSC:8040

NIIN:01-010-8758

Kit Part:Y

MSDS Number: BMQKF === Responsible Party ===

Company Name: POLYMERIC SYSTEMS, INC. Address: WHEATLAND & MASON STREETS

City:PHOENIXVILLE

State:PA ZIP:19460 Country:US

Info Phone Num:215-935-1170

Emergen

cy Phone Num:215-935-1170 Preparer's Name:ED CLUFF

CAGE:0KND3

=== Contractor Identification ===

Company Name: POLYMERIC SYSTEMS, INC.

Address:723 WHEATLAND STREET

Box:City:PHOENIXVILLE

State:PA ZIP:19460 Country:US

Phone:610-935-1170

CAGE:0KND3

======= Composition/Information on Ingredients ========

Ingred Name: METHYLTRIACETOXYSILANE

CAS:4253-34-3

RTECS #:VV4500000 Fraction by Wt: 2-6%

Other REC Limits: NONE SPECIFIED

Ingred Name: ETHYLTRIACETOXYSILANE

CAS:17689-77-9 Fraction by Wt: 2-6%

Other REC Limits: NONE SPECIFIED

Ingred Name: VOC: 0.4 LBS/GAL; 40 GRAMS/LITER

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

Ingred Name: VOC: 6.5 LBS/GAL; 780 GRAMS/LITER

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

========= Hazards Identification ================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: ACUTE: SEVERE IRRITATION TO

RESPIRATORY TRACT, PULM

ONARY EDEMA, EYE LACRIMATION, CORNEAL EDEMA;

SKIN IRRITATION AND DERMATITIS. CHRONIC: BRONCHITIS, LARYNGITIS;

DERMATITIS; CONJUNCTIVITIS.

Explanation of Carcinogenicity: NOT CARCINOGENIC

Effects of Overexposure:IRRITATION TO SKIN, EYES AND MUCOUS MEMBRANES. MAY CAUSE DISCOMFORT, TEARING, CHOKING OR BURNING SENSATION. Medical Cond Aggravated by Exposure:RESPIRATORY, SKIN OR EYE DISEASES.

First Aid:REMOVE TO FRESH AI
R. WASH SKIN WITH SOAP AND WATER. FLUSH
EYES WITH WATER FOR AT LEAST 15 MINUTES.

============ Fire Fighting Measures =========================

Flash Point Method:CC Flash Point:>400F,>204C

Extinguishing Media:WATER SPRAY, CO2, DRY CHEMICALS, FOAM, SAND Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:TOXIC GASES AND AEROSOLS MAY BE PRODUCED BY COMBUSTION (CO AND SIO2).

======= Accid

antal Ralassa Massuras	: ===========
ema nelease weastnes	` ==========

Spill Release Procedures:MATERIAL RELEASES ACETIC ACID ON EXPOSURE TO AIR. PROVIDE ADEQUATE VENTILATION DURING CLEAN UP. WEAR PROPER PROTECT EQUIPMENT IF HANDLING LARGE AMOUNTS. TRANSFER TO WASTE CONTAINER. LET CURE TO SOLID RUBBER, LET ALL LIBERATED ACETIC ACID DISSIPATE.

Neutralizing Agent: AQUEOUS SODIUM BICARBONATE

============= Handling and Storage ==========================

Handling and Storage Precautions: AVOID PROLONGED SKIN CONTACT.

LIBERATED ACETIC ACID VAPORS CAUSE IRRITATION TO SKIN, EYES AND BRONCHIAL TISSUES. DO NOT INGEST.

Other Precautions: NONE

===== Exposure Controls/Personal Protection ========

Respiratory Protection: IN CLOSED SPACE WITH INADEQUATE VENTILATION USE CHEMICAL CARTRIDGE RESPIRATOR WITH FULL FACE PIECE & ORGANIC VAPOR CARTRIDGE (NIOSH/MSHA APPROVED) TO PROTECT AGAINST ACETIC ACID VAPORS.

Ventilation: RECOMMENDED 10 AIR CHANGES PER HOUR

Protective Gloves:

DISPOSABLE PLASTIC

Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE

Work Hygienic Practices: WASH BEFORE EATING, DRINKING OR SMOKING. DO NOT

RUB EYES WHILE WORKING WITH SEALANT.

Supplemental Safety and Health

======== Physical/Chemical Properties ==========

HCC:C3

Decomp Temp:Decomp Text:>752F,>400C

Vapor Pres:< 5 MM Vapor Density:2.07 Spec Gravity:1.05

pH:3-5

Viscosity:10-20000POISE Solubility in Water:MODERATE

Appearance and Odor:THICK PASTE, VINEGAR LIKE

ODOR	
Percent Volatiles by Vol	ume:4-7
,	Otal With and Danathite Data
=======================================	Stability and Reactivity Data ==============
Stability Indicator/Materi	als to Avoid:YES
,	ONTACT WITH MOISTURE DURING STORAGE.
Hazardous Decompositi	on Products:ACETIC ACID FROM MOISTURE CONTACT. CO
AND VOLATILE ORG	ANICS AND SILICA AEROSOLS FROM THERMAL DEGRADATION.

Waste Disposal Methods:NOT AN EPA HAZARDOUS WASTE. DISPOSE OF IN ACCORDANCE WIT HAPPROPRIATE GOVERNMENTAL REGULATIONS.

======= Disposal Considerations ===========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.