

MG INDUSTRIES -- P-5 GAS MIXTURE, MGI08557 -- 6830-01-031-9655

=====
Product Identification
=====

Product ID:P-5 GAS MIXTURE, MGI08557

MSDS Date:10/09/1990

FSC:6830

NIIN:01-031-9655

MSDS Number: BMQLF

=== Responsible Party ===

Company Name:MG INDUSTRIES

Address:2460 BOULEVARD OF THE GENERALS

Box:945

City:VALLEY FORGE

State:PA

ZIP:19482

Country:US

Info Phone Num:215-630-5422

Emergency Phone Num:800

-424-9300 (CHEMTREC)

CAGE:08772

=== Contractor Identification ===

Company Name:MG INDUSTRIES

Address:3 GREAT VALLEY PKY

Box:City:MALVERN

State:PA

ZIP:19355-1424

Country:US

Phone:610-695-7400 / 610-695-7449

CAGE:08772

=====
Composition/Information on Ingredients
=====

Ingred Name:ARGON

CAS:7440-37-1

RTECS #:CF2300000

Fraction by Wt: 95%

ACGIH TLV:SIMPLE ASPHYXIAN

Ingred Name:METHANE

CAS:74-82-8

RTECS #:PA1490000

Fraction by Wt: 5%

ACGIH TLV:SIMPLE ASPHYXIAN

Ingred Name:MAT

L TO AVOID: NITROGEN TRIFLUORIDE, OXIDIZERS (STRONG),
OXYGEN, OXYGEN DIFLUORIDE, TRIOXYGEN DIFLUORIDE.

RTECS #:9999999ZZ

Ingred Name:EFTS OF OVEREXP:NAUS, VOMIT, COLLAPSE, UNCON, CONVULS, DEEP
COMA & DEATH ARE POSS.(CHRONIC)NO DATA AVAIL.SKIN: (ING 5)

RTECS #:9999999ZZ

Ingred Name:ING 4:(ING 2)(ACUTE)NO ADVERSE EFTS HAVE BEEN RPTD FROM
GAS.DUE TO RAPID EVAP,LIQ MAY CAUSE FROSTBITE W/REDNESS,(ING 6)

RTECS #:9999999ZZ

Ingred Name:ING 5:TINGLING & PAIN/NUMBNESS.IN MORE SEVERE CASES,S
KIN

MAY BECOME HARD & WHITE & DEVELOP BLISTERS.(CHRONIC)NO (ING 7)

RTECS #:9999999ZZ

Ingred Name:ING 6:DATA AVAIL.(ING 1)(ACUTE)NO ADVERSE EFTS HAVE BEEN
RPTD FROM GAS.DUE TO RAPID EVAP,LIQ MAY CAUSE FROSTBITE (ING 8)

RTECS #:9999999ZZ

Ingred Name:ING 7:W/REDNESS,TINGLING & PAIN/NUMBNESS.IN MORE SEVERE
CASES,SKIN MAY BECOME HARD & WHITE & DEVELOP BLISTERS. (ING 9)

RTECS #:9999999ZZ

Ingred Name:ING 8:(CHRONIC)NO DATA AVAIL.EYE:(ING 1)(ACUTE)NO ADVERSE
EFTS HAVE BEEN RPTD FROM G

AS.DUE TO RAPID EVAP,LIQ MAY(ING 10)

RTECS #:9999999ZZ

Ingred Name:ING 9:CAUSE FROSTBITE W/REDNESS,PAIN & BLURRED
VISION.(CHRONIC)NO DATA AVAIL.(ING 2)(ACUTE)NO ADVERSE EFTS HAVE
(ING 11)

RTECS #:9999999ZZ

Ingred Name:ING 10:BEEN RPTD FROM GAS.DUE TO EVAP,LIQ MAY CAUSE
FROSTBITE W/REDNESS,PAIN & BLURRED VISION.(CHRONIC)NO DATA (ING 12)

RTECS #:9999999ZZ

Ingred Name:ING 11:AVAIL.INGEST:(ING 2)(ACUTE)INGEST OF GAS IS
UNLIKELY.IF LIQ IS SWALLOWED,FROSTBITE DMG TO LIPS, MOUTH & (I

NG
13)
RTECS #:9999999ZZ

Ingred Name:ING 12:MUCOUS MEMB MAY OCCUR.(CHRONIC)NO DATA AVAIL.(ING 1)(ACUTE)INGEST OF GAS IS UNLIKELY.IF LIQ IS SWALLOWED,(ING 14)
RTECS #:9999999ZZ

Ingred Name:ING 13:FROSTBITE DMG TO LIPS,MOUTH & MUC MEMB MAY OCCUR.(CHRONIC)NO DATA AVAIL.
RTECS #:9999999ZZ

Ingred Name:FIRST AID PROC:CHEM REMAINS (APPROX 15-20 MIN).GET MD IMMED. EYE:IT IS UNLIKELY THAT CONT W/GAS FORM WILL REQ (ING 16)
RTECS #:9999999ZZ

Ingred Name:ING 15:EMER TREATMENT.IF CONT W/L IQUIFIED/COMPRESSED GAS OCCURS,WASH W/LRG AMTS OF WARM WATER UNTIL NO EVIDENCE(ING 17)
RTECS #:9999999ZZ

Ingred Name:ING 16:OF CHEM REMAINS (APPROX 15-20 MIN).GET MD IMMED. INGEST:IT IS UNLIKELY THAT EMER TREATMENT WILL BE REQ. (ING 18)
RTECS #:9999999ZZ

Ingred Name:ING 17:IF ADVERSE EFTS OCCUR, TREAT SYMP & SUPPORTIVELY AND GET MD.
RTECS #:9999999ZZ

Ingred Name:SUPP DATA: TRUCK IS INVOLVED IN FIRE. EXTING USING AGENT INDICATED.COOL CYL W/FLOODING AMTS OF WATER FROM AS FAR(ING 20)
RTECS #:9999999ZZ

Ingred Name:ING 19:A DISTANCE AS POSS. DO NOT USE WATER DIRECTLY ON MATL. USE WATER SPRAY TO ABSORB VAPS. AVOID BRTHG VAPS;(ING 21)
RTECS #:9999999ZZ

Ingred Name:ING 20: KEEP UPWIND. CONSIDER EVAC OF DOWNWIND AREA IF MATL IS LEAKING.
RTECS #:9999999ZZ

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IA

RC:NO OSHA:NO

Health Hazards Acute and Chronic:INHAL:(ING 2)PREG MICE WERE EXPSD FOR 1 HR TO FUEL GAS,CONTAINING 85% METHANE.RESULTANT ABNORMALITIES OF FETAL BRAIN PRODUCED BRAIN HERNIAS & HYDROCEPHALUS.SEE INFO ON SIMPLE ASPHYXIANTS.(ING 1)SEE IN FO ON SIMPLE ASPHYXIANTS.SIMPLE ASPHYXIANTS:(ACUTE)THE SYMP OF ASPHYXIA DEPEND ON RAPIDITY W/WHICH THE (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ:OXYGEN DEFICIENCY DEV & HOW LONG I T

CONTINUES.IN SUDDEN ACUTE ASPHYXIA, UNCON MAY BE IMMED.W/SLOW DEV THERE MAY BE RAPID RESP & PULSE, AIR HUNGER, DIZZ, REDUCED AWARENESS, TIGHTNESS IN HEAD, TINGLING SENSATIONS, INCOORD, FAULTY JUDGEMENT, EMOTIONAL INSTABILITY & RAPID FATIGUE.AS ASPHYXIA PROGRESSES, (ING 4)

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHAL:REMOVE FROM EXPOS AREA TO FRESH AIR IMMED.IF BRTH G

STOPS,GIVE ARTF RESP.MAINTAIN AIRWAY & BLOOD PRESS & ADMINISTER OXYGEN IF AVAIL.KEEP AFFECTED PERSON WARM & AT REST.TREAT SYMP & SUPPORTIVELY.A DMIN OF OXYGEN SHOULD BE PERFORMED BY QUALIFIED PERS.GET MD IMMED.SKIN:REMOVE CONTAM CLTHG & SHOES IMMED.WASH AFFECTED AREA W/SOAP/MILD DETERGENT & LRG AMTS OF WATER UNTIL NO EVIDENCE OF (ING 15)

=====
===== Fire Fighting Measures =====

Extinguishing Media:FOR LARGER FIRES, USE WATER SPRAY, FOG OR REGULAR FOAM.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP .MOVE CNTNR FROM FIRE IF CAN W/O RISK.APPLY COOLING WATER TO SIDES OF CNTNRS THAT ARE EXPSD TO (SUPP DATA)

Unusual Fire/Explosion Hazard:NEGLIGIBLE FIRE HAZARD WHEN EXPOSED TO HEAT OR FLAME. CYLINDER MAY EXPLODE IN HEAT OF FIRE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAK IF YOU CAN DO IT WITHOUT RISK. KEEP UNNECESSARY PEOPLE AWAY; I

SOLATE HAZARD AREA AND DENY ENTRY. STAY

UPWIND; KEEP OUT OF LOW AREAS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN ACCORDANCE WITH 29 CFR
1910.101. STORE AWAY FROM INCOMPATIBLE SUBSTANCES.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:THE SPECIFIC NIOSH/MSHA APPROVED RESP MUS
T BE

BASED ON CONTAM LEVS FOUND IN WORK PLACE, MUST NOT EXCEED WORKING
LIMITS OF RESP. FOR FURTHER INFORMATION SEE ORIGINAL MSDS .

Ventilation:PROVIDE GENERAL DILUTION VENTILATION.

Protective Gloves:PROTECTIVE GLOVES ARE RECOMMENDED.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

FIRE FIGHT PROC:FLAMES UNTIL WELL AFTER FIRE IS OUT.STAY AWAY FROM END
S

OF TANKS.WITHDRAW IMMED IN CASE OF RISING SOUND FROM VENTING SAFETY
DEVICE/ANY DISCOLORATION OF TANK DUE TO FIRE.SOME OF THESE M
ATLS,IF SPILLED,MAY EVAP LEAVING FLAM RESIDUE.ISOLATE FOR 1/2 MILE
IN ALL DIRECTIONS IF TANK,RAIL CAR/TANK (ING 19)

=====
===== Physical/Chemical Properties =====

Spec Gravity:1.3

Solubility in Water:SLIGHTLY SOLUBLE

Appearance and Odor:ODORLESS, COLORLESS GAS.

=====
===== Stability and Reactivity Data =====

=

Stability Indicator/Materials to Avoid:YES

BROMINE,CHLORINE,CHLORINE DIOXIDE, DIOXYGEN DIFLUORIDE, DIOXYGENYL
TETRAFLUOROBORATE, FLUORINE,INTERHALOGENS, (ING 3)

Stability Condition to Avoid:DO NOT PERMIT PHYS DMG/OVERHEAT OF
CNTNRS.CONTENTS ARE UNDER PRESS;CNTNRS MAY VIOLENTLY RUPTURE/TRAVEL
CONSID DISTANCE.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY RELEASE
TOXIC AND/OR HAZARDOUS GASES.

=====
===== Disposal Considerations =====

Wast

e Disposal Methods:OBSERVE ALL FEDERAL, STATE AND LOCAL REGULATIONS WHEN STORING OR DISPOSING OF THIS SUBSTANCE. FOR ASSISTANCE, CONTACT THE DISTRICT DIRECTOR OF THE ENVIRONMENTAL PROTECTION AGENCY.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.