

FEL-PRO INC DIV OF FELT PRODUCTS MFG CO -- PRO-LINE REAR VIEW MIRROR ADHESIVE
PRIMER -- 2540-01-033-1831

=====
Product Identification
=====

Product ID:PRO-LINE REAR VIEW MIRROR ADHESIVE PRIMER

MSDS Date:08/29/1984

FSC:2540

NIIN:01-033-1831

MSDS Number: BMQTT

=== Responsible Party ===

Company Name:FEL-PRO INC DIV OF FELT PRODUCTS MFG CO

Address:7450 N MCCORMICK

City:SMOKIE

State:IL

ZIP:60076-4046

Country:US

Info Phone Num:312-674-7700

Emergency Phone Num:312-67

4-7700

CAGE:73165

=== Contractor Identification ===

Company Name:FEL-PRO INC DIV OF FELT PRODUCTS MFG CO

Address:7450 N MCCORMICK

Box:1103

City:SKOKIE

State:IL

ZIP:60076-4046

Country:US

Phone:847-674-7700 OR 312-761-4500

CAGE:73165

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS INGREDIENT

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Ski

n:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE SKIN AND EYE IRRITATION.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: IRRIGATE WITH WATER, CALL PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:>250F,>121C
Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB ON INERT MATERIAL AND TRANSFER TO A CLOSED CONTAINER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED AND AVOID CONTACT WITH SKIN AND EYES.
Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.
Ventilation:LOCAL EXHAUST IS PREFERRED. MECHANICAL EXHAUST IS ACCEPTABLE.
Protective Gloves:IMPERVIOUS GLO

VES.
Eye Protection:GOGGLES.
Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING.
Supplemental Safety and Health
PARTS KIT, MIRROR MOUNTING CONSISTS OF 1 BUTTON, 1 ADHESIVE, 1 ACCELERATOR.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:165F,74C
Spec Gravity:1.3
Solubility in Water:NIL
Appearance and Odor:AMBER, CHARACTERISTIC ODOR.
Per
cent Volatiles by Volume:90%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:AS FOR ORGANIC MATERIALS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.