

GRAHAM PAINT AND VARNISH CO INC -- SURFACE FLOOR SEALER, WATER EMULSION --  
8010-00-530-8371

===== Product Identification =====

Product ID: SURFACE FLOOR SEALER, WATER EMULSION

MSDS Date: 01/01/1987

FSC: 8010

NIIN: 00-530-8371

MSDS Number: BSMX

=== Responsible Party ===

Company Name: GRAHAM PAINT AND VARNISH CO INC

Address: 4800 S RICHMOND AVE

City: CHICAGO

State: IL

ZIP: 60632-2022

Country: US

Info Phone N

um: 312-376-7676 / FAX 312-376-9449

Emergency Phone Num: 312-376-7676

CAGE: 61945

=== Contractor Identification ===

Company Name: GRAHAM PAINT AND VARNISH CO INC

Address: 4800 S RICHMOND AVE

Box: City: CHICAGO

State: IL

ZIP: 60632-2022

Country: US

Phone: 312-376-7676

CAGE: 61945

===== Composition/Information on Ingredients =====

Ingred Name: VEHICLE

Fraction by Wt: 15-16%

Other REC Limits: NONE SPECIFIED

Ingred Name: WATER

CAS: 7732-18-5

RTECS #: ZC0110000

Fraction by Wt: 84-85%

Other REC Li

mits:NONE SPECIFIED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NA

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EYES: CAN CAUSE MILD IRRITATION,  
REDNESS, TEARING, BLURRED VISION. SKIN: PROLONGED OR REPEATED  
CONTACT CAN CAUSE MILD IRRITATION. INGEST: CAN CAUSE  
GASTROINTESTINAL IRRITATION.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER.

SKIN: WASH WITH SOAP AND

WATER. USE EMOLLIENT CREAM. INGEST: INDUCE VOMITING AT ONCE. SEE  
PHYSICIAN. INHALE: REMOVE TO FRESH AIR.

=====  
===== Fire Fighting Measures =====

Flash Point:NA

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:NA

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE, DRIED FILMS ARE CAPABLE OF BURNING

=====  
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL WITH INERT

MATERIAL, TRANSFER

LIQUID TO CONTAINERS FOR RECOVERY OR DISPOSAL. KEEP SPILL OUT OF  
SEWERS OR OPEN BODIES OF WATER. FLOORS MAY BE SLIPPERY.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT FREEZE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL).

Protective Gloves:IMPERVIOUS TYPE

Eye

Protection:SPLASHPROOF SAFETY GOGGLES  
Other Protective Equipment:EYEWASH STATION  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:212F,100C  
Vapor Pres:17  
Vapor Density:WATER  
Spec Gravity:1.01-1.03  
Evaporation Rate & Reference:1 (WATER=1)  
Solubility in Water:MISCIBLE  
Percent Volatiles by Volume:85.8-  
Corrosion Rate:\*86.2

===== Stability and Reactivity Data =====

Stability Indicator/M  
aterials to Avoid:YES  
NA  
Stability Condition to Avoid:NA  
Hazardous Decomposition Products:OXIDES OF CARBON, TOXIC MONOMER FUMES  
AND OXIDES OF NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION OR LANDFILL IN ACCORDANCE WITH  
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The Unit  
ed States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.