

SOUTHWEST PETRO-CHEM DIV, WITCO CHEMICAL CORP. -- PETROLEUM HYDROCARBON PLUS ADDITIVES, SB 83 -- 9150-01-035-5396

=====
Product Identification
=====

Product ID:PETROLEUM HYDROCARBON PLUS ADDITIVES, SB 83

MSDS Date:02/07/1992

FSC:9150

NIIN:01-035-5396

MSDS Number: BMSYW

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM DIV, WITCO CHEMICAL CORP.

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Info Phone Num:913-782-5800 FAX: 913-782-8091

Emergency Phone Num:913-782-5800

CAGE:70878

=== Contractor Identification ===

Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS INGREDIENT

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIE

D

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CHRONIC: NONE WHEN USED WITH GOOD HYGIENE PRACTICES. MAY OTHER WISE CAUSE SKIN AND EYE IRRITATION UPON PROLONGED OR REPEATED CONTACT.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT

CARCINOGENS.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYES: IMMEDIATELY FLUSH WITH LARGE QUANTITIES OF WATER FOR 15 MIN & CALL A PHYSICIAN. SKIN: REMOVE EXCESS WITH CLOTH OR PAPER. WASH THOROUGHLY WITH SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: CONTACT A PHYSICIAN IMMEDIATELY.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:406F,208C
Extinguishing Media:DRYCHEMICAL OR WATERFOG OR CARBON DIOXIDE OR FOAM OR SAND/EARTH. COOL FIRE EXPOSED CONTAINERS WITH WATER.
Fire Fighting Procedures:DENSE SMOKE. FIRE FIGHTER SHOULD WEAR SELF CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:DENSE SMOKE.

=====
Accidental Release Measures
=====

Spill Release Procedures:TRANSFER BULK OF MIXTURE INTO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL, SUCH AS EARTH, SAND OR VERMICULITE. SWEEP UP & DISPOSE AS SOLID WASTE.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED UNTIL READY FOR USE.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE
Ventilation:NONE
Protective Gloves:NONE
Eye Protection:CHEMICAL SAFETY GOG

GLS/FULL FACE SHILED

Other Protective Equipment:NONE

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.899

Viscosity:>100

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER, LIQUID, OIL, MINERAL OIL ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ST

STRONG OXIDIZERS SUCH AS HYDROGEN PEROXIDE, BROMINE & CHROMIC ACID.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:OXIDES OF SULFUR, NITROGEN OR

PHOSPHORUS - SULFUR DIOXIDE OR HYDROGEN SULFIDE - HYDROCHLORIC ACID - ALDEHYDES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.