

TACC INTERNATIONAL CORP. -- LA-132 -- 8040-00-298-1946

===== Product Identification =====

Product ID:LA-132

MSDS Date:07/01/1989

FSC:8040

NIIN:00-298-1946

MSDS Number: BMWRV

=== Responsible Party ===

Company Name:TACC INTERNATIONAL CORP.

Address:AIR STATION INDUSTRIAL PARK

Box:390

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Info Phone Num:617-878-7015

Emergency Phone Num:617-878-7015

CAGE:0HZV1

==

= Contractor Identification ==

Company Name:TACC INTERNATIONAL CORP.

Address:AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:617-878-7015

CAGE:0HZV1

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 45-50%

Other REC Limits:NONE SPECIFIED

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LB

S

Ingred Name:ETHYL ACETATE (SARA III)
CAS:141-78-6
RTECS #:AH5425000
Fraction by Wt: 20-25%
Other REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM
ACGIH TLV:400 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 7-10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of
Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:YES
Health Hazards Acute and Chronic:HEADACHE,DIZZINESS, NAUSEA, UPPER
RESPIRATORY IRRITATION, MENTAL DEPRESSION, OR
NARCOSIS,DIFFICULTY IN BREATHING. EYES; IRRITATION. SKIN;REMOVAL OF
SKIN OILS,IRRITATION AND DERMITIS. INGESTION;MAY BE HARMFUL OR
FATAL IF SWALLOWED.
Effects of Overexposure:SEE HEALTH HAZARD.
Medical Cond Aggravated by Exposure:NONE KNOWN

=====

===== First Aid Measures =====

First Aid:INHALATION;GET FRESH AIR. EYES; FLUSH WITH WATER FOR
15MINUTES,CONTACT A PHYSICIAN IF IRRITATION PERSISTS. SKIN;WASH WITH
SOAP AND WATER,APPLY A MILD CREAM. INGESTION; CALL POISON CONTROL
CENTER IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:21.0F,-6.1C
Lower Limits:1.8
Upper Limits:11.0
Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG.

Fire Fighting Procedures:USE SCBA. WATER TEND TO SPREAD FIRE IF LARGE AMOUNT OF WATER ARE USED.

Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE, VAPOR MAY IGNITE OR SPREAD.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL QUANTITIES MAY BE ABSORBED INTO A PROPER ABSORBENT MATERIAL.

Neutralizing Agent:NA

===== Handling and Storage =====

Handling and Storage Precautions:STORE OUT OF DIRECT SUNLIGHT,60-95F

USE ADEQUATE VENTILATION,GROUND ALL EQUIPMENT.

Other Precautions:NA

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLVS ARE EXCEEDED USE NIOSH APPROVED RESPIRATOR

Ventilation:LOCAL

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GLASSES OR GLOVES

Other Protective Equipment:BARRIER CREAMS FOR DENDITIVE SKIN

Work Hygienic Practices:PRUDENT

Supplemental Safety and Health

NA

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:171F,77C

Vapor Pres:71.9

Vapor Density:> 1

Spec Gravity:.892

Evaporation Rate & Reference:> 1

Solubility in Water:NIL

Appearance and Odor:CLEAR, KETONE ODOR

Percent Volatiles by Volume:80

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS,STRONG ACIDS OR BASES.

Stability Condition to Avoid:FIRE,SPARKS, STATIC ELECTRICITY

Hazardous Decomposition Products:CO

AND CO2

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH ALL LOCAL,STATE AND FEDERAL REGULATIONS. DRIED MATERIAL MAY BE DISPOSED AS ORDINARY WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disc
laims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.