

ORGANIC PRODUCTS CO. -- F-900 TORQUE SEAL --- 8030-00-408-1137

===== Product Identification =====

Product ID:F-900 TORQUE SEAL

MSDS Date:01/05/1991

FSC:8030

NIIN:00-408-1137

MSDS Number: BMZDN

=== Responsible Party ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Info Phone Num:214-438-7321

Emergency Phone Num:214-438-7321

CAGE:01195

=== Contractor Identification ===

Company Name:ORGANIC

PRODUCTS CO.

Address:1963 E. IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Phone:214-438-7321

CAGE:01195

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

===== Composition/Information on Ingredients =====

Ingred Name:METHANOL

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 60%

Other REC Limits:NONE SPECIFIED

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA

Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ETHANOL  
CAS:64-17-5  
RTECS #:KQ6300000  
Fraction by Wt: 40%  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:1000 PPM

===== Hazards Identification =====

Effects of Overexposure:MINOR IRRITATION FROM PROLONGED BREATHING.  
MINOR IRRITATION TO SKIN AND EYES. NAUSEA, VOMITING IF SWALLOWED.

===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR. WASH AFFECTED AREAS WITH WATE  
R. IF  
SWALLOWED, INDUCE VOMITING. CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TOC  
Flash Point:109F,43C  
Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES.  
ALCOHOL FOAM FOR LARGE FIRES.  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WITH  
FULL FACE PIECE WITH PRESSURE DEMAND.  
Unusual Fire/Explosion Hazard:VAPOR HEAVIER THAN AIR, KEEP AWAY FROM  
PILOT-LIGHTS, LIGHTS, FLAMES, SPARKS, HEATERS  
AND SMOKERS.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQUID; USE ABSORBENT MATERIAL AND  
TRANSFER TO HOOD. ELIMINATE ALL IGNITION SOURCES DESTROY REMAINING  
MATERIAL BY INCINERATION.

===== Handling and Storage =====

Handling and Storage Precautions:WEAR RESISTANT GLOVES SUCH AS  
NEOPRENE, EYE PROTECTION, CHEMICAL SPLASH GOGGLES. PROTECTIVE  
EQUIPMENT TO PREVENT PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Protective Gloves:YES; NEOPRENE

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE BATH.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:150F,66C

Vapor Pres:42.00

Solubility in Water:NONE

Appearance and Odor:HEAVY THICK PASTE. ALCOHOL ODOR.

Percent Volatiles by Volume:50

===== Stability and Reactivity Data =====

a =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:AVOID HEAD, SPARKS, FIRES.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE  
CARBON MONOXIDE AND/OR CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN FURNANCE, OR BY LIQUID  
INCINERATION. DEPOSIT IN TOXIC LANDFILL IN ACCORDANCE WITH LOCAL,  
STATE, AND FEDERAL REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.