View NSN Online: https://aerobasegroup.es/nsn/9150-01-089-7352

PREMIER IND CORP -- 35342, ROT BLUE GREASE 14 OZ CART -- 9150-01-089-7352

Product ID:35342, ROT BLUE GREASE 14 OZ CART

MSDS Date:01/05/1992

FSC:9150

NIIN:01-089-7352

MSDS Number: BMZJX === Responsible Party ===

Company Name: PREMIER IND CORP

Address:4500 EUCLID AVE

City:CLEVELAND

State:OH ZIP:44103 Country:US

Info Phone Num:216-391-8300 Emergency Phone Num:216-391

-8300

Preparer's Name: G.F.S./S.L.

CAGE:MO891

=== Contractor Identification ===

Company Name: PREMIER FARNELL CORPORATION

Address:4500 EUCLID AVENUE

Box:City:CLEVELAND

State:OH

ZIP:44103-3736

Country:US

Phone:216-391-8300

CAGE:18399

Company Name: PREMIER IND CORP

Address:4500 EUCLID AVE

Box:City:CLEVELAND

State:OH ZIP:44103 Country:US

Phone:216-391-8300

CAGE:MO891

======= Composition/Information on Ingredients ========

Ingred Name: ANTIMONY DIALKYL DITHIOCARBAMATE. LD50: (ORAL RAT) 116

400 MG/KG

CAS:15890-25-2

Fraction by Wt: 1-1.5% OSHA PEL:0.5 MG/M3

ACGIH TLV:0.5 MG/M3 (AS SB)

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED (SEVERE)

HEAVY NAPHTHENIC; (PETROLEUM OIL).ORAL LD50 (RAT):113000 MG/KG

CAS:64742-52-5 RTECS #:PY8035001 Fraction by Wt: >84%

Other REC Limits:10 MG/M3 STEL (MFR)

OSHA PEL:5 MG/M3 (MFR) ACGIH TLV:5 MG/M3 (MFR)

Ingred Name:OCTADECANOIC ACID, 12-HYDROXY-, CALCIUM SALT (2:1)

CAS:3159-62-4

Fraction by Wt: 3-15%

Ingred Name: EPDM POLYMER

CAS:25038-37-3

Fraction by Wt: 2-16%

Ingred Name: NON HAZARDOUS INGREDIENT (PARTIALLY UNKNOWN)

Fraction by Wt: >1%

============= Hazards Identification ========================

LD50 LC50 Mixture:ORAL LD50 (RAT):1300 MG/KG Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: NONE EXPECTED UNLESS PERSON IS

HYPERSENSITIVE TO PETROLEUM LUBRICANTS. THOSE PERSONS SHOULD USE PROTECTIVE GLOVES AND AP

FROTECTIVE GLOVES AND AF

RON TO AVOID CONTACT. MAY CAUSE EYE

IRRITATION. MAY CAUSE SKIN AND LIVER DAMAGE WITH CHRONIC EXPOSURE, PROLONGED CONTACT OR INJECTION FROM HIGH PRESSURE GUN.

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL MD. SKIN:WASH THOR

OUGHLY WITH PLENTY OF WATER AND SOAP. INHAL:IF AFFECTED, REMOVE TO FRESH AIR. INGEST:SEEK MD IMMEDIATELY. SH OW MSDS OR LABEL, TO NOT INDUCE VOMITING.
======================================
Flash Point:450F,232C Extinguishing Media:WATER, FOG, FOAM, DRY CHEMICAL, CARBON DIOXIDE. Fire Fighting Procedures:TREAT AS PETROLEUM FIRE. WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:WILL NOT FLASH SPONTANEOUSLY, MAY IGNITE IF EXPOSED TO OPEN FLAME.
========= Accidental Release Measures ==========
Spill Release Procedures:CLEAN UP WITH ABSORBENT MATERIAL. DISPOSE OF AS A NON-HAZARDOUS WASTE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============ Handling and Storage ==============
Handling and Storage Precautions:AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. ALWAYS READ AND FOLLOW DIRECTIONS ON PRODUCT LABEL. Other Precautions:KEEP OUT OF REACH OF CHILDREN. ADDITIONAL TECHNICAL DATA SHEETS AND/OR MSDS ARE AVAILABLE ON REQUEST. FOR PROFESSIONAL AND INDUSTRIAL USE ONLY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE ONLY WITH ADEQUATE VENTILATION. Ventilation:MECHANICAL (GENERAL) EXHAUST IS REQUIRED. LOCAL VENTILATION IS RECOMMENDED. Protective Gloves:SOLVENT RESISTANT GLOVES. Eye Protection:CHEMICAL WORKERS GOGGLES. Work Hygienic Practices:WASH THOROUGHLY AFTER USE. Suppleme ntal Safety and Health NONE SPECIFIED BY MANUFACTURER.
=========== Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:680F,360C Spec Gravity:0.89 Solubility in Water:INSOLUBLE Appearance and Odor:BLUE PASTE, PETROLEUM LUBRICANT ODOR. Percent Volatiles by Volume:0
=========== Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES NONE
Hazardous Decomposition Products:COMBUSTION PRODUCTS:CO, CO*2, OXIDES OF ANTIMONY, SU

LFUR, NITROGEN.		

====== Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF WASTES IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its

use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.