View NSN Online: https://aerobasegroup.es/nsn/7930-00-184-9423

Product ID:GLASS CLEANER (LIQUID) REGULAR, READY TO US MSDS Date:02/12/1991 FSC:7930 NIIN:00-184-9423 MSDS Number: BNBZF === Responsible Party === Company Name:SOUTHWIN, LTD Address:1407 SOUTH BLOODWORTH STREET Box:27891 City:RALEIGH State:NC ZIP:27611 Country:US Info Phone Num:919-8 34-0990 Emergency Phone Num:919-834-0990 CAGE:KO512 === Contractor Identification === Company Name:SOUTH/WIN LTD Address:1407 S BLOODWORTH STREET Box:27891 City:RALEIGH State:NC ZIP:27611 Country:US Phone:919-834-0090 CAGE:0HN65 Company Name:SOUTHWIN, LTD Address:1407 SOUTH BLOODWORTH STREET Box:27891 City:RALEIGH State:NC ZIP:27611 Country:US Phone:919-834-0990 CAGE:KO512

======= Composition/Information on Ingredients ==========

Ingred Name:ISOPROPANOL (IPA) (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 4% Other REC Limits:NONE SPECIFIED ACGIH TLV:400 PPM TWA

Ingred Name:AMMONIUM HYDROXIDE (SARA III) CAS:1336-21-6 RTECS #:BQ9625000 Fraction by Wt: 1% Other REC Limits:NONE SPECIFIED ACGIH TLV:50 PPM TWA EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ALCOHOL (SARA III) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 4% Other REC Limits:NONE SPECIFIED OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Health Hazards Acute and Chronic:INHALATION: MAY CAUSE EYE AND NOSE
IRRITATION AFTER PROLONGED EXPOSURE. INGESTION: WILL CAUSE NAUSEA
AND BURNING OF MOUTH AND THROAT. EYES: IRRITANT. SKIN: NONE.
Medical Cond Aggravated by Exposure:CONTACT POSION CONTROL CENTER. GET
MEDICAL ATTENTION.

First

Aid:INHALATION: REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION IF NECESSARY. INGESTION: CONTACT POISON CONTROL CENTER. INDUCE VOMITING WITH SYRUP OF IPECAC. GET MEDICAL ATTENTION. EYES: FLUSH WITH FRESH WATER. GET MEDICAL ATTENTION. SKIN: FLUSH WITH FRESH WATER. NOTE TO PHYSICIAN: CONTAINS ISOPROPANOL AND AMMONIUM HYDROXIDE AND METHANOL.

Flash Point Method:PMCC Flash Poi nt:140F,60C Extinguishing Media:H20/FOAM Fire Fighting Procedures:USE PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: CONTAIN WITH ABSORBENT MATERIAL. DISPOSE OF AS REQUIRED BY LOCAL ORDINANCES.

Handling and Storage Precautions: KEEP STORED IN TIGHTLY CLOSED CONTAINER. KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: USE IN WELL VENTILATED AREA. FOR PROLONGED USE OSHA APPROVED RESPIRATOR.
Ventilation: USE IN WELL VENTILATED AREA.
Protective Gloves: REPEAT/PROLONG CONTACT-IMPERVIOUS GLOVES
Eye Protection: SAFETY GLASSES/GOGGLES
Work Hygienic Practices: ALWAYS OBSERVE APPROVED SAFETY PROCEDURES AND GOOD MANUFACTURING PROCEDURES.
Supplemental Safety and Health

HCC:F4 Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.00 pH:10.4 Evaporation Rate & amp; Reference:COMPLETE (BU AC=1) Solubility in Water:100% Appearance and Odor:CLEAR LIQUID, PAINT AMMONIA SMELL.

Stability Indicator/Materials to Avoid:YES DO NOT MIX WITH ACIDS OR OXIDIZERS. Hazardous Decomposition Products:WILL 100% EVAPORATE.

Waste Dis

posal Methods: AS REQUIRED BY LOCAL ORDINANCE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability o f this information to their particular situation.