

MSDS Safety Information

FSC: 8030  
NIIN: 00-067-6744  
MSDS Date: 01/07/1992  
MSDS Num: BNKNT  
Product ID: GRADE A SEALANT,8841  
MFN: 01  
Responsible Party  
Cage: 7K128  
Name: LOCTITE CORP  
Address: 705 N MOUNTAIN ROAD  
City: NEWINGTON CT 06111-1411  
Info Phone Number: 203-278-1280  
Emergency Phone Number: 203-278-1280

Preparer's Name: STEVEN REPETTO  
Review Ind: Y  
Published: Y

Contractor Summary

Cage: 61603  
Name: HERNON MANUFACTURING  
Address: 121 TECH DRIVE  
City: SANFORD FL 32771  
Phone: 407-322-4000/800-255-3924  
Cage: 7K128  
Name: LOCTITE CORP  
Address: 705 N MT RD  
City: NEWINGTON CT 06111  
Phone: 312-689-6200  
Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT  
06067-3910  
Phone: 860-571-5100

Item Description Information

Item Manager: GSA  
Item Name: SEALING COMPOUND  
Type/Grade/Class: GRADE A  
Unit of Issue: BT  
Quantitative Expression: 00000000250CC  
UI Container Qty: M  
Type of Container: PLASTIC

Ingredients

Cas: 25852-47-5  
Name: POL

YGLYCOL DIMETHACRYLATE

% Wt: 90-95

Other REC Limits: NONE SPECIFIED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

-----  
RTECS #: MX2450000

Name: CUMENE HYDROPEROXIDE (1-METHYK-1-PHENYLETHYL HYDROPEROXIDE) (SARA III)

% Wt: 5-7

Other REC Limits: NONE SPECIFIED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 102-82-9

RTECS #: YA0350000

Name: TRIBUTYLAMINE

% Wt: 1-3

Other REC Limits: NONE SPECIFIED

OSHA PEL: NOT ESTABLISHED

AC

GIH TLV: NOT ESTABLISHED

=====  
Health Hazards Data

=====  
LD50 LC50 Mixture: ESTIMATED ORAL LD50 >5000 MG/KG

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.

Signs And Symptoms Of Overexposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SE

NSITIVE INDIVIDUALS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION.

SKIN: FLUSH WITH WATER. INHALATION: DOES NOT APPLY. INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. GET MEDICAL ATTENTION.

=====  
Handling and Disposal

=====  
Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT. STORE IN

PARTLY  
FILLED, CLOSED CONTAINER UNTIL DISPOSAL.  
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.  
Waste Disposal Methods: CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER. DISPOSE OF  
WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. INCINERATE IF  
PERMITTED.  
Handling And Storage Precautions: STORE BELOW 110F TO PRESERVE SHELF-LIFE.  
Other Precautions: AVOID PROLONGED SKIN CONTACT.

=====  
Fire and Explosion Hazard Information  
=====

=====  
Flash Point Method: TCC  
Flash Point Text: >200F,>93C  
Lower Limits: 0.8  
Upper Limits: 6.4  
Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures: NONE SPECIFIED BY MANUFACTURER.  
Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.  
=====

Control Measures  
=====

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.  
Ventilation: NOT NECESSARY.  
Protective Gloves: RUBBER OR PLASTIC GLOVES RECOMMENDED.  
Eye Protection: SAFETY GLASSES OR GOGGLES RECOMMENDED.  
Other Protective Equipment: NONE.  
Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR  
SMOKING.

=====  
Physical/Chemical Properties  
=====

HCC: N1  
B.P. Text: >300F,>149C  
M.P/F.P Text: UNKNOWN  
Decomp Text: UNKNOWN  
Vapor Pres  
: < 5 @ 80 F  
Vapor Density: UNKNOWN  
Spec Gravity: 1.071 @ 80 F  
Evaporation Rate & Reference: UNKNOWN  
Solubility in Water: SLIGHT  
Appearance and Odor: RED LIQUID. MILD ODOR.  
Percent Volatiles by Volume: 21.9  
Corrosion Rate: UNKNOWN

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: EXCESS HEAT.  
Materials To Avoid: NONE  
Hazardous Decomposition Products: NONE (

NON-THERMAL).  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

Transportation Information

=====

Responsible Party Cage: 7K128

Trans ID NO: 45756

Product ID: GRADE A SEAL

ANT,8841

MSDS Prepared Date: 01/07/1992

Review Date: 07/23/1992

MFN: 1

Net Unit Weight: 250 CC

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: BT

Container QTY: M

Type Of Container: PLASTIC

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: GRADE A SEALANT,8841

Cage: 7K128

Company Name: LOCTITE CORP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-278-1280

Label Required IND: Y

Date Of Label Review: 07/23/1992

Status Code: C

Label Date: 07/23/1992

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: None

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS. STORE BELOW 110F TO PRESERVE SHELF-LIFE. FIRST AID: EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: FLUSH WITH WATER. INHALATION: DOES NOT APPLY. INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. GET MEDICAL ATTENT

ION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any ins

trumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.