View NSN Online: https://aerobasegroup.es/nsn/8030-00-123-6955

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- RTV9858 SILICONE CATALYST SOLUTION -- 8030-00-123-6955

============= Product Identification ========================

Product ID:RTV9858 SILICONE CATALYST SOLUTION

MSDS Date:06/29/1988

FSC:8030

NIIN:00-123-6955

Kit Part:Y

MSDS Number: BNSXS === Responsible Party ===

Company Name: GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

City:WATERFORD

State:NY ZIP:12188 Country:US Info Phone N um:518-237-3330

Emergency Phone Num:518-237-3330

Preparer's Name: DA POLSINELLI

CAGE:01139

=== Contractor Identification ===

Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address: 260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY ZIP:12188 Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name: R.H.CARLSON COMPANY, INC.

Address:41-CHESTNUT STREET

Box:1687

City:GREENWICH

State:CT

ZIP:06830-5921

Country:US

Phone:203-531-5500

CAGE:33530

====== Composition/Informat

Ingred Name:DIBUTYL TIN DILAURATE CAS:77-58-7 RTECS #:WH7000000 Fraction by Wt: 5-10% Other REC Limits:NONE SPECIFIED OSHA PEL:0.1 MG/M3 ACGIH TLV:0.1 MG/M3
======================================
LD50 LC50 Mixture:ORAL LD50: 175 (RAT) MG/KG. DERMAL Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGESTION: HARMFUL IF SWALLOWED. SKIN
CONTACT: CAUSES MODERATE SKIN IRRITATION. INHALATION: CAUSES MODERATE RESPIRATORY IRRITATION. EYE CONTACT: MAY CAUSE SEVERE EYE IRRITATION.
Explanation of Carcinogenicity:PRODUCT OR ONE OF ITS INGREDIENTS PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:N/K LD50: 85 MG/KG IPR (RAT) MG/KG. Medical Cond Aggravated by Exposure:NONE KNOWN.
======================================
First Aid:INGEST: INDU CE VOMITING IMMED (GIVING 2 GLASSES WATER & STICKING FINGERS DOWN THROAT); NEVER GIVE ANYTHING TO UNCONSCIOUS PERSON. GET MED AID. SKIN: REMOVE CONTAM CLOTHING & LAUNDER BEFORE REUSE. WASH W/SOAP & WATER. REMOVE CONTAM SHOES, DISCARD. GET MED AID IF IRRIT PERSISTS. INHAL: REMOVE TO FRESH AIR. IF NOT BREATH, GIVE ARTIF RESP (MOUTH TO MOUTH), DIFFICULT BREATH, GIVE OXYGEN. GET MED AID.
======================================
Flash Point Metho

ion on Ingredients =======

d:TCC Flash Point:200F,93C Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA. Fire Fighting Procedures:WEAR RESPIRATORY PROTECTION IF IN A CONFINED AREA.
========= Accidental Release Measures ===========
Spill Release Procedures:WIPE, SCRAPE, SOAK UP IN INERT MAT'L. PUT IN CNTNR FOR DISPOSAL. WASH WALKING SURFACES W/DETERGENT & WATER TO REDUCE SLIPPING HAZARD. WEAR PROPER PROTECTIVE EQUIP. WARN OTHERS OF SPILL. INCREASE AREA VENTILATION.
===== Handling and Storage ====================================
Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID BREATHING VAPORS, IF EXPOSED TO HIGH VAPOR CONCENTRATION, LEAVE AREA AT ONCE. AVOID CONTACT W/SKIN, EYES. Other Precautions:USE ONLY IN WELL VENTILATION AREA. KEEP AWAY FROM FOOD & SMOKING MAT'LS. WASH HANDS BEFORE EATING & SMOKING. CAUTION! ENGINEERING CONTROLS: EXHAUST VENTILATION, SHOWERS, EYEWASH STATIONS. USE LOCALIZE D VENTILATION TO CONTROL D UST LEVELS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE IN A WELL VENTILATED AREA. USE APPROVED NIOSH RESPIRATORY PROTECTION IF TLV EXCEEDED OR OVER EXPOSURE IS LIKELY.  Ventilation:USE ONLY IN WELL VENTILATED AREA. MECHANICAL VENTILATION. Protective Gloves:RUBBER GLOVES. Eye Protection:SAFETY GLASSES, MONOGOGGLES. Other Protective Equipment:RUBBER APRON. WEAR EYE PROTECTION AND PROTECTIVE CLOTHING. Supplemental Safety and Health (E
MERG FIRST AID CONT'D) EYES: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION.
========== Physical/Chemical Properties ===========
HCC:N1 Boiling Pt:B.P. Text:>545F,>285C Vapor Pres:NEGLIGIBLE Vapor Density:NEGLIGIBLE Spec Gravity:1.61 (WATER=1) Evaporation Rate & Description of the company of the com