

THE TEXACONE COMPANY -- EASE OFF 990 -- 8030-00-784-3475

=====
Product Identification
=====

Product ID:EASE OFF 990
MSDS Date:04/07/1992
FSC:8030
NIIN:00-784-3475
MSDS Number: BNTLL
=== Responsible Party ===
Company Name:THE TEXACONE COMPANY
Address:4111 FORNEY RD
City:MESQUITE
State:TX
ZIP:75149
Country:US
Info Phone Num:214-288-4404
Emergency Phone Num:214-288-4404/214-363-1891
CAGE:LO981

==== Co
Contractor Identification ===
Company Name:TEXACONE CO THE
Address:4111 FORNEY RD
Box:City:MESQUITE
State:TX
ZIP:75149-2722
Country:US
Phone:800-235-2727
CAGE:87889
Company Name:THE TEXACONE COMPANY
Address:4111 FORNEY RD
City:MESQUITE
State:TX
ZIP:75149
Country:US
Phone:214-288-4404
CAGE:LO981

=====
Composition/Information on Ingredients
=====

Ingred Name:RED LEAD
CAS:1314-41-6
RTECS #:OG5425000
Fraction by Wt: 19.0%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.05 MG/M3
ACGIH TL

V:0.15 MG/M3

Ingred Name:DIBUTYL PHTHALATE (SARA III)

CAS:84-74-2

RTECS #:TI0875000

Fraction by Wt: 33.5%

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

Fraction by Wt: 25.4%

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50: 630 MG/KG; DERMAL 720 ML/KG

Routes

of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: ENCEPHALOPATHY DEVELOPS QUICKLY TO SEIZURES, COMA AND DEATH. CHRONIC: SEVERE DAMAGE TO BLOOD FORMING, NERVOUS, URINARY AND REPRODUCTIVE SYSTEMS.

Effects of Overexposure:LOSS OF APPETITE, METALLIC TASTE IN MOUTH, ANXIETY, CONSTIPATION, NAUSEA, PALLOR, INSOMNIA, HEADACHE, ABDOMINAL PAIN.

Medical Cond Aggravated by Exposure:GASTROINTESTINAL, CENTRAL NERVOUS SYSTEM, KIDNEYS, BLOOD, GINGIVAL TISSUE.

=====
===== First Aid Measures =====

First Aid:EYE: IRRIGATE IMMEDIATELY. SKIN: SOAP FLUSH PROMPTLY. BREATH: ARTIFICIAL RESPIRATION. SWALLOW: WATER; VOMIT.

=====
===== Fire Fighting Measures =====

Flash Point:310F,154C

Extinguishing Media:CO2, OR DRY CHEMICAL.

Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Meas

ures =====

Spill Release Procedures:TREAT AS IF AN OIL SPILL. KEEP AWAY FROM FLAME.

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL REQUIREMENTS - INDEFINITE SHELF LIFE.

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:APROPRIATE RESPIRATORY PROTECTION MAY BE REQUIRED.

Ventilation:YES/LOCAL EXHAUST-VENTED FAN.

Protective Gloves:NO

Eye Protection:NO

Other Protective Equipment:NO

Work Hygienic Practices:NO SPECIAL PRACTICES UNLESS EXPSOURE TO LEAD ABOVE PEL.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:>125F,>52C

Spec Gravity:1.67 (WATER=1)

Solubility in Water:NO

Appearance and Odor:BROWN PASTE, PAINT-LIKE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDI

ZERS, HYDROGEN PEROXIDE. ACTIVE METALS (SODIUM, POTASSIUM).

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:CO, CO2, AND HEAVY METAL OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:SECURE LAND BURIAL OR INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.