Product ID:CS 3201 PART B MSDS Date:03/16/1990 FSC:8030 NIIN:00-262-9041 Kit Part:Y MSDS Number: BNWJD === Responsible Party === Company Name: FLAMEMASTER CORP Address:11120 SHERMAN WAY City:SUN VALLEY State:CA ZIP:91352 Country:US Info Phone Num:818-982-1650 Emergency Phone Num:800-424-9300 CHEMTREC CAGE:14439 === Contractor Identification === Company Name: FLAMEMASTER COR P THE CHEM SEAL DIV Address:11120 SHERMAN WAY Box:City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Phone:818-982-1650 CAGE:14439

Ingred Name:LEAD PEROXIDE * CAS:1309-60-0 RTECS #:OG0700000 Fraction by Wt: 64% Other REC Limits:NONE SPECIFIED OSHA PEL:0.05 MG/M3 ACGIH TLV:0.15 MG/M3

Ingred Name:LEAD OXIDE * CAS:1317-36-8 RTECS #:OG1750000 Fraction by Wt: 6% Other REC Limits:NONE SPECIFIED OSHA PEL:0.05 MG/M3 ACGIH TLV:0.15 M G/M3

Ingred Name:* EXPOSURE LIMITS ARE BASED ON DUST PARTICLES. .IN PRODUCT LEAD DIOXIDE/OXIDE PARTICLES ARE WETTED OUT THEREFORE ** RTECS #:99999992Z Other REC Limits:NONE SPECIFIED

Ingred Name:** AIRBORNE PARTICLES WILL NOT RESULT FROM NORMAL USE. RTECS #:99999992Z Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards A

cute and Chronic:ACUTE: WEAKNESS, STUPOR. CHRONIC:

KIDNEY DAMAGE, ANEMIA, REPRODUCTIVE DEFECTS.

Effects of Overexposure:HEADACHE, MUSCLE AND JOINT PAIN, NEUROMUSCULAR DYSFUNCTION.

Medical Cond Aggravated by Exposure: ANEMIA, KIDNEY DISEASE, PREGNANCY.

First Aid:INGESTION: INDUCE VOMITING, CONSULT A PHYSICIAN AT ONCE. EYE CONTACT: FLUSH WITH LARGE AMOUNT OF WATER AND CONTACT PHYSICIAN.

Flash Point Method:TCC
Flash Point:200F,93C
Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER.
Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE, IN CONFINED AREAS.
Unusual Fire/Explosion Hazard:FIRE HAZARD EXISTS IF CONTACT WITH OXIDIZABLE MATERIALS AT HIGH TEMPERATURES.

Spill Release Procedures: SCOOP UP AND TRANSFER TO A SAFETY CONTAINER.

Handling and Storage Precautions: STORE IN COOL DRY AREA. KEEP CONTAINERS CLOSED. Other Precautions: WASH HANDS BEFORE EATING, DRINKING OR SMOKING. Respiratory Protection: IF SOOT IS FORMED USE NIOSH APPROVED RESPIRATOR. Ventilation: LOCAL EXHAUST: AIR HOOD. MECHANICAL (GENERAL): FAN. Protective Gloves: RUBBER. Eve Protection:SAFETY GLASSES Other Protective Eq uipment: APPROPRIATE TO AVOID PROLONGED CONTACT. Work Hygienic Practices: TRAIN PERSONNEL IN THE SAFE HANDLING OF THIS PRODUCT. Supplemental Safety and Health HCC:D1 Boiling Pt:B.P. Text:644F,340C Melt/Freeze Pt:M.P/F.P Text:LIQ@RM TEMP Vapor Pres:NIL Spec Gravity:3.00 (WATER=1) Evaporation Rate & amp; Reference:NIL (BU AC=1) Solubility in Water:NEGLIGIBLE Appearance and Odor: BROWN PASTE OILY ODOR. ========= Stabil Stability Indicator/Materials to Avoid:YES OXIDIZABLE MATERIALS. Stability Condition to Avoid:HIGH HEAT. 17MAR92 Hazardous Decomposition Products: LEAD OXIDE, DUST AND ORGANICS.

Waste Disposal Methods:RETURN TO SMELTER FOR RECLAMATION OR REACT WITH BASE AND DISPOSE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling

agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.