Product ID:FUEL, COMPRESSED, TRIOXANE, RATION HEATING MSDS Date:10/05/1992 FSC:9110 NIIN:00-263-9865 MSDS Number: BPBVG === Responsible Party === Company Name: VAN BEN INDUSTRIES INC. Address:530 MAIN STREET (REAR) Box:330 City:CLINTON State:MA ZIP:01510 Country:US Info Phone Num:508-368-8145 Emergency Phone Num:508-368-8145 Preparer's Na me:JOHN E. GORMAN. CAGE:3Z202 === Contractor Identification === Company Name: VAN BEN INDUSTRIES INC. Address:530 MAIN STREET (REAR) Box:330 City:CLINTON State:MA ZIP:01510 Country:US Phone:508-368-8145/MICHAEL MARONI CAGE:3Z202

Ingred Name:1,3,5-TRIOXANE CAS:110-88-3 RTECS #:YK0350000 Fraction by Wt: 95% Other REC Limits:NONE RECOMMENDED

Routes of Entry: I

 nhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ESSENTIALLY NON-IRRITATING TO SKIN AND NON-SENSITIZING. CONSIDERED PRACTICALLY NON-TOXIC BY INHALATION AND INGESTION. Explanation of Carcinogenicity:NOT LISTED AS A CARCINOGENIC BY NTP, IARC NOR OSHA. Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYE: FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MIN & SEEK MEDICAL ATTENTION. SKIN: WASH SUBSTANCE FROM SKIN WITH MILD SOAP & WATER; IF IRRITATED, SEEK MEDICAL ATTENTION. INGESTION: GIVE TWO GLAS SES OF WATER TO DILUTE, SEEK MEDICAL ATTENTION. INHLATION: REMOVE FROM CONTAMINATED AREA & SEEK MEDICAL ATTENTION.
======================================
 Flash Point Method:OC Flash Point:113F,45C Lower Limits :3.6% Upper Limits:29.0% Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL POWDER. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND PERSONAL PROTECTIVE EQUIPMENT MAY BE NEEDED FOR LARGE FIRES. Unusual Fire/Explosion Hazard:CONSIDERED A MODERATE FIRE RISK. BURNS WITH COLORLESS FLAME.
======================================
Spill Release Procedures: AVOID SPRAKS, OPEN FLAMES, OR ANY OTHER SOURCES OF IGNITION. AVOID CO NTACT WITH STRONG ACIDS OR OXIDIZING MATERIALS.
======================================
Handling and Storage Precautions:STORE IN A COOL DRY PLACE. KEEP AWAY FROM SPARKS AND OPEN FLAMES. Other Precautions:NONE.
======================================
Respiratory Protection: USE NIOSH APPROVED CARTRIDGE OR CANNISTER RESPIRATOR IF VENTILATION IS INADEQUATE, AND WITHIN USE LIMITATIONS OF DEVICE. OTHERWISE, USE SELF-CONTAINED

BREATHING APPARATUS.
Ventilation:USE LOCAL EXHAUST WHEN APPROPIATE TO CONTROL EMPLOYEE EXPOSURE. IN MOST SITUATIONS, USE DILUTION OR GENERAL VENTILATION.
Protective Gloves:RUBBER OR NEOPRENE GLOVES.
Eye Protection:SAFETY GOGGLES.
Other Protective Equipment:NONE.
Work Hygienic Practices:WASH THOROUGHLY AFTER EACH USE.
Supplemental Safety and Health

HCC:F8 Boiling Pt:B.P. Text:238F,114C Melt/Freeze Pt:M.P/F.P Text:142F,61C

Vapor Pres:10.0 MMHG Vapor Density:1.0-1.2 Spec Gravity:1.17 @65C Solubility in Water:17.2 % @18C Appearance and Odor:BLUE CRYSTALLS WITH PLESANTS ETHER-LIKE ODOR. Percent Volatiles by Volume:100%

Stability Indicator/Materials to Avoid:YES
STRONG MINERAL ACIDS AND STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:CONTACT WITH STRONG MINERAL ACIDS OR STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:CARBON MONO
XIDE, FORMALDEHYDE, PARAFORMALDEHYDE, CARBON DIOXIDE.
Conditions to Avoid Polymerization:CONTACT WITH LEWIS ACIDS.

Waste Disposal Methods: INCINERATE IN CHEMICAL INCINERATOR, IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no

manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.