PHIPPS PRODUCTS CORP -- C-O-376A -- 9150-00-231-6699 Product ID:C-O-376A MSDS Date: 10/27/1992 FSC:9150 NIIN:00-231-6699 MSDS Number: BPDYN === Responsible Party === Company Name: PHIPPS PRODUCTS CORP Address: 186 LINCOLN ST SUITE 502 City:BOSTON State:MA ZIP:02111-2403 Country:US Info Phone Num: MANUFACTURER OUT OF BUSINESS Emergency Phone Num:617-542-7341 Preparer's Name: HMIS TECHNICIAN CAGE:86511 === Contractor Identification Company Name: PHIPPS PRODUCTS CORP Address: 186 LINCOLN ST SUITE 502 Box:City:BOSTON State:MA ZIP:02111-2403 Country:US Phone: OUT OF BUSINESS CAGE:86511 ======= Composition/Information on Ingredients ======== Ingred Name: ANIMAL FATS Fraction by Wt: 100% Other REC Limits: NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards

Acute and Chronic: EYES/SKIN: IRRITATION. AVOID BREATHING OF MIST. Explanation of Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure: IRRITATION OF EYES AND SKIN UPON CONTACT. Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid:EYE: IMMEDIATELY FLUSH W ITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTEN TION. ============ Fire Fighting Measures ========================= Flash Point Method:COC Flash Point:>440F,>227C Autoignition Temp: Autoignition Temp Text: UNKNOW Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPRO **VED SCBA &** FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. MAY EVOLVE ALDEHYDES, KETONES, CARBON MONOXIDE, AND OXIDES OF NITROGEN & SULFUR ========= Accidental Release Measures ============ Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT, ELIMINATE SOURCES

OF IGNITION, AND VEN

TILATE AREA AS REQUIRED. RECOVER FREE LIQUID.

ABSORB SMALL SPILL WITH INERT MATERIAL. PLACE WASTE IN DOT APPROVED CONTAINER FOR DISPOSA L.

============ Handling and Storage ===========================

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM PHYSICAL DAMAGE.

Other Precautions: AVOID BREATHING OF MIST. MINIMIZE PERIODS OF EXPOSURE TO HIGH TEMPERATURE. AV

| DID WATER CONTAMINATION. |
|---|
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION. Yentilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE. Protective Gloves:RUBBER GLOVES OR OTHER OIL RESISTANT. |
| Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Outline of the state of the |
| WORK CLOTHING AND APRON AS REQUIRED TO AVOID PROLONGED OR REPEATED CONTACT. |
| Vork Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. |
| Supplemental Safety and Health ISDS GENERATED BY HMIS TECHNICIAN FOR TECHNICAL SUPPORT. MANUFACTURER OUT OF BUSINESS. |

========= Physical/Chemical Properties ==========

HCC:V6 Melt/Freeze P t:M.P/F.P Text: