

FIBER RESIN CORPORATION -- FR-7035 -- 8040-00-180-6149

===== Product Identification =====

Product ID:FR-7035

MSDS Date:07/28/1992

FSC:8040

NIIN:00-180-6149

MSDS Number: BPFQX

=== Responsible Party ===

Company Name:FIBER RESIN CORPORATION

Address:170 W PROVIDENCIA AVE

City:BURBANK

State:CA

ZIP:91502

Country:US

Info Phone Num:612-481-3300/ FAX: 612-481-3309

Emergency Phone Num:800-228-5635

Preparer's Name:ANITA BOLDT

CAGE:GO435

=== Contractor Identification ===

Company Name:FIBER RESIN CORP SUB OF HB FULLER CO

Address:170 W PROVIDENCIA AVE

Box:91503

City:BURBANK

State:CA

ZIP:91503-5000

Country:US

Phone:800-624-9487/612-481-4842

CAGE:GO435

Company Name:FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY

Address:20701 NORDHOFF ST

Box:City:CHATSWORTH

State:CA

ZIP:91311

Country:US

Phone:818-882-3022

CAGE:26348

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN

CAS:25068-38-6

RTECS #:KD4380000

Fraction by Wt:

10-20% *

Other REC Limits:NONE SPECIFIED

Ingred Name:EPOXY RESIN

CAS:25036-25-3

Fraction by Wt: 13-30% *

Other REC Limits:NONE SPECIFIED

Ingred Name:ACRYLONITRILE BUTADIENE RESIN

CAS:68891-50-9

Fraction by Wt: 3-6% *

Other REC Limits:NONE SPECIFIED

ACGIH TLV:NONE

Ingred Name:ACRYLONITRILE RUBBER (SARA III)

CAS:107-13-1

RTECS #:AT5250000

Fraction by Wt: 1-3% *

Other REC Limits:NONE SPECIFIED

OSHA PEL:SEE 1910.1045

ACGIH TLV:S, 2 PPM;A2 9394

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:

RESORCINOL DIGLYCIDYL ETHER

CAS:101-90-6

RTECS #:VH1050000

Fraction by Wt: 0.5-1% *

Other REC Limits:NONE SPECIFIED

Ingred Name:POLYAMID RESIN

CAS:68989-76-4

Fraction by Wt: 0.5-1% *

Other REC Limits:NONE SPECIFIED

Ingred Name:MODIFIED TERTIARY AMINE

CAS:51365-20-9

RTECS #:NM1275000

Fraction by Wt: 490F,>254C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, OR WATER SPRAY.

Fire Fighting Procedures:PERSON EXPOSED TO PRODUCTS OF COMBUSTION

SHOULD WEAR SELF-CONTAINED BREATHING APPARATU

S AND FULL PROTECTIVE
EQUIPMENT.

Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER SPILLED MATERIAL AND PLACE IN SUITABLE
CONTAINER FOR REUSE OR DISPOSAL.

Neutralizing Agent:NOT REQUIRED.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT 40 F OR BELOW. MATERIAL WILL
SLOWLY POLYMERIZE AT HIGHER TEMPERATURES.

Other Precautions:WASH
HANDS BEFORE EATING OR SMOKING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED.

Ventilation:MECHANICAL (GENERAL)

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:LONG SLEEVED SHIRTS AND PANTS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.2 (WATER=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:CREAM COLOR

ED TACKY FILM. SLIGHT ODOR.

Percent Volatiles by Volume:.3 MAX

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:NONE KNOWN.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
OXIDES OF NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF IN APPROVED LANDFILL.
TO THE BEST OF OUR KNOWLEDGE THIS PRO

DUCT DOES NOT MEET THE
DEFINITION OF HAZARDOUS WASTE UNDER THE US EPA HAZARDOUS WASTE
REGULATIONS 40 CFR 261.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent profes
sional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.