

COLORADO PAINT COMPANY -- CLASS I STENCIL PAINT WHITE -- 8010-00-285-4913

===== Product Identification =====

Product ID:CLASS I STENCIL PAINT WHITE

MSDS Date:01/29/1991

FSC:8010

NIIN:00-285-4913

MSDS Number: BPFVY

=== Responsible Party ===

Company Name:COLORADO PAINT COMPANY

Address:4747 HOLLY STREET

City:DENVER

State:CO

ZIP:80216

Country:US

Info Phone Num:303-388-0875

Emergency Phone Num:303-388-9265

Preparer's Name:AMY J THOMPSON

CAGE:25449

=== Contractor Identification ===

Company Name:COLORADO PAINT CO

Address:4747 HOLLY STREET

Box:City:DENVER

State:CO

ZIP:80216-6409

Country:US

Phone:303-338-9265

CAGE:25449

===== Composition/Information on Ingredients =====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 20%

Other REC Limits:NONE SPECIFIED

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

Ingred Name:DRIERS, UNSPECIFIED

Fraction by Wt: 1%

Othe

r REC Limits:NONE RECOMMENDED

Ingred Name:COATING AND MATERIAL VOC: 3.51 LB/GL (420 G/L)

RTECS #:9999999VO

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALE: EXCESS VAPORS CAN CAUSE NASAL & RESPIRATORY IRRITATION, CENTRAL NERVOUS SYSTEM EFFECTS INCLUDING DIZZINESS, WEAKNESS, FATIGUE, NAUSEA AND HEADACHE. POSSIBLE UNCONSCIOUSNESS. EYE: CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING AND BLURRED VISION. SKIN: PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION.

Explanation of Carcinogenicity:NONE OF THE INGREDIENTS ARE LISTED AS CARCINOGENS BY IARC, NTP, OR OSHA. AMES TESTS DID NOT INDICATE MUTAGENIC ACTIVITY.

Effects of Overexposure:SKIN CONTACT MAY CAUSE DEFATTING AND DERMATITIS. INGESTION MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA. ASPIRATION TO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS.

Medical Cond Aggravated by Exposure:POSSIBLE ALLERGIC REACTION.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS DEVELOP, GET MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, LIFTING EYELIDS. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER WHILE REMOVING CONTAMINATED CLOTHING. INGESTION: DO NOT INDUCE VOMITING. IF CONSCIOUS, RINSE MOUTH WITH WATER. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:50.0F,10.0C

Lower Limits:1.0

Upper Limits:6.0

Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE DEMAND MODE WHEN FIGHTING FIRE

IRES.  
Unusual Fire/Explosion Hazard:NEVER USE WELDING OR CUTTING TORCH ON OR NEAR CONTAINERS BECAUSE PRODUCT CAN IGNITE AND EXPLODE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME AND FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. ABSORB LIQUID ON PAPER, VERMICULITE, FLOOR ABSORBENT OR OTHER ABSORBENT AND DISPOSE OF IN THE PROPER MANNER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME AND FIRE.  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE FOR EMERGENCY. USE A NIOSH APPROVED PAINT RESPIRATOR OR SUPPLIED-AIR RESPIRATOR IN POSITIVE PRESSURE MODE AS REQUIRED.  
Ventilation:SUFFICIENT MECHANICAL VENTILATION TO MAINTAIN EXPOSURE BELOW TLVS.  
Protective Gloves:NITRILE, RUBBER, NEOPRENE  
Eye Protection:SAFETY GOGGLES OR OTHER SAFETY GLASSES  
Other Protective Equipment:TO PREVENT REPEATED OR PROLONGED SKIN CONTACT, WEAR IMPERVIOUS CLOTHING AND BOOTS.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:>240F,>116C  
Vapor Density:> 1  
Spec Gravity:1.1  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Solubility in Water:NONE  
Appearance and Odor:OF PAINT CHARACTER-SMOOTH WHITE MATERIAL, SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME AND FIRE.  
Hazardous Decomposition Products:CARBON DIOXIDE AND

## CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND  
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. A  
ny person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.