

EPOXY TECHNOLOGY -- EPO TEK 353 ND, PART A -- 8040-01-316-6021
===== Product Identification =====

Product ID:EPO TEK 353 ND, PART A
MSDS Date:05/16/1990
FSC:8040
NIIN:01-316-6021
Kit Part:Y
MSDS Number: BPGLJ
=== Responsible Party ===
Company Name:EPOXY TECHNOLOGY
Address:14 FORTUNE DRIVE
City:BILLERICA
State:MA
ZIP:01821
Country:US
Info Phone Num:508-667-3805
Emergency Phone Num:508-667-3805
CAGE:33246
=== Contractor Identification ===
Company Name:EPOXY TECH
NOLOGY
Address:14 FORTUNE DRIVE
Box:City:BILLERICA
State:MA
ZIP:01821
Country:US
Phone:978-667-3805
CAGE:33246

===== Composition/Information on Ingredients =====

Ingred Name:EPO TEK 353 ND, PART A CONTAINS NO INGREDIENTS THAT REQUIRE
MSDS REPORTING PER MASS RTK.
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:INGESTION: MAY BE MO

DERATELY TOXIC.

INHALATION: HOT VAPORS CAN CAUSE HEADACHES, NAUSEA, DIZZINESS, AND RESPIRATORY IRRITATION. SKIN CONTACT: CAN CAUSE DERMATITIS. EYE CONTACT: IRRITATING TO THE EYES. CAN CAUSE INJURY.

Medical Cond Aggravated by Exposure:CAN CAUSE DERMATITIS AND SENSITIZATION.

===== First Aid Measures =====

First Aid:EYE CONTACT: IN CASE OF EYE CONTACT, FLUSH WELL WITH WATER. GET MEDICAL ATTENTION IMMEDIATELY. SKIN CONTACT: IN CASE OF SKIN

CONTACT, CLEAN WITH SOAP AND WATER. DO NOT USE SOLVENTS. REMOVE CONTAMINATE D CLOTHING. INGESTION: GET MEDICAL ATTENTION IMMEDIATELY. INHALATION: REMOVE EMPLOYEE TO FRESH AIR. IF DISCOMFORT PERSISTS, GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:>200F,>93C

Extinguishing Media:DRY CHEMICAL, FOAM, CARBON DIOXIDE.

Fire Fighting Procedures:AVOID FUMES LIBERATED BY HEAT.

Unusual Fire/Explosion Hazard:WEAR SELF-CONTAINED BREA

THING APPARATUS &

COMPLETE PERSONAL PROTECTIVE EQUIPMENT. REMOVE ALL IGNITION SOURCES. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. USE EYE AND SKIN PROTECTION. PLACE LEAKING CONTAINERS IN A WELL VENTILATED AREA. ABSORB SPILLAGE WITH INERT MATERIAL AND DISPOSE.

===== Handling and Storage =====

Handling and Storage Prec

autions:AVOID CONTACT WITH SKIN AND EYES.

AVOID BREATHING VAPORS. KEEP CNTNRS CLOSED WHEN NOT IN USE. REMOVE ALL CONTAMINATED CLOTHING IMMEDIATELY AND WASH.

Other Precautions:WASH SKIN THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. SOLVENTS SHOULD NOT BE USED TO CLEAN SKIN BECAUSE OF INCREASED PENETRATION POTENTIAL--PROTECTIVE SKIN OILS CAN BE DISSOLVED BY SOLVENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR AN APPROVED R

ESPIRATOR WHENEVER HIGH LEVEL

EXPOSURE TO VAPOR OR MIST IS ANTICIPATED.

Ventilation:LOCAL EXHAUST RECOMMENDED FOR EXPOSURE CONTROL.

Protective Gloves:IMPERVIOUS GLOVES--NEOPRENE/EQUIVALENT

Eye Protection:CHEMICAL SPLASH GOGGLES RECOMMENDED.

Other Protective Equipment:WHERE CONTACT CAN OCCUR, USE A FACE SHIELD &
IMPERVIOUS APRON. SAFETY SHOWER & EYE WASH FACILITIES SHOULD BE
AVAILABLE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Vapor Density:> AIR.

Spec Gravity:1.2

Solubility in Water:LOW

Appearance and Odor:CLEAR LIQUID, MILD ODOR.

Percent Volatiles by Volume:0.8

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AND REDUCING AGENTS.

Stability Condition to Avoid:EXCESSIVE HEAT.

Hazardous Decomposition Products:FUMES PRODUCED WHEN HEATED TO
DECOMPOSITION MAY INCLUDE CARBON MONOXIDE, AND CARBON DIOXIDE.

===== Dis
posal Considerations =====

Waste Disposal Methods:INCINERATE OR USE HAZARDOUS WASTE TREATMENT
PROCEDURES THAT ARE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability

for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.