

SCAN-PAC MFG. INC. -- BREAK SHOES -- 3040-01-284-8973

===== Product Identification =====

Product ID:BREAK SHOES

MSDS Date:04/28/1986

FSC:3040

NIIN:01-284-8973

MSDS Number: BPHVX

==== Responsible Party ===

Company Name:SCAN-PAC MFG. INC.

Address:9950 NORTH PORT WASHINGTON ROAD

City:MEQUON

State:WI

ZIP:53092

Country:US

Info Phone Num:414-241-3890

Emergency Phone Num:414-241-3890

CAGE:LO310

==== Contra

ctor Identification ===

Company Name:SCAN-PAC MFG INC

Address:9950 N PORT WASHINGTON RD

Box:City:MEQUON

State:WI

ZIP:53092-6080

Country:US

Phone:414-241-3890

CAGE:65175

Company Name:SCAN-PAC MFG. INC.

Address:9950 NORTH PORT WASHINGTON ROAD

Box:City:MEQUON

State:WI

ZIP:53092

Country:US

Phone:414-241-3890

CAGE:LO310

===== Composition/Information on Ingredients =====

Ingred Name:GRAPHITE, NATURAL

CAS:7782-42-5

RTECS #:MD9659600

OSHA PEL:15 MPPCF RDUST

ACGIH TLV:2 MG/M3 RDUST; 9

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9293

Ingred Name:CALCIUM OXIDE
CAS:1305-78-8
RTECS #:EW3100000
OSHA PEL:5 MG/M3
ACGIH TLV:2 MG/M3; 9293

Ingred Name:MINERAL WOOL
CAS:65996-69-2
OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:GRA
PHITE & CARBON BLACK MAY CAUSE

PNEUMOCONIOSIS, OTHER LUNG DAMAGE AND/OR IRRITATION OF THE EYE.
DUST OF AUTOCLAVED LIME MAY CAUSE IRRITATIONS OR INJURY TO EYES,
SKIN OR RESPIRATORY TRACT. MINERAL WOOL FIBER MAY IRRITATION TO
THE EYES, SKIN, OR RESPIRATORY TRACT.

Effects of Overexposure:GRAPHITE DUST & CARBON BLACK: EYE IRRITATIONS &
COUGHING, WHEEZING, SHORTNESS OF BREATH, IMPAIRED PULMONARY
FUNCTIONS; AUTOCLAVED LIME.IRRITATION/BURNING SENSATION & BURNS TO
WET SKIN;

MINERAL WOOL FIBER: IRRITATES SKIN, EYES OR RESPIRATORY
TRACT.

Medical Cond Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:SHOULD NOT BE REQUIRED IN NORMAL HANDLING OF PRODUCT, BUT IF
NECESSARY FLUSH EYE WITH WATER FOR AT LEAST 15-MINUTES. WASH SKIN &
REMOVE FROM EXPOSURE TO INHALATION OR CONTACT.

===== Fire Fighting Measures =====

Extinguishing Media:WATER

===== Ac

cidental Release Measures =====

Spill Release Procedures:GRINDING, DRILLING, MILLING, ETC. CAN RESULT IN RELEASE OF AIRBORNE DUST. SWEEP-UP & PLACE IN APPROPRIATE CONTAINER. WEAR APPROPRIATE PROTECTIVE CLOTHING FOR SITUATION AT HAND.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATORY PROTECTION FOR PNEUMOCONIOSIS-FIBROSIS PRODUCING DUSTS WITH TLV NOT LESS THAN 0.05 MG/CUM

Ventilation:LOCAL EXH

AUST: FOR DUST EXPOSURE > TLV. LOCAL EXHAUST: FOR DUST EXPOSURE > TLV.

Protective Gloves:RECOMMENDED FOR SENSITIVE PERSONS

Eye Protection:TYPE DESIGNED TO MINIMIZE DUST TO EYES.

Other Protective Equipment:LONG SLEEVED SHIRTS/OTHER PROTECTIVE CLOTHING MAYBE BENEFICIAL TO PREVENT SKIN CONTACT OF SENSITIVE PERSONS.

Work Hygienic Practices:INSTRUCT EMPLOYEES IN THE USE OF CONTROL MEASURES AS INDICATED ABOVE.

Supplemental Safety and Health

NONE

===== Physical/Chemical P

roperties =====

HCC:N1

Spec Gravity:1.8 TO 2.0

Evaporation Rate & Reference:0

Solubility in Water:NO

Appearance and Odor:GREY COLOR, SEMIFLEXIBLE TO RIGID; NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:INCOMPLETE COMBUSTION WILL CREATE CARBON MONOXIDE & DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:COMPLY WITH AP

PLICABLE FEDERAL, STATE, & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitabili
ty of this information to their
particular situation.