EXIDE CORP, GOVERNMENT MARKETING DEPT. -- ALL LEAD ACID STORAGE BATTERY - 6140-00-284-1361

Product ID:ALL LEAD ACID STORAGE BATTERY MSDS Date:11/20/1992 FSC:6140 NIIN:00-284-1361 MSDS Number: BPJBF === Responsible Party === Company Name: EXIDE CORP, GOVERNMENT MARKETING DEPT. Address:9055 GUILFORD ROAD City:COLUMBIA State:MD ZIP:21045-2059 Country:US Info Phone Num:301-381-8500 Emergency Phone Num:301-381-8500 OR 215-378-0757 Preparer's Name:DGSC-SSH CAGE:KO557 === Contractor Identification === Company Name: ENERSYS INC Address:8306PATUXENT RANGE RS SUITE 103 Box:City:JESSUP State:MD ZIP:20794-8609 Country:US Phone:301-381-8500 OR 215-378-0757 CAGE:90660 Company Name: EXIDE CORP, GOVERNMENT MARKETING DEPT. Address:9055 GUILFORD ROAD Box:City:COLUMBIA State:MD ZIP:21045-2059 Country:US Phone:301-381-8500 CAGE:KO557 Company Name: EXIDE CORPORATION Address:WISCO DIV Box:City:RACINE State:WA Country:US CAGE:65705

=======

===== Composition/Information on Ingredients ====================================
Ingred Name:NON HAZARDOUS INGREDIENT Fraction by Wt: 100% % Other REC Limits:NONE RECOMMENDED
======================================
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ITEM AS SHIPPED IS AN ARTICLE. NOT HAZARDOUS. HAZARD ARISES WHEN DRY BATTERY FILLED WITH ELECTROLYTE. Explanation of Carcinogenici ty:PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA. Effects of Overexposure:ITEM AS SHIPPED AND STORED IS AN ARTICLE. NOT HAZARDOUS. Medical Cond Aggravated by Exposure:NONE KNOWN.
First Aid:NO HAZARD EXPECTED AS SHIPPED/STORED.
======================================
Lower Limits:NR Upper Limits:NR Extinguishing Media:CO2, FOAM, DRY CHEMICAL, HA LOGEN Fire Fighting Procedures:IF BATTERIES ARE ON CHARGE, SHUT OFF POWER. USE POSITIVE PRESSURE,SELF CONTAINED BREATHING APPERATUS, WATEER APPLIED TO ELECTROLYTEGENERATES HEAT AND MAY SPLATT Unusual Fire/Explosion Hazard:HIGHLY FLAMMABLE HYDGROGEN GAS IS GENERATED DURING CHARGING AND OPERATING OF BATTERIES.KEEP HEAT AND SPARKS AWAY.

Spill Release Procedures:NO HAZARD. Neutralizing Agent:NONE NECESSARY.

=====

Handling and Storage Precautions:NO SPECIAL STORAGE REQUIREMENTS. Other Precautions:NONE GIVEN

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT NORMALLY REQUIRED. Ventilation:LOCAL Protective Gloves:NOT NORMALLY REQUIRED. Eye Protection:NOT NORMALLY REQUIRED. Other Protective Equipment:NONE KNOWN. Work Hygienic Practices:PRUDENT Supplemental Safety and Health ITEM AS SHIPPED IS DRY CHAR GED. NO HAZARD AS SHIPPED OR STORED.

HCC:N1 Boiling Pt:B.P. Text:ARTICLE Vapor Pres:NR Vapor Density:NR Spec Gravity:1.230-1.350 Evaporation Rate & amp; Reference:NR Solubility in Water:NR Appearance and Odor:MANUFACTURED ARTICE NO ODOR Percent Volatiles by Volume:NR

Stability Indicator/Materials to Avoid:YES COMBUSTIBLES AND ORGANIC MATERIALS MAY CAUSE FIRE AND EXPLOSION.ALSO REEACT WITH STRONG REDUCING AGENTS.TOXIC FUMES POSS Stability Condition to Avoid:PROLONG OVERCHARGE, SOURCES OF IGNITION. Hazardous Decomposition Products:TOXIC FUMES AND GASES

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provide

d with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.