

MAGNAFLUX CORPORATION -- CLEANING COMPOUND SOLVENT/SOLUBLE GREASE --
6850-00-965-2331

===== Product Identification =====

Product ID:CLEANING COMPOUND SOLVENT/SOLUBLE GREASE

MSDS Date:11/20/1992

FSC:6850

NIIN:00-965-2331

MSDS Number: BPJGK

=== Responsible Party ===

Company Name:MAGNAFLUX CORPORATION

Address:7300 W LAWRENCE AVE

City:CHICAGO

State:IL

ZIP:60656-3504

Country:US

Info Phone Num:312-867-8000

Emergency Phone Num:312-867-8000

Preparer's Name:DGSC-SSH

CA

GE:37676

=== Contractor Identification ===

Company Name:ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL

ZIP:60025

Country:US

Phone:847-657-5300/

CAGE:37676

===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC HYDROCARBONS

Other REC Limits:NONE SPECIFIED

ACGIH TLV:200 PPM

===== Hazards Identification =====

LD50 LC50 Mixture:NOT KNOWN

Routes of Entry: Inhalation:YES Skin:YES

Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE IRRITATION, SKIN IRRITATION,
IRRITATION/POSSIBLE DAMAGE TO MUCOUS MEMBRANES.
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS
CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.
Effects of Overexposure:EYE, SKIN IRRITATION. DAMAGE TO THROAT IF
SWALLOWED.
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN
CONDITIONS MAY BE AT INCREASED RI
SK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH FOR 15 MINUTES
WITH WATER-CALL PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING-CALL
PHYSICIAN. REMOVE TO FRESH AIR-GIVE OXYGEN IF BREATHING IS
IMPAIRED.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:160F,71C
Lower Limits:NOT KNOWN
Upper Limits:NOT KNOWN
Extinguishing Media:CARBON DIOXIDE
, DRY CHEMICAL, WATER, FOAM
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:DAM UP WITH SANDBAGS-SOAK UP ABSORBENT
MATERIAL. PUMP INTO SEALA
BLE CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN SEALED CONTAINERS BETWEEN
30-120F.
Other Precautions:NONE KNOWN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC VAPOR CANISTER IF VAPOR ABOVE TLV OF 200
PPM
Ventilation:LOCAL
Protective Gloves:RECOMMENDED
Eye Protection:CHEMICAL GOGGLES
Other Protective Equipment:EMERGENCY EYEWASH AND SHOWER
Work Hygienic Pra

ctices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:355F,179C

Vapor Pres:1

Spec Gravity:0.87

Evaporation Rate & Reference: