

BEACON CHEMICAL CO INC -- MAGNATAC M611 -- 8040-00-270-8136

===== Product Identification =====

Product ID:MAGNATAC M611

MSDS Date:01/01/1991

FSC:8040

NIIN:00-270-8136

Kit Part:Y

MSDS Number: BPKVF

=== Responsible Party ===

Company Name:BEACON CHEMICAL CO INC

Address:125 MACQUESTEN PARKWAY SOUTH

City:MOUNT VERNON

State:NY

ZIP:10550

Country:US

Info Phone Num:914-699-3400

CAGE:5B981

=== Contractor Identification ===

Company Name:BEACON CHEMICAL COMPANY, INC.

Add

ress:125 MACQUESTEN PARKWAY

Box:City:MOUNT VERNON

State:NY

ZIP:10550

Country:US

Phone:914-699-3400

CAGE:5B981

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS (FRIABLE) (SARA III)

CAS:1332-21-4

RTECS #:CI6425000

Fraction by Wt: 20%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:SEE 1910.1001

ACGIH TLV:0.2 - 2 FIBERS/CC

EPA R

pt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:ALLYL GLYCIDYL ETHER (AGE)

CAS:106-92-3

RTECS #:RR0875000

Fraction by Wt: 300F,>149C

Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:WATER MAY BE UNSUITABLE AS AN EXTINGUISHING MEDIA, BUT HELPFUL IN KEEPING ADJACENT CONTAINERS COOL.

==

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. PERSONS NOT WEARING PROTECTIVE EQUIPMENT SHOULD BE EXCLUDED FROM AREA OF SPILL UNTIL CLEAN-UP HAS BEEN COMPLETED. STOP SPILL AT SOURCE AND DIKE AREA. SHOVEL INTO SAL VAGE OR WASTE CONTAINERS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA. CONTAINERS OF

THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTIED.

Other Precautions:SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE (VAPOR, LIQUID AND/OR SOLID) ALL HAZARD PRECAUTIONS GIVEN IN THIS MSDS MUST BE OBSERVED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT ORDINARILY REQUYIRED.

Ventilation:PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL EXHAUST)VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.

Protective Gloves:IMPERMEABLE GLOVES

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:TO PREVENT REPEATED OR PROLONGED SKIN CONTACT, WEAR IMPERVIOUS CLOTHING AND BOOTS.

Work Hygienic Practices:WASH HANDS BEFORE EATING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

DO NOT SMOKE IN ANY CHEMICAL HANDLING OR STORAGE AREA. FOOD OR BEVERAGES SHOULD NOT BE CONSUMED ANYWHERE THIS PRODUCT IS HANDLED OR STORED

===== Physical/Chemical Properties

=====

HCC:T6

Spec Gravity:1.1

Appearance and Odor:HEAVY GREY PASTE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AMINES, ANHYDRIDES, EPOXY CURING AGENTS.

Stability Condition to Avoid:PREMATURE MIXING WITH CURING AGENTS

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE AND  
VARIOUS HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL

SHOULD BE DONE IN ACCORDANCE WITH

FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume respon

sibility for the suitability of this information to their  
particular situation.