STANCO INDUSTRIES INC -- WOVEN BRAKE LINING - 100 ALC -- 2530-00-278-6505

Product ID:WOVEN BRAKE LINING - 100 ALC

MSDS Date:05/01/1986

FSC:2530

NIIN:00-278-6505

MSDS Number: BPMRN === Responsible Party ===

Company Name: STANCO INDUSTRIES INC

Address:8220 MOSLEY ST

Box:87

City:HOUSTON

State:TX ZIP:77001 Country:US

Info Phone Num:713-944-3160

Emergency Phone Num:713-944-3160

CAGE:LO101

=== Contractor Identification ===

Company N

ame:STANCO INDUSTRIES INC

Address:8220 MOSLEY ST

Box:87

City:HOUSTON

State:TX ZIP:77001 Country:US

Phone:713-944-3160

CAGE:LO101

Company Name: STANDCO INDUSTRIES-STERLING

Address:8220 MOSLEY ST

Box:City:HOUSTON

State:TX ZIP:77001 Country:US

Phone:713-224-6311

CAGE:07756

====== Composition/Information on Ingredients ========

Ingred Name: ASBESTOS, CHRYSOTILE

CAS:12001-29-5 RTECS #:CI6478500 Fraction by Wt: 40%


Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBE

| Ingred Name:RAYON Other REC Limits:NONE RECOMMENDED |
|--|
| Ingred Name:BRASS WIRE Other REC Limits:NONE RECOMMENDED |
| Ingred Name:SOLIDIFIED TUNG Other REC Limits:NONE RECOMMENDED |
| Ingred Name:SOLIDIFIED LINSEED Other REC Limits:NONE RECOMMENDED |
| ====================================== |
| Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:THERE IS NO HAZARD IN HANDL ING THE FINISHED PRODUCT. IF ADDITIONAL SAWING, DRILLING OR MACHINING IS PERFORMED, ASBESTOS FIBERS CAN BE RELEASED. Explanation of Carcinogenicity:ASBESTOS IS A KNOWN HUMAN CARCINOGEN. Effects of Overexposure:SEE "MEDICAL CONDITIONS" BELOW. Medical Cond Aggravated by Exposure:OVEREXPOSURE TO FREE ASBESTOS CAN INCREASE THE CHRONIC RISK OF LUNG FIBROSIS, CANCER AND/OR MESOTHELIMO. TOBACCO SMOKING CAN INCREASE THE EXPOSURE PROCESS |
| ====================================== |
| First Aid:NONE. |
| ====================================== |
| Autoignition Temp:Autoignition Temp Text:835F Extinguishing Media:WATER Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE =================================== |
| Spill Release Procedures:DUST FROM MACHINING OPERATION SHOULD BE REMOVED USING OSHA APPROVED VACUUM. |
| ====================================== |
| Handling a |
| |

RS/CC; A1;9293



formation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.