View NSN Online: https://aerobasegroup.es/nsn/9150-00-942-0443

SHELL OIL CO -- SHELL DARINA EP GREASE 1 -- 9150-00-942-0443

========= Product Identification ==============

Product ID:SHELL DARINA EP GREASE 1

MSDS Date:07/09/1991

FSC:9150

NIIN:00-942-0443

MSDS Number: BPQVN === Responsible Party === Company Name: SHELL OIL CO

Box:4320

City:HOUSTON

State:TX ZIP:77001 Country:US

Info Phone Num:713-241-4819

Emergency Phone Num:713-473-9461;800-424-9300(CHEMTREC)

Preparer's Nam

e:G.A. VAN GELDER

CAGE:SHELO

=== Contractor Identification === Company Name:SHELL OIL CO

Box:4320

City:HOUSTON

State:TX

ZIP:77210-5000 Country:US

Phone:713-473-9461/713-241-2252

CAGE:SHELO

Company Name: SHELL OIL COMPANY

Address:Box:2463 City:HOUSTON

State:TX ZIP:77210 Country:US

Phone:800-231-6950

CAGE:54527

======= Composition/Information on Ingredients ========

Ingred Name: POLYMERIC ADDITIVE IN OIL (POLY-METHACRYLATE); (POLYMERIC

ADDITIVE IN OIL) Fraction by Wt: 74%

Ingred

Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED(MILD)HEAVY PARAFFINIC;(SOLV REFINED, HYDROTREATED PETROLEUM DISTILLATE)

CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 13%

Ingred Name:BENTONITE;(INORGANIC CLAY)

CAS:1302-78-9

RTECS #:CT9450000 Fraction by Wt: 4%

Ingred Name: FATTY ACID AMIDES

CAS:68910-93-0 Fraction by Wt: 4.0%

Ingred Name: ANTIMONY DITHIOCARBAMATE

CAS:15890-25-2 Fraction by Wt: 1%

Ingred Name: OTHER ADITIVES

Fraction by Wt: 5.0%

Ingred Name:SUPP DATA:INDUCE VOM. IN GENERAL, NO TREATMENT IS NEC UNLESS LG QTYS OF PROD ARE INGESTED. HOWEVER, GET MD ATTN. (ING 8) RTECS #:9999999ZZ

Ingred Name:ING 7:NOTE TO MD:IN GENERAL, EMESIS INDUCTION IS UNNEC IN HIGH VISCOSITY, LOW VOLATILITY PRODS. I.E., MOST OILS/GREASES. RTECS #:9999999ZZ

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT:MAY BE MILDLY IRRIT TO EYES. SKIN CONTACT:PRLNGD/RPTD CNTCT MAY CAUSE VARIOUS SKIN DISORDERS SUCH AS DERM, FOLLICULITIS/OIL ACNE. RELEASE DURING HIGH PRESS USAGE MAY RESULT IN INJECTION OF OIL INTO SKIN CAUSING LOCAL NERCROSIS.INHAL:NO SPECIFIC INFO IDENTIFIED. INGEST:NO SPECIFIC INFO (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:HLTH HAZ:IDENTIFIED. IRRIT AS NOTED ABOVE.
LOCAL NERCR

OSIS IS EVIDENCED BY DELAYED ONSET OF PAIN & TISS DAM
FEW HOURS FOLLOWING INJECTION. SPECIFIC PROD HAS NOT BEEN TESTED IN
LONG-TERM, CHRONIC EXPOS TEST. LUBRICATING GREASES ARE GENERALLY
CONSIDERED TO BE OF LOW ORDER OF ACUTE TOX TO HUMANS & EXPERIMENTAL
(SUPP DATA)

Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:EYE:FLUSH W/WATER FOR

AT LEAST 15 MINS WHILE HOLDING EYELIDS

OPEN. GET MD ATTN. SKIN:REMOVE CONTAM CLTHG & WIPE EXCESS OFF. WASH W/SOAP & WATER/WATERLESS HAND CLEANER FOLLOWED BY SOAP/WATER. DO NOT RE USE CLTHG UNTIL THORO CLEANED. IF IRRITPERSISTS. GET MD ATTN PROMPTLY TO PREV SERIOUS DAM; DO NOT WAIT FOR SYMP TO DEVELOP.INHAL:REMOVE VICTIM TO FRESH AIR & PROVIDE O*2 IF BRTHG IS DFCLT.(SUPP DATA)

========== Fire Fighting Measures ==============

Flash Point Method: PMCC

lash Point:509F,265C

Extinguishing Media:USE WATER FOG, DRY CHEM/CO*2. DO NOT USE DIRECT STREAM OF WATER. PROD WILL FLOAT & CAN BE REIGNITED ON SURF OF WATER.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . COOL FIRE EXPOSED CONTAINERS SURROUNDING EQUIPMENT AND STRUCTURES WITH WATER.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

======== Accidental Release Measures ==========

Spill Release Procedures:SCO
OP UP EXCESS GREASE. CLEAN AREA WITH
APPROPRIATE CLEANER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. MINIMIZE SKIN CONTACT.

Other Precautions:PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES, THAT CANNOT BE DECONTAMINATED.

====== Exposure Con

trole/Persons	al Protection	

Respiratory Protection: NOT ORDINARILY REQUIRED. WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT.

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:OIL RESISTANT GLOVES

Eye Protection: CHEMICAL WORKERS GOGGLES.

Other Protective Equipment: NEEDED TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices:WASH W/SOAP & WATER BEFORE EATING, DRINKING, SMOKING/USING TOILET FACILITIES. LAUNDER CONTAMINATED CLTHG BEFORE REUSE.

Suppleme

ntal Safety and Health

HAZ DECOMP PROD:PARTICULATES & GASES WILL EVOLVE WHEN THIS MATL UNDERGOES PYROLYSIS/COMBUST. CO & UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED UPON COMBUST. EFTS OF OVEREXP:ANIMALS. HOWEVER, HNDLG PRO CEDURES/SAFETY PREC IN MSDS SHOULD BE FOLLOWED TO MINIMIZE EMPLOYEE'S EXPOS. FIRST AID:GET MD ATTN. INGEST:DO NOT(ING 7)

======================================
Solubility in Water:INSOLUBLE Appearance and Odor:AMBER, SMOOTH, SLI GHT ODOR.
========= Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENT.

Stability Condition to Avoid: AVOID HEAT, OPEN FLAME AND CONTACT WITH STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:THERMAL DECOMP PRODS ARE HIGHLY DEPENDENT ON COMBUST CNDTNS. COMPLEX MIXTURE OF AIRBORNE SOLID. LIQ (SUPP DATA)

====== Disposal Considerations ===========

Waste Disposal Methods:DISPOSE O F IN ACCORDANCE WILL LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility fo

r the suitability of this information to their particular situation.					