

AKRON PAINT AND VARNISH, INC -- 36231 DK GULL GRAY WALKWAY -- 8010-00-641-0428

===== Product Identification =====

Product ID:36231 DK GULL GRAY WALKWAY

MSDS Date:03/03/1989

FSC:8010

NIIN:00-641-0428

MSDS Number: BPRJD

=== Responsible Party ===

Company Name:AKRON PAINT AND VARNISH, INC

Address:1390 FIRESTONE PARKWAY

City:AKRON

State:OH

ZIP:44301

Country:US

Info Phone Num:216-773-8911

Emergency Phon

e Num:216-773-8911

CAGE:70228

=== Contractor Identification ===

Company Name:AKRON PAINT AND VARNISH INC

Address:1390 FIRESTONE PARKWAY

City:AKRON

State:OH

ZIP:44301-1624

Country:US

Phone:216-773-8911

CAGE:70228

Company Name:MILITARY SPECIFICATIONS PROMULGATED BY MILITARY

Address:DEPTS/AGENCIES UNDER AUTH OF DEF STD

Box:MANUAL

City:4120 3-M

Phone:804-279-4371 DSN 695-4371

CAGE:81349

===== Composition/Information on Ingredients =====

Ingred Name:VM&P NAPHTHA (VAPOR PRESSURE 15

.0 MM HG) (LEL 0.90)  
CAS:8030-30-6  
RTECS #:DE3030000  
Fraction by Wt: 32.69%  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:300 PPM

===== Hazards Identification =====

Health Hazards Acute and Chronic:PROLONGED OR REPEATED EXPOSURE MAY CAUSE NAUSEA, HEADACHE, AND LOSS OF CONSCIOUSNESS, NARCOSIS AND IRRITATION OF RESPIRATORY SYSTEM. LIQUID IRRITATING TO EYES AND SKIN.

===== First Aid Measures =====

First Aid:SKIN CON  
TACT: WASH CAREFULLY WITH SOAP AND WATER. EYE  
CONTACT: FLUSH PROMPTLY AND THOROUGHLY WITH WATER, AND OBTAIN MEDICAL ATTENTION. INHALATION: REMOVE INDIVIDUAL TO FRESH AIR, AND USE OXYGEN IF NEC ESSARY; OBTAIN MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:SCC  
Flash Point:52.0F,11.1C  
Lower Limits:0.9  
Extinguishing Media:CARBON DIOXIDE, FOAM OR DRY CHEMICAL.  
Fire Fighting Procedures:WATER SPRAY TO COOL CONTAINERS. WEAR SE  
LF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.  
Unusual Fire/Explosion Hazard:HEAT MAY CAUSE DISRUPTIVE PRESSURE OF CONTAINERS & FLAMMABLE VAPORS MAY FORM EXPLOSIVE MIXTURE WITH AIR. THERMAL DECOMPOSITION CAN PRODUCE TOXIC FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. DAM-UP TO LIMIT SPREADING. ABSORB ON INERT MATERIAL. VENTILATE AREA.

===== Handling and Storage =====

=====

Handling and Storage Precautions:DO NOT DROP CONTAINERS. AVOID HEAT, SPARKS, AND OPEN FLAME. STORE AT ROOM TEMPERATURES WITH GOOD VENTILATION.

Other Precautions:DO NOT TAKE INTERNALLY. AVOID PROLONGED INHALATION AND CONTACT. GROUND CONTAINERS WHILE POURING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APPROPRIATE NIOSH APPROVED RESPIRATOR WHEN SPRAYING OR APPLYING IN CONFINED AREA.

Ventilation:PROVIDE ADEQUATE VENTILATION TO ALLEVIATE VAPOR CONCENTRATION.

Protective Gloves:CHEMICAL RESISTANT GLOVES

Eye Protection:SAFETY GOGGLES W/SIDE SHIELD,FACE SHIELD

Other Protective Equipment:NORMAL PROTECTIVE CLOTHING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:240 TO 300F

Vapor Density:> AIR

Spec Gravity:10.38 LBS/GAL

Percent Volatiles by Volume:55.04

===== Stability and Reactivity Data =====

St

ability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS

Stability Condition to Avoid:STORAGE OF WETTED COMBUSTIBLE MATERIALS MAY CAUSE SPONTANEOUS COMBUSTION.

Hazardous Decomposition Products:COMBUSTION IN RESTRICTED ENVIRONMENT CAN PRODUCE CARBON MONOXIDE AND TOXIC FUMES.

Conditions to Avoid Polymerization:STORAGE OF WETTED COMBUSTIBLE MATERIALS MAY CAUSE SPONTANEOUS COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN

ACCORDANCE WITH APPLICABLE POLLUTION  
CONTROL REGULATIONS. DO NOT INCINERATE CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify a  
nd  
assume responsibility for the suitability of this information to their  
particular situation.