CIBA-GEIGY CORPORATION, FURANE PRODUCTS DIVISION -- EPIBOND 1217 A,FPC 2131 8040-00-539-7798

Product ID:EPIBOND 1217 A,FPC 2131

MSDS Date:01/11/1990

FSC:8040

NIIN:00-539-7798

Kit Part:Y

MSDS Number: BPVBG === Responsible Party ===

Company Name: CIBA-GEIGY CORPORATION, FURANE PRODUCTS DIVISION

Address:5121 SAN FERNANDO RD WEST

City:LOS ANGELES

State:CA

ZIP:90039-1011 Country:US

Info Phone Num:818-247-6210, 800-334-9481

Emerg

ency Phone Num:818-247-6210, 800-334-9481

Preparer's Name: RAJESH S. PATEL

CAGE:99384

=== Contractor Identification ===

Company Name: CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORMANCE

POLYMERS

Address:5121 SAN FERNANDO RD WEST

Box:City:LOS ANGELES

State:CA

ZIP:90039-1011 Country:US

Phone:818-247-6210/800-873-1138

CAGE:99384

======= Composition/Information on Ingredients ========

Ingred Name:BISPHENOL A-DIGLYCIDYLETHER RESIN

CAS:25068-38-6 RTECS #:KC2100000 Fraction by Wt: 95%

Ο

ther REC Limits: NONE SPECIFIED

Ingred Name: SILICA GEL

CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 5%

Other REC Limits:FPC 10 MG/M3

OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

========== Hazards Identification ================

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY

& GI TRACTS. ACUTE- INHAL

ATION: VAPORS OR MISTS MAY BE HARMFUL IF

INHALED. EYES:MODERATELY IRRITATING. SKIN:SLIGHTLY IRRITATING. ORAL:POSSIBLY HARMFUL IS SWALLOWED. CHRONIC- CAN CAUSE ALLERGIC REACTIONS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure: EYES AND SKIN IRRITATION

Medical Cond Aggravated by Exposure: ALLERGY, ECZEMA OR SKIN CONDITIONS

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. P

ROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:IF CONSCI OUS, DILUTE BY DRINKING 2 GLASSES OF WATER. GET MEDICAL ATTENTION.

Flash Point Method:PMCC Flash Point:489F,254C

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY

Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND

NIOSH-APPROVED SELF-CONTAINED BREATHING APPAR

ATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard:DECOMPOSITION AND COMBUSTION PRODUCT MAY BE TOXIC.
======== Accidental Release Measures ==========
Spill Release Procedures:CLEAN UP ALL TRACES OF SPILL. SHOVEL AS MUCH MATERIAL AS POSSIBLE INTO CLEAN, DRY CONTAINERS. ON HARD SURFACES USE ABSORBANT MATERIAL TO PICK UP REMAINDER, ON LOOSE SURFACES SHOVEL UP CONTAMINATED LAY ER. Neutralizing Agent:NOT RELEVENT
= ====================================
Handling and Storage Precautions:MAXIMUM STORAGE TEMPERATURES:95F (35C). STORE INDOORS IN COOL, DRY AREA WITH ADEQUATE VENTILATION. Other Precautions:AVOID SKIN CONTACT. MAY CAUSE ALLERGIC REACTION. WASH EXPOSED AREA THOROUGHLY WITH SOAP AND WATER AFTER HANDLING THIS MATERIAL. KEEP OUT OF REACH OF CHILDREN. PLEASE READ TECHNICAL DATA SHEET BEFORE H ANDLING THE PRODUCT.
====== Exposure Controls/Personal P rotection ========
Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED. WEAR RESPIRATOR (NIOSH-APPROVED) SUITABLE FOR CONCENTRATIONS AND TYPE OF AIR CONTAMINANTS ENCOUNTERED. Ventilation:NORMAL ROOM VENTILATION Protective Gloves:RUBBER OR LATEX Eye Protection:SAFETY GLASSES
Other Protective Equipment:PROTECTIVE CLOTHING, SAFETY SHOWER AND EYEWASH FACILITY
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supple
mental Safety and Health KEY1=N1. MSDS REPRESENTS PART A OF 2 PART KIT. SEE PNI D THIS NSN/CAGE FOR PART B OF KIT.
========= Physical/Chemical Properties ==========
HCC:F8 NRC/State Lic Num:NOT RELEVENT Vapor Pres:1 (AIR=1) Spec Gravity:1.20 Viscosity:SOFT PASTE Evaporation Rate & Description Rate & Descriptio