GREAT LAKES CHEMICAL CORPORATION -- GREAT LAKES HALON 1211 -- 4210-01-321-2292

Product ID: GREAT LAKES HALON 1211 MSDS Date:01/01/1985 FSC:4210 NIIN:01-321-2292 **MSDS Number: BPXHD** === Responsible Party === Company Name: GREAT LAKES CHEMICAL CORPORATION Address: HIGHWAY 52 NW Box:2200 **City:WEST LAFAYETTE** State:IN ZIP:47906 Country:US Info Phone Num:317-463-2511 Emera ency Phone Num:501-862-5141 OR 317-463-2511 Preparer's Name: RESEARCH SERVICES DEPT. CAGE:2E394 === Contractor Identification === Company Name: GREAT LAKES CHEMICAL CORP Address:1801 HWY 52 NW Box:2200 City:WEST LAFAYETTE State:IN ZIP:47996-2200 Country:US Phone:765-497-6100/800-949-5167 CAGE:2E394

Ingred Name:BROMOCHLORODIFLUOROMENTHANE CAS:353-59-3 RTECS #:PA5250500 Fraction by Wt: >99%.

======================= Hazards Identi

 LD50 LC50 Mixture:211.2 MG/1 FOR RATS W/4HRS EXPOSURE Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:AT CONCENTRATIONS ABOVE 4 PERCENT, HALON 1211 CAN PRODUCE DIZZINESS, IMPARED COORDINATION, AND CARDIAC EFFECTS. Effects of Overexposure:EXPOSURE FOR MORE THAN A FEW MINUTES, ABOVE 4 PERCENT (17 LB/1000 CU.FT. AIR) CAN PRODUCE DIZZINESS, IMPAIRED
COORDINATI ON AND CARDIAC EFFECTS.
Medical Cond Aggravated by Exposure:CARDIAC CONDITIONS MAY BE AGGRAVATED BY OVER EXPOSURE.
======================================
First Aid:REMOVE VICTIM TO FRESH AIR. GIVE SYMPTOMATIC AND SUPPORTIVE CARE. GET MEDICAL ATTENTION. NOTE: ADRENALIN IS CONTRAINDICATED IN THE TREATMENT OF OVEREXPOSURE TO HALON 1211.
======================================
Flash Point:NONFLAMMBLE GAS Extinguishing Media:H ALON 1211 IS A FIRE EXTINGUISHING AGENT Fire Fighting Procedures:AT FLAME TEMPERATURE, HALON 1211 MAY RELEASE HYDROGEN HALIDES AND HALOGENS IN TRACE AMOUNTS. Unusual Fire/Explosion Hazard:PRODUCTS ARE IRRITATING & POTENTIALLY TOXIC IF FIRE EXTINGUISHMENT IS DELAYED. PREDOMINANT DECOMPOSITION PRODUCTS ARE HYDROGEN CHLORIDE/HYDROGEN BROMIDE.
======================================
Spill Release Procedures:VENTILATE ENCLOSED AREAS IN CASE OF INADVERTENT OR DELIBERATE DISCHARGE OF HALON 1211.
======================================
Handling and Storage Precautions:AVOID CONTAINER DAMAGE. Other Precautions:NONE
======================================
Respiratory Protection:USE SELF CONTAINED BREATHING APPARATUS IF EXPOSED TO CONCENTRATIONS GREATER THAN 4 PERCENT. Ventilation:ALL INDOOR AREAS SHOULD BE WELL VENTILATED Protective Gloves:NONE Eye Protection:NONE Other Protective Equipm

ent:NONE Work Hygienic Practices: DETERMINE THAT PIPING IS EMPTY BEFORE DOING MAINTENANCE WORK. Supplemental Safety and Health NK HCC:G3 Boiling Pt:B.P. Text:24.8F,-4.0C Vapor Pres:1770 @ 68F Vapor Density:5.8 @ 68F Spec Gravity:1.83 Solubility in Water: INSOLUBLE Appearance and Odor: COLORLESS GAS AND LIQUID WITH SWEET ODOR Stability Indicator/Materials t o Avoid:YES ACTIVE METALS, AND FIRES OF METAL HYDRIDES. Stability Condition to Avoid: CONTACT WITH ACTIVE METALS, FIRE OF METAL HYDRIDES AND MATERIAL CONTAINING OWN OXYGEN. Hazardous Decomposition Products: HYDROGEN HALIDES AND HALOGENS AT FLAME TEMPERATURES IN TRACE AMOUNTS

Waste Disposal Methods: DISPERSES IN ATMOSPHERE.

Disclaimer (provided with this information by the compiling agencies): This information is formul ated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.