

DRYDEN OIL CO -- PYROPLEX E.P. 2

=====  
MSDS Safety Information  
=====

FSC: 9150  
NIIN: 01-031-1744  
MSDS Date: 02/19/1992  
MSDS Num: BPXYM  
Product ID: PYROPLEX E.P. 2  
MFN: 01  
Responsible Party  
Cage: 40310  
Name: DRYDEN OIL CO  
Address: 9300 PULASKI HIGHWAY  
City: BALTIMORE MD 21220  
Info Phone N  
umber: 410-574-5000;800-777-1466  
Emergency Phone Number: 410-574-5000;800-777-1466  
Proprietary Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 40310  
Name: DRYDEN OIL CO INC  
Address: 9300 PULASKI HWY  
City: BALTIMORE MD 21220  
Phone: 301-574-5000

=====  
Item Description Information  
=====

Item  
Name: GREASE

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.  
Route Of Entry Inds - Inhalation: YES  
Skin: NO  
Ingestion: YES  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects o

f Exposure: EXPOSURE LIMIT FOR PROD: 5 MG/M3 OIL MIST (MFR). SKIN: PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION. EYE: SLIGHT IRRITATION. INGESTION: RELATIVELY NON-TOXIC.

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE: FLUSH W/CLEAR H\*2O FOR AT LST 15 MIN/UNTIL IRRIT SUBSIDES. IF IRRIT PERSISTS,CALL PHYS. SKIN:REMOVE ANY CONTAM CLTHG & WA

SH SKIN THORO

W/SOAP & H\*2O. INGEST:DO NOT INDUCE VOMIT;CALL PHYS IMMED. I NHAL:VAP PRESS IS VERY LOW.VAP INHAL UNDER AMBIENT TEMP CNDTNS IS NOT NORM PROBLEM.IF OVERCOME BY VAP FROM HOT PROD,ADMIN O\*2,IF AVAIL.IF OVEREXPOS TO OIL MIST, REMOVE FROM FURTHER EXPOS UNTIL(SUPDAT)

=====  
Handling and Disposal  
=====

Spill Release Procedures: RECOVER FREE PROD.ADD SAND, EARTH/OTHER SUITABLE

A

BSORB MATL TO SPILL AREA.MIN BRTHG VAPS.MIN SKIN CONT.OPEN ALL WINDOWS & DOORS.KEEP PROD OUT OF SEWERS & WATERCOURSES BY DIKING/IMPOUNDING. ADVISE AUT H IF PROD HAS ENTERED/MAY ENTER SEWERS,(SUPDAT)

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: ASSURE CONFORMITY WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP CONTAINERS AND STORAGE CONTAINERS CLOSED WHEN NOT IN USE. DO NOT STORE NEAR HEAT, SPARKS, FLAME OR STRONG OXIDANTS.

Other Precautions: USE PRODUCT WITH CAUTION AROUND HEAT, SPARKS, PILOT LIGHTS, STATIC ELECTRICITY AND OPEN FLAME.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: COC

Flash Point Text: 460F,238C

Lower Limits: 0.9%

Upper Limits: 7%

Extinguishing Media: FOAM, H\*2O SPRAY (FOG), DRY CHEM, CARBON DIOXIDE & VAP LIQ TYPE EXTING AGENTS MAY ALL BE SUITABLE FOR TYPE OF PRODUCT.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP(FP N).PLAN FIRE PROT & RESPONSE STRATEGY THRU CONSULTATION W/LOC FIRE PROT AUTH/APPROP SPECIALISTS.

Unusual Fire/Explosion Hazard: "EMPTY" CNTNRS RETAIN RESIDUE (LIQ &/OR VAP) & CAN BE DANGEROUS. DO NOT PRESS, CUT, WELD, BRAZE,SOLDER,DRILL, GRIND/EXPOS SUCH CNTNRS TO HEAT,FLAME,

=====  
Control Measures  
=====

=====

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION. WEAR NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE. GEN VENT SUFF TO KEEP AIRBORNE CONC BELOW EXPOS LIMITS (FP N).

Protective Gloves: CHEMICAL RESISTANT GLOVES.

Eye Protection: CHEM WORK GOG/FULL LGTH FACESHLD (FP N).

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: REMOVE CONTAM CLTHG;LAUNDER/DRY CLEAN BEFORE REUSE. REMOVE CONTAM SHOES & THORO CLEAN BEFORE REUSE; DISCARD IF (SUPDAT)

Supplemental Safety and Health: FIRST AID PROC: EXCESSIVE MIST OIL CNDTN SUBSIDES. SPILL PROC: WATERCOURSES/EXTENSIVE LAND AREAS. HYGIENE PRACT:OIL-SOAKED. CLEAN SKIN THORO AFTER CONT, BEFORE BREAKS & MEALS, & AT END OF WORK PERIOD. PROD IS READILY REMOVED FROM SKIN BY WATERLESS HAND CLEANERS FOLLOWED BY WASHING THOROUGHLY WITH SOAP AND WATER.

=====

Physical/Chemical Properties

=====

Vapor Pres: NEGLIGIBLE

Vapor Density: >AIR

Spec Gravity: 0.89 (H\*2O=1)

Evaporation Rate & Reference: NEGLIGIBLE

Solubility in Water: NEGLIGIBLE,

Appearance and Odor: NONE SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume: NEGLIG

=====

Reactivity Data

=====

=====

Stability Indicator: YES

Stability Condition To Avoid: AVOID HEAT, OPEN FLAMES.

Materials To Avoid: OXIDIZING MATERIALS.

Hazardous Decomposition Products: UNDER FIRE CNDTNS:FUMES,SMOKE,CARBON MONOXIDE,SULFUR OXIDES,ALDEHYDES & OTHER DECOMP PRODS,IN CASE OF INCOMPLETE COMBUST

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT.

=====

Toxicological Information

=====

=====  
=====  
Ecological Information  
=====  
=====

=====  
=====  
MSDS Transport Information  
=====  
=====

=====  
=====  
Regulatory Information  
=====  
=====

=====  
=====  
Other Information  
=====  
=====

=====  
=====  
Transportation Information  
=====  
=====

Responsible Party Cage: 40310  
Trans ID NO: 100373  
Product ID: PYROPLEX E.P. 2  
MSDS Prepared Date: 02/19/1992  
Review Date: 02/22/1993  
MFN: 1  
Multiple KIT Number: 0  
Review IND: Y  
Additional Data: NOT REGULATED FOR TRANSPORTATION  
=====  
=====

=====  
=====  
Detail DOT Information  
=====  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====  
=====

=====  
=====  
Detail IMO Information  
=====  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====  
=====

=====  
=====  
Detail IATA Information  
=====  
=====

=====  
IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

Detail AFI Information

=====  
AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

HAZCOM Label

=====  
Product ID: PYRO  
PLEX E.P. 2  
Cage: 40310  
Company Name: DRYDEN OIL CO INC  
Street: 9300 PULASKI HWY  
City: BALTIMORE MD  
Zipcode: 21220  
Health Emergency Phone: 301-574-5000;800-777-1466  
Label Required IND: Y  
Date Of Label Review: 09/28/1992  
Status Code: C  
Label Date: 09/28/1992  
Origination Code: G  
Chronic Hazard IND: Y  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: CAUTION  
Respiratory Protection IND: YES  
Health Hazard: Slight  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: None  
Hazard An  
d Precautions: DO NOT STORE NEAR HEAT, SPARKS, FLAME OR STRONG  
OXIDANTS. ACUTE: EYE: SLIGHT IRRITATION. INGESTION: RELATIVELY NON-TOXIC.  
CHRONIC: SKIN:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION.  
=====

Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.