View NSN Online: https://aerobasegroup.es/nsn/6850-01-011-2349

Product ID:1021, NO. 1 ETCHING SOLUTION MSDS Date:04/16/1990 FSC:6850 NIIN:01-011-2349 MSDS Number: BPYKH === Responsible Party === Company Name: SIFCO METACHEMICAL DIV OF SIFCO INDUSTRIES, INC. Address: 5708 SCHAAF ROAD City:CLEVELAND State:OH ZIP:44131-1394 Country: US Info Phone Num:216-881-8600 Emergency Phone Num:216-881-8600 Preparer's Name: WERNER A. EHRENSCHNEIDER CAGE:11924 === Contractor Identification === Company Name:SELECTRONS LTD Address:137 MATTATUCK HEIGHTS ROAD Box:115 City:WATERBURY State:CT ZIP:06725-0115 Country:US Phone:203-755-9900 CAGE:13929 Company Name: SIFCO SELECTIVE PLATING DIV OF SIFCO INDUSTRIES INC. Address: 5708 SCHAAF ROAD Box:City:CLEVELAND State:OH ZIP:44131-1394 Country:US Phone:216-524-0099/ FAX: -6331 CAGE:11924

=======

===== Composition/Information on Ingredients ==========

Ingred Name:TRADE SECRET Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED

Ingred Name:SULFURIC ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: APROX 5% Other REC Limits:NONE RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinoge

nicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-EYES:HIGHLY PAINFUL

IRRITATION, BURNS, LESIONS.SKIN: PAINFUL BURNING, ULCERATION & SHOCK.INHALATION: IRRITATION, BURNING SENSATION, COUGHING, DIFFICULTY IN BREATHING, BRONCHITIS & PULMONARY EDEMA.INGES TION: BURNING SENSATION IN MOUTH, THROAT & STOMACH, SALIVATION, NAUSEA, VOMITING OF BLOOD, SHOCK.CHRONIC-ASTHMA, DERMATITIS.

Explanation of Carcinogenicity: THE PRODUCT CONTAINS NO INGREDIENT THAT IS LISTED BY IARC,

NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:DANGER! CAUSES SEVERE BURNS. MAY BE FATAL IF SWALLOWED. MAY CAUSE PERMANENT EYE INJURY. MAY CAUSE ALLERGIC SKIN REACTION.

Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY DISORDERS; PREEXISTING SKIN AND EYE CONDITIONS.

First Aid:SEEK MEDICAL CARE IN ALL CASES.EYES & SKIN: FLUSH WITH WATER FOR AT LEAST 15 MINUTES.INHALATION:REMOVE TO FRESH AIR.LAY VICTIM

DOWN,LEGS RAISED.LOOSEN TIGHT CLOTHING.COVER HIM WITH BLANKET.GIVE CPR/OX YGEN IF NEEDED.INGESTION:DO NOT INDUCE VOMITING.IF CONSCIOUS,DRINK LARGE AMOUNT OF WATER/MILK.

Flash Point:NONE

Extinguishing Media:ALL. USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COO

L

FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: EXCESSIVE HEAT MAY CAUSE CONTAINERS TO BURST AND GENERATE CORROSIVE VAPORS.

Spill Release Procedures: PROVIDE MAXIMUM VENTILATION. ELIMINATE ALL SOURCES OF IGNITION. USE PROTECTIVE CLOTHING & RESPIRATORS. DO NOT RELEASE INTO SOIL, SEWER, SOURCES OF DRINKING WATER. CAREFULLY MOP UP/VACUUM SPILL AND TRI PLE RINSE WATER INTO SUITABLE PLAS TIC

CONTAINER.

Neutralizing Agent:DILUTE ACID, PREFERABLY ACETIC ACID, SODIUM BICARBONATE

Handling and Storage Precautions:STORAGE-STORE IN A TIGHTLY CLOSED CONTAINER AT 50-90F AWAY FROM INCOMPATIBLE MATERIALS.
Other Precautions:USE "BUDDY SYSTEM" WHEN WORKING WITH CHEMICALS. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. DO NOT BREATHE VAPORS, MIST OR GAS. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER

HANDLING. KEEP CONTAI NER IN UPRIGHT POSITION.

Respiratory Protection: USE ONLY WITH ADEQUATE VENTILATION. IF NEEDED, USE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OR ORGANIC VAPOR CARTRIDGES.
Ventilation: LOCAL EXHAUST REQUIRED TO MEET PERMISSIBLE EXPOSURE LIMITS.
Protective Gloves: NITRILE, NEOPRENE, VINYL, LATEX
Eye Protection: CHEMICAL SPLASH GOGGLES & FACE SHIELD
Other Protective Equipment: IMPERVIOUS APRON, BOOTS, PROTECTIVE CLOTHING, EYE-WASH FACILITIES, SAFETY SHOWER. Work Hygienic Practices:DO NOT EAT, DRINK,OR SMOKE WHILE WORKING WITH THIS MATERIAL. DO NOT WEAR CONTACT LENSES. Supplemental Safety and Health

HCC:C1 Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text: