View NSN Online: https://aerobasegroup.es/nsn/2640-00-922-6921

Product ID:PEMCO 1599 MSDS Date:12/27/1990 FSC:2640 NIIN:00-922-6921 MSDS Number: BPZSW === Responsible Party === Company Name: PEMCO ADHESIVES Address:29542 MANCHESTER DR Box:247 City:AUBURN State:IN ZIP:46706 Country:US Info Phone Num:219-295-8384 Emergency Phone Num:800-424-9300 (CHEMTREC) CAGE:0PES8 === Contrac tor Identification === Company Name: PEMCO ADHESIVES Address:1108 AUBURN DR Box:247 City:AUBURN State:IN ZIP:46706 Country:US Phone:219-925-3368 CAGE:0PES8

Ingred Name:1,1,1-TRICHLOROETHANE (SARA III).FLASH POINT:NONE.LOWER FLAMMABLE LIMIT:7.5% BY VOL.UPPER FLAMMABLE LIMIT:12.5% BY VOL. CAS:71-55-6 RTECS #:KJ2975000 Other REC Limits:NONE RECOMMENDED OSHA PEL:350 PPM/450 PPM,STEL ACGIH TLV:350 PPM/450 PPM,STEL EPA Rpt Qty:1 000 LBS DOT Rpt Qty:1000 LBS Ozone Depleting Chemical:1

Ingred Name:NITROMETHANE.FLASH POINT:95F,CLOSED CUP.LOWER FLAMMABLE LIMIT:7.3% BY VOL. CAS:75-52-5 RTECS #:PA9800000 Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM ACGIH TLV:100 PPM LD50 LC50 Mixture:NOT KNOWN Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SEE SIGNS AN D SYMPTOMS OF OVEREXPOSURE. Explanation of Carcinogenicity:NONE Effects of Overexposure: INGESTION/INHALATION: DIZZINESS, HEADACHES, NAUSEA, VOMITI NG. Medical Cond Aggravated by Exposure:NOT KNOWN First Aid:EYES:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN:WASH WITH SOAP AND RUNNING WATER FOR 15 MINUTES. INGESTION: DO NOT INDUCE VOMITING.SEEK MEDICAL HELP AT ONCE. INHALATION:MOVE PERSON TO FRESH AIR.IF N OT BREATHING, GIVE ARTIFICIAL RESPIRATION. Flash Point:NOT KNOWN Lower Limits:NOT KNOWN Upper Limits:NOT KNOWN Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, OR ALCOHOL FOAM. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS (SCBA) AND FULL TURNOUT GEAR. Unusual Fire/Explosion Hazard: LIQUID IS NOT FLAMMABLE BUT MAY DECOMPOSE INTO HAZARDOUS PRODUCTS IN A FIRE SITUATON.

Spill Release Procedures: ABSORB ONTO CLAY OR SAWDUST. Neutralizing Agent: NOT KNOWN

Handling and Storage Precautions:STORE IN COOL,DRY AREA.DO NOT STORE IN DIRECT SUNLIGHT.DO NOT STORE IN ALUMINUM CONTAINERS,MAY CAUSE CORROSION.

Other Precautions:NOT KNOWN

======= Exposure Controls/Personal Protection ===============

Respiratory Protection:OSHA APPROVED ORGANI C VAPOR MASK. Ventilation:CONTACT LOCAL SAFETY/INDUSTRIAL HYGIENE OFFICE TO DETERMINE IF LOCAL EXHAUST VENTILATION IS NEEDED . Protective Gloves:VITON OR NEOPRENE. Eye Protection:GOGGLES Other Protective Equipment:RUBBER OR PLASTIC APRON WHERE APPROPRIATE. Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE REUSE.USE SAFE INDUSTRIAL HYGIENE PRACTICES. Supplemental Safety and Health

NOT KNOWN

Boiling Pt:B.P. Text :165F,74C Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN Decomp Temp:Decomp Text:NOT KNOWN Vapor Pres:100 MMHG Vapor Density:4.6 Spec Gravity:1.3 (WATER=1) Evaporation Rate & amp; Reference:NOT KNOWN Solubility in Water:NIL Appearance and Odor:BLACK LIQUID WITH SOLVENT ODOR.

Stability Indicator/Materials to Avoid:YES STRONG ACIDS AND BASES. Stability Condition to Avoid:NOT KNOWN Hazardous Decomposition Products:CARBON MONOXIDE AND CARBO N DIOXIDE,NITROGEN OXIDES,HYDROGEN CHLORIDE,PHOSGENE. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL,STATE,AND LOCAL REGULATIONS.COORDINATE WITH SUPPORTING INSTALLATION AND/OR MACOM ENVIRONMENTAL OFFICE PRIOR TO DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.