

MICANITE & INSULATORS CO LTD -- APIEZON N GREASE -- 9150-00-984-9432

===== Product Identification =====

Product ID:APIEZON N GREASE

MSDS Date:10/01/1989

FSC:9150

NIIN:00-984-9432

MSDS Number: BQCTW

=== Responsible Party ===

Company Name:MICANITE & INSULATORS CO LTD

Address:510 TOWNSHIP LINE RD

City:BLUE BELL

State:PA

ZIP:19422

Country:US

Info Phone Num:215-646-9200

Emergency Phone Num:215-646-9200

CAGE:IO686

=== Contractor Identification ===

Company Name:BIDDLE INSTRUMENTS

Address:510 TOWNSHIP LINE RD

Box:City:BLUE BELL

State:PA

ZIP:19422-2701

Country:US

Phone:NOT AVAILABLE

CAGE:07239

Company Name:MICANITE & INSULATORS CO INC

Address:510 TOWNSHIP LINE RD

Box:City:BLUE BELL

State:PA

ZIP:19422

Country:US

Phone:215-646-9200

CAGE:IO686

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

===== Hazards Identification =

=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE KNOWN.  
Explanation of Carcinogenicity:NOT RELEVANT.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYE: FLUSH WITH CLEAN WATER FOR AT LEAST 15 MINUTES.

INGESTION: DO NOT INDUCE VOMITING. OBTAIN MEDICAL ATTENTION.  
INHALATION: REMOVE FROM EXPOSURE. SUPPORT BREATHING (GIVE  
ARTIFICIAL RESPIRATION/OXYGE N) . SKIN: FLUSH WITH COPIOUS AMOUNTS  
OF WATER .

===== Fire Fighting Measures =====

Flash Point:>302F,>150C  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL POWDER, SAND OR EARTH.  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL  
PROTECTIVE EQUIPMENT .  
Unusual Fire/Explosion Hazard:NO  
NE.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP OR ABSORB WITH SAND, EARTH OR SAWDUST.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE.  
Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED. WEAR NIOSH/MSHA APPROVED  
RESPIRATOR APPROPRIATE FOR EXPOSUR

E OF CONCERN .

Ventilation:NOT REQUIRED. GENERAL VENTILATION SUFFICIENT TO KEEP  
AIRBORNE CONCENTRATIONS BELOW EXPOSURE LIMITS .

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:WASH SKIN AFTER CONTACT AND GENERALLY OBSERVE  
GOOD STANDARDS OF HYGIENE.

Supplemental Safety and Health

SPECIFIC GRAVITY: @ 20C (H\*2O=1). VAPOR PRESSURE: 2 X 10-8 @ 20C.

===== Physical/Chemical Propertie  
s =====

Melt/Freeze Pt:M.P/F.P Text:109F,43C

Vapor Pres:SUPP DATA

Spec Gravity:0.911 (SUPDAT)

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK GREASE, NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE

OF ACCORDING TO FEDERAL, STATE AND LOCAL  
REGULATIONS FOR MINERAL OILS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume respon

sibility for the suitability of this information to their particular situation.