

FISHER SCIENTIFIC CO CHEMICAL DIV. -- ACETONE -- 6810-00-753-4780

===== Product Identification =====

Product ID:ACETONE

MSDS Date:03/25/1987

FSC:6810

NIIN:00-753-4780

MSDS Number: BQGPG

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC CO CHEMICAL DIV.

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:201-796-7100 OR 201-796-7523

CAGE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

===== Composition/Information on Ingredients =====

Ingred Name:ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1000PPM

ACGIH TLV:750PPM/1000STEL;9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL RAT LD50 IS 5800 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS IRRITATING TO THE EYES, MUCOUS MEMBRANES, AND WITH PROLONGED/REPEATED CONTACT, THE SKIN. IT HAS A NARCOTIC EFFECT IF INHALED, CHRONIC OVEREXPOSURE MAY LEAD TO LIVER/KIDNEY DAMAGE. IT HAS A LOW ORDER OF ORAL TOXICITY.

Explanation of

Carcinogenicity:PRODUCT IS NOT LISTED AS A CARCINOGEN BY IARC, NTP, OR OSHA.

Effects of Overexposure:EYE:SEVERE IRRITATION, POSSIBLE PERMINENT DAMAGE. SKIN:POSSIBLE DERMATITIS WITH PROLONGED/REPEATED CONTACT. INHALED: ANESTHETIC REACTIONS OF HEADACHE,DIZZINESS,AND CENTRAL NERVOUS SYSTEM EFFECTS. INGESTED:LOW ORDER TOXICITY, MFR STATES THAT PRIME HAZARD WITH INGESTION IS ASPIRATION INTO LUNGS CAUSING PULMONARY EDEMA.

Medical Cond Aggravated by Exposure:PEOPLE WITH CHRONIC RESPIRATORY OR SKIN DISEASES MAY BE AT INCREASED RISK WHEN EXPOSED TO THIS CHEMICAL.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY. INGESTED:DO NOT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER AND GET IMMEDIATE MEDICAL CARE. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE,SEE A DOCTOR.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:0F,-18C

Autoignition Temp:Autoignition Temp Text:869F

Lower Limits:2.5

Upper Limits:13

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO CO

OL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:PER NFPA, WATER MAY BE INEFFECTIVE IN SOME CASES. FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. RECOVER AS LIQUID IF POSSIBLE AND MOP UP OR ADSORB WITH INERT MATERIAL. PLACE IN CLOSED CONTAINERS FOR DISPOSAL.

Neutralizing Agent:NONE

=====

= Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, LOW FIRE RISK AREA.

Other Precautions:'EMPTY' CONTAINERS MAY CONTAIN RESIDUE OR VAPOR.

TREAT THEM WITH THE RESPECT DUE FULL ONES. DO NOT CUT,WELD,ETC. ON THEM. USE PROPER GROUNDING PROCEDURES WHEN TRANSFERRING PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED AIR SUPPLIE

D RESPIRATOR (RECOMMENDED) OR

RESPIRATOR FOR ORGANIC VAPOR IF EXPOSURE IS ABOVE THE TLV/PEL. SEE 29 CFR 1910.134 FOR REGUL ATIONS PERTAINING TO RESPIRATOR USE.

Ventilation:NORMAL ROOM VENTILATION IS SUFFICIENT. SUPPLEMENT WITH LOCAL EXHAUST IF PEL/TLV IS EXCEEDED. USE E.P. ELECTRICAL EQPT.

Protective Gloves:RUBBER, VINYL OR OTHER IMPERVIOUS

Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE WASH STATION, WORK CLOTHING TO PROTECT FROM

PROLONGED/REPEATED CONTACT.

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:133F,56C

Melt/Freeze Pt:M.P/F.P Text:-139F,-95C

Vapor Pres:180 MM

Vapor Density:2.0

Spec Gravity:0.7899

Evaporation Rate & Reference:6 (N-BUTYL ACETATE=1)

Solubility in Water:VERY SOLUBLE

Appearance and Odor:COLORLESS LIQUID, WITH A CHARACTER

ISTIC ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

EXPLOSIVE WITH STRONG OXIDIZING AGENTS, DISSOLVES SOME PLASTICS,

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W ALL FEDERAL, STATE AND LOCAL  
R  
EGULATIONS. DGSC-SSH SUGGESTS THAT DISPOSAL MAY BE DONE BY  
INCINERATION

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume respon

sibility for the suitability of this information to their  
particular situation.