QPL INC. -- MIL-C-81302D, TYPE IIA; NSN:6850-00-105-3084 -- 6850-00-105-3084 Product ID:MIL-C-81302D, TYPE IIA; NSN:6850-00-105-3084 MSDS Date:01/01/1993 FSC:6850 NIIN:00-105-3084 MSDS Number: BQWJZ === Responsible Party === Company Name: QPL INC. Address:800 N ACADIA RD City:THIBODAUX State:LA ZIP:70301 Country:US Info Phone Num:504-394-8440 FAX:504-393-7700 Emergency Phone Num:504-394-8440 CAGE:KO075 === Contractor Identificatio n === Company Name: QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC. Address:800 N. ACADIA ROAD Box:City:THIBODAUX State:LA ZIP:70301 Country:US Phone:504-394-8440 CAGE:0AD61 Company Name: QPL INC. Address:800 N ACADIA RD Box:City:THIBODAUX State:LA ZIP:70301 Country:US

Phone:504-394-8440 FAX:504-393-7700

CAGE:KO075

======= Composition/Information on Ingredients ========

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III)

CAS:76-13-1

RTECS #:KJ4000000

Fractio

n by Wt: 96% Other REC Limits: NONE RECOMMENDED OSHA PEL:1000PPM/1250STEL ACGIH TLV:1000PPM/1250STEL9293 Ozone Depleting Chemical:1 Ingred Name: CARBON DIOXIDE CAS:124-38-9 RTECS #:FF6400000 Fraction by Wt: 4% Other REC Limits: NONE RECOMMENDED OSHA PEL:5000 PPM ACGIH TLV:5000PPM/30000STEL;93 ========= Hazards Identification =============== LD50 LC50 Mixture:100 PPM Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO He alth Hazards Acute and Chronic: CAUSES IRRITATION TO BODY TISSUES.INHAL:AFFECTS CNS.PROLONG SKIN EXPOSURE MAY CAUSE DEFATTING. Effects of Overexposure:INHAL:EXCITMENT,LACK OF COORDINATION.ITEM CAUSES TREMORS IN RATS. Medical Cond Aggravated by Exposure: PERSONS WITH RE-EXISTING DISEASES OF THE SKIN; ITEM CAUSES DEFATTING. First Aid:INHAL:REMOVE TO FRESH AIR.GIVE MOUTH-TO-MOUTH RESPIRATION IF NEEDED.DO NOT GIV E EPINEPHRINE.EYES:FLUSH WITH WATER.SKIN:FLUSH WITH WATER.IF IRRITATION PERSISTS, CALL PHYSICIAN.INGEST: DO NOT

INDUCE VOMIT ING!GET PROMPT QUALIFIED MEDICAL ATTENTION.

============ Fire Fighting Measures =========================

Flash Point: AEROSOL

Extinguishing Media: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATU. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard: CANS MAY RUPTURE IN FI

PRODUCT MAY BE FORMED. ======== Accidental Release Measures ============ Spill Release Procedures: VENTILATE AREA.DO NOT FLUSH TO SEWER.DIKE SPILL; ADSORB LIQUID WITH AN INERT ADSORBANT. COLLECT CONTAMINATED MATERIEL IN AN APPROPRIATE CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE ============= Handling and Storage ================= Handling and Storage Precautions: AVOID SKIN CONTACT. Other Precautions: USE ONLY IN WELL VENTILATED AR EAS. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT NEEDED IN VENTILATED AREAS. USE A SELF-CONTAINED BREATHING APPARATUS IN THE EVENT OF A LARGE SPILL. Ventilation: USE GENERAL MECHANICAL EXHAUST FOR LOWER PLACES (FOR THE REASON OF HIGH ATM.PRESSURE), ELSEWISE NO SPECIAL REQUIREMENTS. Protective Gloves:BUTYL RUBBER. Eye Protection: CHEMICAL SPLASH GOGGLES. Other Protective Equipment: USE CLOTHING TO PREVENT SKIN CONTACT. Work Hygienic Practices :READ LABEL CAREFULLY BEFORE USING. Supplemental Safety and Health NONE ======== Physical/Chemical Properties ============ HCC:V2 Boiling Pt:=47.8C, 118.F Vapor Pres:334 @77F Vapor Density:6.5 Spec Gravity:1.565 Evaporation Rate & Dr. Reference: 0.1 Solubility in Water: INSOLUBLE Appearance and Odor:AEROSOL;COLORLESS;ETHEREAL ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES

ALKALI, ALKALINE EARTH MATERIELS (AL, Z

RE.DECOMPOSITION

N,BE).
Stability Condition to Avoid:TEMPERATURES ABOVE 250F
Hazardous Decomposition Products:ABOVE 250F,HALOGENS AND
HALIDES.HYDROCHLORIC ACID,HYDROFLUORIC ACID,CARBONYL HALIDES

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULTIONS.REFER TO EPA F001 AND F002.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.