

FLAMEMASTER CORP, CHEM SEAL DIV -- CS 3204 PART A -- 8030-00-723-2746

===== Product Identification =====

Product ID:CS 3204 PART A

MSDS Date:06/15/1990

FSC:8030

NIIN:00-723-2746

Kit Part:Y

MSDS Number: BQYGQ

=== Responsible Party ===

Company Name:FLAMEMASTER CORP, CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Phone Num:818-982-1650

Emergency Phone Num:800-424-9300(CHEMTREC)

Preparer's Name:HERBERT MOORE

CAGE:14439

=

== Contractor Identification ==

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

===== Composition/Information on Ingredients =====

Ingred Name:LIQUID POLYSULFIDE POLYMER

CAS:68611-50-7

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity

:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NOT ESTABLISHED. POSSIBLE SKIN

IRRITATION AFTER PROLONGED CONTACT WITH RESULTING DERMATITIS. NOT  
CONSIDERED TO BE A PRIMARY SKIN IRRITANT.

Effects of Overexposure:SKIN OR EYE IRRITATION.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN.

SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE VO  
MITING, CONSULT  
PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:>200F,>93C

Extinguishing Media:DRY CHEMICAL, FOAM, WATER, CO2.

Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR  
REACTION WITH CURING AGENT. CLEAN UP RESIDUE WITH 1,1,1  
TRICHLOROETHANE THEN WITH SOAP AND  
WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA AWAY FROM  
STRONG ACIDS.

Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER  
HANDLING THIS PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.

Ventilation:LOCAL EXHAUST: AIR. MECHANICAL (GENERAL): FAN.

Protective Gloves:RUBBER.

Eye Protection:SAFETY GLASSES.

Other Protective Eq

Equipment: APPROPRIATE TO AVOID PROLONGED CONTACT.  
Work Hygienic Practices: TRAIN EMPLOYEES IN SAFE HANDLING OF THIS PRODUCT.  
Supplemental Safety and Health  
KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1  
Melt/Freeze Pt:M.P/F.P Text:LIQ@RM TEMP  
Vapor Pres:NIL  
Vapor Density:NIL  
Spec Gravity:1.52  
pH:8.5  
Viscosity:12,000 POISES  
Evaporation Rate & Reference:(BU AC=1) NIL  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:WHITE PASTE, POLYSULFIDE ODOR.  
Perce  
nt Volatiles by Volume:3.0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG OXIDIZING AGENTS AND STRONG ACIDS.  
Stability Condition to Avoid:OPEN FLAME.  
Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS SOLID WASTE PER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.