RINCHEM COMPANY, INC -- GRIGGS P/N T0058 -- 8010-01-165-6760 Product ID:GRIGGS P/N T0058 MSDS Date:02/26/1991 FSC:8010 NIIN:01-165-6760 MSDS Number: BQYKY === Responsible Party === Company Name: RINCHEM COMPANY, INC Address:4115 WEST TURNEY AVENUE City:PHOENIX State:AZ ZIP:85019 Country:US Info Phone Num:602-233-2000 Emergency Phone Num:602-233-2000/800-424-9300 CHEMTREC CAGE:NO109 === Contractor Identification === Company Na me:RINCHEM COMPANY INC Address:4115 W TURNEY AVENUE Box:City:PHOENIX State:AZ ZIP:85019 Country:US Phone:602-223-2000 CAGE:0KU90 Company Name: RINCHEM COMPANY, INC Address:4115 WEST TURNEY AVENUE City:PHOENIX State:AZ ZIP:85019 Country:US Phone:602-233-2000 CAGE:NO109 Ingred Name: AROMATIC HYDROCARBONS (TARGET ORGANS: LIVER, KIDNEY, SKIN) (FLAMMABLE)

======= Composition/Information on Ingredients ========

Fraction by Wt: 20%

Other REC Limits: NONE SPECIFIED

ACGIH TLV:125 PPM

Ing

red Name:KETONES
Fraction by Wt: 30%
Other REC Limits:NONE SPECIE

Other REC Limits: NONE SPECIFIED

ACGIH TLV:200 PPM

Ingred Name: ESTERS (TARGET ORGANS: SKIN, EYES, RESPIRATORY SYSTEM)

(FLAMMABLE) Fraction by Wt: 50%

Other REC Limits: NONE SPECIFIED

ACGIH TLV:400 PPM

========= Hazards Identification ============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE; INGESTION: CAUSES NAUSEA,
VOMITING, HEADACHE, DIZZINESS, STUPOR, ASPIRATION PNEUMONITIS
. SKIN

ABSORPTION: SLIGHTLY IRRITATING TO SKIN. INHALATION: CAUSE HEADACHE, DIZZINESS, NAUSEA, VOMITING, V APORS MAY IRRITATE EYES, NOSE, THROAT. EYE CONTACT: CAUSES MODERATE EYE IRRITATION.

Effects of Overexposure: CHRONIC; SKIN ABSORPTION: PROLONGED OR REPEATED CONTACT CAN RESULT IN DRYING AND DEFATTING OF SKIN LEADING TO DERMATITIS.

First Aid:INGEST: DONT INDUCE VOMITING, IF OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION. GET MED AID. SKIN: REMOVE CONTAM CLOTHING & SHOES. WASH SKIN WITH SOAP & WATER. SEE DR IF IRRITATION PERSISTS. INHA L: REMOVE TO FRESH AIR. PROVIDE OXYGEN IF BREATHING DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF BREATHING STOPPED. SEE DR. EYES: FLUSH WITH WATER FOR AT LEAST 15 MIN. IF IRRITATION PERSISTS, SEE DR.


Flash Point Method:TCC Flash Point:40.0F,4.4C Autoignition Temp:Autoi gnition Temp Text:474 F

Lower Limits: 1.4 Upper Limits: 9.2

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL FOAM, WATER SPRAY Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS RECOMMENDED Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL A CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK.

======== Accidental Release Measures ===========

Spill Release Procedures: SHUT OFF AND ELIMINATE ALL IGNITION SOURCES. ABSORB LARGE S



Stability Condition to Avoid: EXTREME HEAT, SPARKS, OPEN FLAMES, OTHER

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

IGNITION SOURCES

Hazardous Decomposition Produ

=======================================	Disposal Considerations	=======================================
cts:CARBON MONOXIDE,	CARBON DIOXIDE	

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liab

ility for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.