

ALLIED ENTERPRISES, INC. -- TASK FORCE HEAVY DUTY CLEANER -- 6850-01-376-1202

=====  
Product Identification  
=====

Product ID:TASK FORCE HEAVY DUTY CLEANER

MSDS Date:04/03/1992

FSC:6850

NIIN:01-376-1202

MSDS Number: BRDMG

=== Responsible Party ===

Company Name:ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Info Phone Num:804-489-8282

Emer

gency Phone Num:800-535-5053

CAGE:58396

=== Contractor Identification ===

Company Name:ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Phone:757-489-8282

CAGE:58396

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM METASILICATE, ANHYDROUS

CAS:6834-92-0

RTECS #:VV9275000

Fraction by Wt: 5-10%

Other REC Limits:NONE

RECOMMENDED  
OSHA PEL:2 MG/M3 8HR  
ACGIH TLV:C; 2 MG.M3

Ingred Name:POTASSIUM HYDROXIDE (SARA III)  
CAS:1310-58-3  
RTECS #:TT2100000  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:C, 2 MG/M3  
ACGIH TLV:C 2 MG/M3; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:TETRASODIUM ETHYLENE DIAMINE TETRAACETATE  
CAS:64-02-8  
RTECS #:AH5075000  
Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin  
n:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: CONTACT WITH SKIN AND EYES MAY  
CAUSE IRRITATION. SWALLOWING MAY IRRITATE GATROINTESTINAL TRACT AND  
AFFECT OTHER ORGANS. NO HEALTH EFFECTS GIVEN FOR INHALATION OF  
VAPORS OR MISTS. CHRONIC: NONE SPECIFIED.  
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%  
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
Effects of Overexposure:EYES: RE  
DNESS, TEARING, DISCOMFORT. SKIN:  
REDNESS, DISCOMFORT. INGESTION: NAUSEA, VOMITING, DIARRHEA.  
INHALED: NONE GIVEN.

=====  
===== First Aid Measures =====

First Aid:QUICKLY FOLLOW THE DIRECTIONS FOLLOWING; CALL A POISON  
CONTROL CENTER OR DOCTOR. GET QUICK MEDICAL ATTENTION IF ANY  
AFFECTS CONTINUE OR DEVELOP LATER. EYES: FLUSH WITH LOTS OF WATER  
FOR 15 MINUTES, HO LD LIDS OPEN. SKIN: REMOVE CONTAMINATEDCLOTHES.  
WASH WITH SOAP AND WATER. INGES

TED: RINSE OUT MOUTH. DRINK GLASS OF WATER. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE

Extinguishing Media:WATER

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEAR PORPER PROETCTIVE CLOTHIN

G. WIPE UP OR

MOP SPILLED MATERIAL THEN RINSE AREA WITH WATER. FLOORS MAY BE SLIPPERY, USE CAUTION TO AVOID FALLS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP FROM FREEZING. DO NOT MIX WITH OTHER CHEMICALS. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:AVOID CONTACT WITH SKIN AND EYES. DO NOT EAT, DRINK, OR SMOKE IN WORK ARE

A. DO NOT TAKE INTERNALLY.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE NORMALLY REQUIRED. IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134 .

Ventilation:USE ADEQUATE MECHANICAL VENTILATION.

Protective Gloves:RUBBER OR PVC

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH STATION & SAFETY S  
HOWER

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

RECORD UPDATED TO CHANGE HCC TO C2. REGULATED FOR TRANSPORTATION PER MANUFACTURER.

=====  
Physical/Chemical Properties  
=====

HCC:B3

Boiling Pt:=101.1C, 214.F

Vapor Pres:18 MM HG

Vapor Density: