US ARMY BELVOIR -- ASBESTOS CONTAINING CLOTH -- 1730-00-449-4835

Product ID: ASBESTOS CONTAINING CLOTH MSDS Date:07/22/1993 FSC:1730 NIIN:00-449-4835 MSDS Number: BRFNR === Responsible Party === Company Name: US ARMY BELVOIR Address: RESEARCH AND DEVELOPMENT CENTER City:FORT BELVOIR State:VA ZIP:22060-5606 Country:US Info Phone Num:703-704-2016/DSN 654-2016 Emergenc y Phone Num:703-704-2016/DSN 654-2016 Preparer's Name:DGSC-SSH CAGE:LO388 === Contractor Identification === Company Name: R AND R MILITARY PRODUCTS CO Address:KATY RD RFD RT 1 BLDG 2 Box:503 City:KELLER State:TX ZIP:76248-0503 Country:US Phone:817-431-2558 CAGE:6N151 Company Name: US ARMY Address:RESEARCH AND DEVELOPMENT CENTER Box:City:FORT BELVOIR State:VA ZIP:22060-5606 Country:US CAGE:97403 Company Name: US ARMY BELVOIR Address:RESEARCH AND DEVELOPMENT CENTER Box:City:FORT BELVOIR State:VA ZIP:

22060-5606 Country:US Phone:703-704-2016/DSN 654-2016 CAGE:LO388

Ingred Name:ASBESTOS, CHRYSOTILE CAS:12001-29-5 RTECS #:CI6478500 OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9192

Ingred Name:GENERIC "MSDS". SPECIFIC ASBESTOS TYPE NOT KNOWN. ONE CITED IS ASSUMED. INFORMATION BASED ON SEGMENT "M" OF "DLSC TIR" RTECS #:9999999ZZ

Routes of Entry: In halation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:ACUTE- NO ACUTE EFFECTS ARE KNOWN. CHRONIC- DUSTS MAY CONTAIN ASBESTOS FIBERS. CHRONIC OVEREXPOSURE TO AIRBORNE FIBERS MAY LEAD TO ASBESTOSIS & MESOTHELIOMA. SMOKING COMBINED WITH FIBER INHALATION GRE ATLY INCREASES LUNG CANCER RISK! Explanation of Carcinogenicity:OVEREXPOSURE TO AIRBORNE CONCENTRATIONS OF ASBESTOS MAY LEAD TO ASBESTOSIS AND MESOTHELIOMA.

Effects of Overexposure:INHALATION OF AIRBORNE DUST CONTAINING ASBESTOS FIBERS ON REPEATED EXPOSURE MAY CAUSE OR CAN LEAD TO ASBESTOSIS OR MESOTHELIOMA. POTENTIAL EYE IRRITATION FROM AIRBORNE DUST. Medical Cond Aggravated by Exposure:RESPIRATORY DEFICIENCIES DUE TO REPEATED INHALATION OF AIRBORNE FIBERS.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE CONTAMINATED CLOTHING. FLUSH SKIN WITH WA TER, THEN WASH WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REM OVE TO FRESH AIR. PROVIDE OXYGEN/CPR IFNEEDED. ORAL:GET MEDICAL ATTENTION.

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CO2, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL & FLUSH SPILLS AWAY.

Fire Fighting Procedures: COMBUSTION PRODUCTS OF THIS MATERIAL MAY BE

TOXIC. USE A SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING CHEMCIAL PRODUCTS. Unusual Fire/Explosion Hazard:MAY RELEASE ASBESTOS FIBERS.

Spill Release Procedures:USE PROPER PERSONAL PROTECTION. VACUUM OR WET CLEAN IF DUST IS INVOLVED. ANY VACUUM SYSTEM SHOULD BE EQUIPPED WITH AN OUTLET "HEPA" FILTER TO PREVENT REINTRODUCING ASBESTOS FIBERS TO THE ATMOSPHERE. Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions: HANDLE IN A MATTER TO MINIMIZE FORMATION OR RETENTION OF AIRBORNE DUST. USE PROPER PERSONAL PROTECTION FOR TASK AT HAND.

Other Precautions: AVOID CREATING ASBESTOS FIBERS OR DUSTS. AVOID BREATHING ASBESTOS FIBERS OR DUSTS. WASH THOROUGHLY AFTER HANDLING.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IF EXPOSURES EXCEED ESTABLISHED LIMITS, A

NIOSH-APPROVED RESPIRATOR FOR ASBESTOS SHOULD BE USED. Ventilation:LOCAL EXHAUST IS RECOMMENDED IN SITUATIONS WHERE DUST IS

GENERATED BY ABRASIVE ACTIONS, ABRASION OR OTHER MEANS.

Protective Gloves: AS REQUIRED FOR TASK AT HAND.

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment: AS REQUIRED FOR TASK AT HAND, AND THE

GUIDANCE SET FORTH BY YOUR SAFETY OFFICE OR IH PERSONNEL

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMEN

DED PROCEDURES.

Supplemental Safety and Health

NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE PROFESSIONALS OF DGSC-SSH WITHOUT ANY WARRANTY. IT IS THE USER'S RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPER LY TO PROTECT EMPLOYEES AND ENVIRONMENT.

HCC:T6

=

Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN Decomp Temp:Decomp Text:NOT KNOWN Spec Gravity:NOT KNOWN Evaporation Rate & amp; Ref erence:NONE Solubility in Water:NOT SOLUBLE Appearance and Odor:CLOTH CONTAINING ASBESTOS AT THE END OF THE LIGHTER, TORCH Percent Volatiles by Volume:NONE

Stability Indicator/Materials to Avoid:YES NONE KNOWN Stability Condition to Avoid:FIRE Hazardous Decomposition Products:MAY RELEASE ASBESTOS FIBERS.

Waste Disposal Methods:DUST SHOULD BE HANDLED AS A HAZARDOUS AIR POLILITANT I/A/W 40CER61 SUBPART "M" PERTAINING TO

POLLUTANT I/A/W 40CFR61 SUBPART "M" PERTAINING TO ASBESTOS. USE LANDFILLS APPROVED FOR ASBESTOS DISPOSAL. OBSERVE ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.