

ELDORADO CHEMICAL COMPANY, INC. -- PR-3400, PAINT REMOVER -- 8010-00-815-2970

=====  
Product Identification  
=====

Product ID:PR-3400, PAINT REMOVER

MSDS Date:07/26/1988

FSC:8010

NIIN:00-815-2970

MSDS Number: BRFQC

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265

Country:US

Info Phone Num:512-653-9323

Emergency Phone Num:800-531-108

8

Preparer's Name:PAT E SMITH

CAGE:55208

=== Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DICHLOROMETHANE (VAPOR HAZARD, MUTAGEN)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 70%

Other REC Limits:NONE SPECIFIED

OSHA PEL:500 PPM

ACGIH TLV:50 PPM

EPA Rpt

Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:TOLUENE (VAPOR HAZARD, FLAMMABLE)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 4%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:METHANOL (VAPOR HAZARD, FLAMMABLE)  
CAS:67-56-1  
RTECS #:PC1400000  
Fraction by Wt: 1%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:S,200PPM/250STEL  
ACGIH TLV:S,200PPM/250STEL; 93  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ETHY  
L ALCOHOL (VAPOR HAZARD, FLAMMABLE)  
CAS:64-17-5  
RTECS #:KQ6300000  
Fraction by Wt: 8%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM

Ingred Name:SODIUM CHROMATE (OXIDIZER, SUSPECTED CARCINOGEN)  
CAS:7775-11-3  
RTECS #:GB2955000  
Fraction by Wt: .7%  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:.5 PPM  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:AMMONIUM HYDROXIDE SOLUTION (VAPOR HAZARD, CORROSIVE)  
CAS:1336-21-6  
RTECS #:BQ9625000  
Fraction by Wt: 4%  
Other REC Limits:NONE SPECI



NOT HEAT

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:115F,46C

Vapor Pres:200 MM HG

Vapor Density:2

Spec Gravity:(H2O=1) 1.2

pH:12

Evaporation Rate & Reference:(WATER = 1) 1

Solubility in Water:INSOL (DISPERSABLE)

Appearance and Odor:VISCOUS, PUNGENT LIQUID

Percent Volatiles by Volume:90

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ALKALIS,

STRONG ACIDS, STRONG OXIDIZERS, REACTIVE METALS

===== Disposal Considerations =====

Waste Disposal Methods:USEPA HAZARDOUS WASTE NO 3, U080, D007, U154,  
U220. CONSULT FEDERAL, STATE AND LOCAL REGULATORY AGENCIES FOR  
PROPER DISPOSAL

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.