

MSDS Safety Information

FSC: 6850
NIIN: 01-054-6721
MSDS Date: 04/10/1991
MSDS Num: BRFRT
Product ID: BEC 368 NICKEL "C"
MFN: 02
Responsible Party
Cage: 21468
Name: BROOKTRONICS ENGINEERING CORP
Address: 13161 SHERMAN WAY UNIT B
City: NORTH HOLLYWOOD CA 91605-4646
Info Phone Number: 213-875-2553
Emergency
Phone Number: 213-875-2553
Preparer's Name: CHRISTOPHER J. HELMIN
Proprietary Ind: Y
Review Ind: Y
Published: Y

Contractor Summary

Cage: 21468
Name: BROOKTRONICS ENGINEERING CORP
Address: 28231 AVE CROCKER
City: VALENCIA CA 91355
Phone: 805-294-1195

Item Description Information

Item Manager: S9G
Item Name: BRUSH PLATING SOLUTION,NICKEL
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: GL
UI Container Qty: 0
Type of Container: IP.2 PLASTIC

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

L

D50 LC50 Mixture: ORAL LD50 (RAT) IS UNKNOWN

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: NONE SPECIFIED BY MANUFACTURER.

Explanation Of Carcinogenicity: NOT CARCINOGENIC.

Signs And Symptoms Of Overexposure: ACUTE: IRRITATION TO NASAL PASSAGES, SKIN, DIGESTIVE TRACT AND EYES. CHRONIC: SAME.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES-FLUSH IMMEDIATELY WITH WATER, GE

T MEDICAL ADVISE IMMEDIATELY.

SKIN-WASH THOROUGHLY WITH SOAP AND WATER. INHALATION-REMOVE TO FRESH AIR, GIVE OXYGEN IF NECESSARY. INGESTION-DO NOT INDUCE VOMITING, GIVE WATER OR MILK, GET MEDICAL HELP IMMEDIATELY. NOTES TO PHYSICIAN: CONTAIN FORMIC ACID.

=====
Handling and Disposal

=====
Spill Release Procedures: MAY BE WIPED UP WITH MOP OR ABSORBENT MATERIAL.

Neutralizing Agent: ALKALINE SOLUTIONS.

Waste Disposal Methods: AS WITH ALL HEAVY METAL SOLUTIONS, DISPOSE OF ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: STORE UNDER CONTROLLED TEMP. RANGE 35 TO 200 DEGREES F. KEEP CONTAINER CLOSED. NO SPECIAL HANDLING REQUIRED.

Other Precautions: NONE

=====
Fire and Explosion Hazard Information

=====
Flash Point Text: NON-FLAMMABLE

Extinguishing Media: ALL TYPES.

Fire Fighting Procedures: NOT DETERMINED.

Unusual Fire/Explosion Hazard: NONE KNOWN.

=====
Control Measures

=====
Respiratory Protection: NOT REQUIRED.

Ventilation: LOCAL VENTILATION IS SUFFICIENT.

Protective Gloves: RUBBER GLOVES.

Eye Protection: GOGGLES OR GLASSES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: WASH HANDS AFTER USE.

Supplement

ental Safety and Health: NONE

Physical/Chemical Properties

HCC: N1
B.P. Text: >220F,>104C
Spec Gravity: 1.2
Solubility in Water: 100%
Appearance and Odor: DARK GREEN IN COLOR, STRONG FORMIC ACID SCENT.
Percent Volatiles by Volume: <7.0

Reactivity Data

Stability Indicator: YES
Stability Condition To Avoid: FREEZING.
Materials To Avoid: ALKALINE SUBSTANCE.
Hazardous Decomposition Products: NONE
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NONE NOTED

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 21468
Trans ID NO: 103631
Product ID: BEC 368 NICKEL "C"
MSDS Prepared Date: 04/10/1991
Review Date: 07/22/1993
MFN: 2
Net Unit Weight: 1.0 GL
AF MMAC Code: NR
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: GL
Container QTY: 0
Type Of Container: IP.2 PLASTIC

Detail DOT Information

DOT PSN Code: ZZZ
DOT Proper Shipping

Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: BEC 368 NICKEL "C"

Cage: 21468

Company Name: BROOKTRONICS ENGINEERING CORP

Street: 28231 AVE CROCKER

City: VALENCIA CA

Zipcode: 91355

Health Emergency Phone: 213-875-2553

Date Of Label Review: 07/22/1993

Status Code: C

Label Date: 07/22/1993

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: STORE UNDER CONTROLLED TEMP. RANGE 35 TO 200 DEGREES F. KEEP CONTAINER CLOSED. NO SPECIAL HANDLING REQUIRED. IN CASE OF SPILL: MAY BE WIPED UP WITH MOP OR ABSORBENT MATERIAL. FIRST AID

: EYES-FLUSH IMMEDIATELY
WITH WATER, GET MEDICAL ADVISE IMMEDIATELY. SKIN-WASH THOROUGHLY WITH SOAP AND
WATER. INHALATION-REMOVE TO FRESH AIR, GIVE OXYGEN IF NECESSARY. INGESTION-DO
NOT INDUCE VOMITING, GIVE WATER OR MILK, GET MEDICAL HELP IMMEDIATELY. NOTES
TO PHYSICIAN: CONTAIN FORMIC ACID.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department
of Defense.

The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of Amer

ica should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.