

PRATT & LAMBERT, INC. -- EN ALKYD LUST QD YELLOW 33538, ID 744310 -- 8010-00-297-0811

===== Product Identification =====

Product ID:EN ALKYD LUST QD YELLOW 33538, ID 744310

MSDS Date:03/23/1992

FSC:8010

NIIN:00-297-0811

MSDS Number: BRGVN

=== Responsible Party ===

Company Name:PRATT & LAMBERT, INC.

Box:2153

City:WICHITA

State:KS

ZIP:67201

Country:US

Info Phone Num:316-733-1361

Emergency Phone Num:316-733-1361

Preparer's Name:W. A. ELLISON

CAGE:FO127

=== Contra

ctor Identification ===

Company Name:PRATT & LAMBERT, INC/BUFFALO, NY 14240

Box:22

CAGE:FO127

Company Name:PRATT AND LAMBERT INC

Address:Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:VM&P NAPHTHA (SOLVENT) (LFL 0.9; UFL 6.7)

CAS:8030-30-6

RTECS #:DE3030000

Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:300 PPM/400 PPM STEL

ACGIH TLV:300 PPM, 1350 MG/M3

Ingr

ed Name:ISOBUTYL ALCOHOL (SOLVENT) (SARA III) (VAPOR PRESSURE 10  
MM HG @ 20C) (LFL 1.0; UFL 11.0)  
CAS:78-83-1  
RTECS #:NP9625000  
Fraction by Wt: 10%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III) (VAPOR PRESSURE 22 MM HG @ 20C) (LFL  
1.7; UFL 7.1)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: AIR  
Spec Gravity:1.2  
pH:4-7  
Viscosity:67 - 77 KU  
Evaporation Rate & Reference:SLOWER THAN DIET  
HYL ETHER  
Solubility in Water:SLIGHT IN WATER  
Appearance and Odor:LIQUID, SOLVENT ODOR  
Percent Volatiles by Volume:61

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS OR ALKALINE MATERIALS. OXIDIZING MATERIALS.  
Stability Condition to Avoid:AVOID EXCESSIVE HEAT (>115F) AND SOURCES  
OF IGNITION.  
Hazardous Decomposition Products:SMOKE, CARBON MONOXIDE & CARBON  
DIOXIDE. OXIDES OF CHROMIUM, OXIDES OF LEAD, METAL OXIDE  
S

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE &  
LOCAL LAWS OR REGULATIONS. INCINERATE IN EPA PERMITTED FACILITY.  
DONT INCINERATE CLOSED CONTAINERS. OBSERVE PRECAUTIONS FOR DISPOSAL  
OF FLAMMABLE MATERIALS. RCRA CLASSIFICATION: D001.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The Uni

ted States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.