

OMEGA CHEMICAL PROD GP, FINE ORGANICS CORP -- RM 2057 -- 7930-00-559-9481

=====  
Product Identification  
=====

Product ID:RM 2057

MSDS Date:03/29/1993

FSC:7930

NIIN:00-559-9481

MSDS Number: BRGWQ

=== Responsible Party ===

Company Name:OMEGA CHEMICAL PROD GP, FINE ORGANICS CORP

Address:6935 WEST 62ND STREET

City:CHICAGO

State:IL

ZIP:60638

Country:US

Info Phone Num:312-586-8000

Emergency Phone Num:312

-586-8000, 800-424-9300

Preparer's Name:P ZALANTIS

CAGE:0B5U9

=== Contractor Identification ===

Company Name:OMEGA CHEMICAL PROD GP, FINE ORGANICS CORP

Address:6935 WEST 62ND STREET

City:CHICAGO

State:IL

ZIP:60638

Country:US

Phone:312-586-8000, 800-424-9300

CAGE:0B5U9

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM BISULFATE

CAS:7681-38-1

RTECS #:VZ1860000

Fraction by Wt: 93%

Other REC Limits:NONE SPECIFIED

Ingred Name:VOC: 0.0

RTECS #:9999999VO

Other R

EC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 RAT: 2800 MG/KG

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: MILD TO SEVERE IRRITATION. MAY CAUSE BURNS IF NOT FLUSHED WITH WATER. SKIN: MODERATE IRRITANT. MAY CAUSE BURNS IF NOT FLUSHED WITH WATER. INHALATION: IRRITANT. MAY IRRITATE OR BURN NOSE, THROAT & LUNGS. NO EXPOSURE LIMITS ESTABLISHED.INGESTION: IRRITANT. MA

Y IRRITATE OR BURN MOUTH, ESOPHAGUS OR STOMACH.

Explanation of Carcinogenicity:NOT LISTED

Effects of Overexposure:IRRITATION.

Medical Cond Aggravated by Exposure:NONE KNOWN

=====  
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH WATER 15 MIN, LIFTING EYELIDS TO FLUSH. GET PROMPT MED AID. SKIN: IMMED FLUSH WITH WATER 15 MIN. IF BURN OCCURS, OBTAIN MEDICAL HELP. IF INHALED: MOVE TO FRESH AIR LOCATIO N. IF IRRITATION/DISCOMFORT P

ERSISTS, GET MEDICAL

ATTENTION. INGESTION: DRINK LARGE QUANTITY MILK/WATER. FOLLOW WITH MILK OF MAGNESIA, BEATEN EGGS OR VEGETABLE OIL. DONT INDUCE VOMITING. SEE DR IMMED.

=====  
===== Fire Fighting Measures =====

Flash Point:WILL NOT BURN

Extinguishing Media:WATER OR DRY CHEMICAL AS APPROPRIATE FOR CHEMICALS IN AREA. AVOID WATER CONTACT TO MATERIAL IF POSSIBLE.

Fire Fighting Procedures:IF WATER USED TO EXTINGUISH COMBUSTIBLES & PRODUCT IS DISSOLV

ED IN WATER FORMING SULFURIC ACID, WEAR ACID

PROTECTIVE EQUIP. IF ELEVATED TEMPS (>570F) WEAR SCBA.

Unusual Fire/Explosion Hazard:PRODUCT DISSOLVES IN WATER TO FORM WEAK SULFURIC ACID SOLUTION. NO GASES/TOXIC FUMES EMITTED FROM REACTION, BUT FOLLOW PRECAUTIONS FOR SULFURIC ACID EXPOSURE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: MATERIAL GRANULAR PRODUCT & CAN BE SWEEPED UP FROM SURFACES. LARGE SPILL: PICK UP AS MUCH

MATERIAL AS

POSSIBLE WITH SHOVEL/OTHER TOOL. NEUTRALIZE BALANCE OF SPILL W/WEAK ALKALINE SOLUTION & WASH DOWN TO SEWER IF FED,STATE,LOCAL REGS PERMIT

Neutralizing Agent:ANY WEAK ALKALINE SOLUTION.

==== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE WHERE EXPOSED TO MOIST CONDITIONS OR NEAR STRONG ALKALIES. KEEP CONTAINER TIGHTLY CLOSED.

==== Exposure Controls/Personal Protection =====

Respirato

ry Protection:NIOSH OR MSHA CERTIFIED DUST MASK SHOULD BE WORN WHILE HANDLING PRODUCT TO CONTROL EXPOSURE BELOW NUISANCE DUST LIMITS OF 10 MG/M3

Ventilation:LOCAL VENTILATION TO A DUST COLLECTOR IS RECOMMENDED.

Protective Gloves:ACID RESISTANT GLOVES (RUBBER/NEOPRENE)

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:COATS, COVERALLS, OR APRONS ARE RECOMMENDED TO AVOID SKIN CONTACT.

Supplemental Safety and Health

==== Physical/Chemical Properties ==  
=====

HCC:C3

Decomp Temp:Decomp Text:570F,299C

Vapor Density:NON-VOLATL

pH:1.4

Solubility in Water:COMPLETE

Appearance and Odor:OFF WHITE BEAD-LIKE GRANULAR POWDER

Percent Volatiles by Volume:0

==== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ALKALINE MAT'LS (CAUSTIC). REACTS W/WATER TO FORM WEAK SULFURIC ACID. DONT MIX W/LIQ CHLORINE BLEACH OR SIMILAR.

Stability Condition to Avoid:STORE IN DRY AREA TO AVOID M

OISTURE.

Hazardous Decomposition Products:NONE, UNLESS HEATED OVER 570 F, AT WHICH SULFUR DIOXIDE AND SULFUR TRIOXIDE ARE FORMED.

===== Disposal Considerations =====

Waste Disposal Methods:NOT CLASSIFIED AS A EPA HAZARDOUS WASTE, HOWEVER, CARE SHOULD BE TAKEN TO COMPLY WITH ALL FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.