

MSDS Safety Information

FSC: 1015
NIIN: 01-255-4144
MSDS Date: 01/01/1993
MSDS Num: BRMBJ
Product ID: PIPE SEALANT WITH TEFLON
MFN: 02
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 705 NORTH MOUNTAIN RD
City: NEWINGTON CT 06111-1411
Info Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEPHEN REPETTO
Review Ind: Y
Published: Y

Contractor Summary

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100
Cage: 3A479
Name: THE ROSS-WILLOUGHBY CO (614-486-4311)
Address: UNKNOWN
City: U
NKNOWN NK 00000
Phone: UNKNOWN

Item Description Information

Item Manager: S9C
Item Name: SEALEANT,PIPE,TEFLON
Unit of Issue: TU
Quantitative Expression: 00000000050ML
UI Container Qty: 50 ML TUBE
Type of Container: TUBE

Ingredients

Cas: 39382-25-7
Name: BISPHENOL A FUMARATE

RESIN
% Wt: 25-30
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 12001-26-2
RTECS #: VV8760000
Name: SILICA MICA
% Wt: 15-20
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 20 MPPCF
ACGIH TLV: 3 MG/M3 RDUST; 9293

Cas: 111-87-5
RTECS #: RH6550000
Name: OCTANOL
% Wt: 10-15
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas
: 25852-47-5
Name: POLYGLYCOL DIMETHACRYLATE
% Wt: 10-15
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 18268-70-7
RTECS #: MO7710000
Name: POLYGLYCOL DIOCTANOATE
% Wt: 10-15
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 116-14-3
RTECS #: KX4025000
Name: POLY(TETRAFLUOROETHYLENE)
% Wt: 5-10
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 15 MG/M3

TDUST
ACGIH TLV: 10 MG/M3 TDUST 9293

Cas: 68909-20-6
Name: SILICA, AMORPHOUS, TREATED
% Wt: 3-5
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 6 MG/M3
ACGIH TLV: 10 MG/M3 TDUST 9293

Cas: 80-15-9
RTECS #: MX2450000
Name: CUMENE HYDROPEROXIDE (SARA III)
% Wt: 1-3
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 13463-67-7
RTECS #: XR2275000
Name: TITANIUM DIOXIDE
% Wt: 1-3
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 15 MG/M3 TDUST
ACGIH TLV: 10 MG/M3 TDUST; 9293

=====

Health Hazards Data

=====

LD50 LC50 Mixture: ORAL LD50 (RAT) IS >10,000 MG/KG.

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES: MILD IRRITANT. SKIN: LOW DERMAL
TOXICITY. MAY CAUSE

DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS. INHALATION: MAY
CAUSE INTOXICATION, NAUSEA, HEADACHE, DIZZINESS. INGESTION: LOW ORAL
TOXICITY.

Signs And Symptoms Of Overexposure: EYES: IRRITATION. SKIN: IRRITATION,
DERMATITIS. INHALATION: INTOXICATION, NAUSEA, HEADACHE, DIZZINESS. INGESTION:
LOW ORAL TOXICITY.

Medical Cond Aggravated By Exposure: PROLONGED CONTACT IN SENSITIVE INDIVIDUALS
MAY CAUSE DERMATITIS.

First Aid: EYES: FLUSH WITH LARGE AMOUNTS

OF WATER. GET MEDICAL ATTENTION.
SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER.
INHALATION: MOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.
INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. GET MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: SOAK UP IN AN INERT ADSORBENT. STORE IN A PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Methods: DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. MANUFACTURER SPECIFIES INCINERATION FOLLOWING EPA AND LOCAL REGULATIONS.
Handling And Storage Precautions: STORE BELOW 110F TO PRESERVE SHELF LIFE. AVOID PROLONGED SKIN CONTACT. DO NOT USE FOR PROLONGED PERIODS IN CONFINED AREA WITHOUT ADEQUATE VENTILATION.
Other Precautions: KEEP AWAY FROM EYES.

=====
=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC
Flash Point Text: >200F,>93C
Lower Limits: 1.0(OCTANOL)
Upper Limits: 8.0(OCTANOL)
Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.
Fire Fighting Procedures: NONE SPECIFIED BY MANUFACTURER.
Unusual Fire/Explosion Hazard: NONE.

=====
Control Measures
=====

=====
Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.
Ventilation: LOCAL VENTILATION RECOMMENDED FOR PROLONGED USE.
Protective Gloves: RUBBER OR PLASTIC GLOVES.
Eye Protection: USE SAFETY GLASSES OR GOGGLES.
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

=====
Physical/Chemical Propert

ies

=====

HCC: N1

B.P. Text: >300F,>149C

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: <10MM @80F

Vapor Density: UNKNOWN

Spec Gravity: 1.21 @ 80F

Evaporation Rate & Reference: UNKNOWN

Solubility in Water: SLIGHT

Appearance and Odor: WHITE PASTE. MILD ODOR.

Percent Volatiles by Volume: 16.9%

Corrosion Rate: UNKNOWN

=====

Reactivity Data

=====

=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: NONE.

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

Toxicological Information

=====

Ecological Infor
mation

=====

MSDS Transport Information

=====

Regulatory Information

=====

Other Information

=====

=====

Transportation Information

=====

Responsible Party Cage: 7K128
Trans ID NO: 118614
Product ID: PIPE SEALANT WITH TEFLON
MSDS Prepared Date: 01/01/1993
Review Date: 09/01/1993
MFN: 2
Net Unit Weight: 2.1 OZ
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: TU
Container QTY: 50 ML TUBE
Type Of Container: TUBE

=====

Detail DOT Information

=====

=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ
IATA
Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: PIPE SEALANT WITH TEFLON
Cage: 7K128
Company Name: LOCTITE CORP
Stree

t: 705 N MT RD
City: NEWINGTON CT
Zipcode: 06111
Health Emergency Phone: 203-278-1280
Label Required IND: Y
Date Of Label Review: 09/01/1993
Status Code: C
Label Date: 09/01/1993
Origination Code: F
Eye Protection IND: YES
Signal Word: CAUTION
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: EYES: MILD IRRITANT. SKIN: LOW DERMAL TOXICITY. MAY
CAUSE DERMATITIS ON PROLONGED CONTACT IN SESITIVE INDIVIDUALS. INHALATION:
INTOXICATION
, NAUSEA, HEADACHE, DIZZINESS. INGESTION: LOW ORAL TOXICITY.
STORE BELOW 110F TO PRESERVE SHELF LIFE. AVOID PROLONGED SKIN CONTACT. DO NOT
USE FOR PROLONGED PERIODS IN CONFINED AREA WITHOUT ADEQUATE VENTILATION.
FIRST AID: EYES: FLUSH WITH LARGE AMOUNTS OF WATE R. GET MEDICAL ATTENTION.
SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER.
INHALATION: MOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.
INGESTION: DO NOT INDUCE VOMITIN G. KEEP INDIVIDUAL CALM.
GET MEDICAL
ATTENTION.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons con
tracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.