

MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV -- CEE BEE A-236 -- 8010-00-431-6213

===== Product Identification =====

Product ID:CEE BEE A-236

MSDS Date:08/22/1991

FSC:8010

NIIN:00-431-6213

MSDS Number: BRNLP

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV

Address:1314 MURPHY AVENUE SOUTHWEST

City:ATLANTA

State:GA

ZIP:30310

Country:US

Info Phone Num:216-441-4900

Emergency Phon

e Num:800-424-9300 (CHEMTREC)

Preparer's Name:TSCA CO-ORDINATOR

CAGE:71361

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

===== Composition/Information on Ingredients =====

Ingred Name:METHYLENE CHLORIDE (SARA 313)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 50-60%

Other REC Limits:TWA: 500 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LB

S

Ingred Name:TOLUENE (SARA 313)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 1-5%  
Other REC Limits:TWA: 375 MG/M3  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ETHYL ALCOHOL (ETHANOL)  
CAS:64-17-5  
RTECS #:KQ6300000  
Fraction by Wt: 5-10%  
Other REC Limits:TWA: 1900 MG/M3

Ingred Name:SODIUM CHROMATE (SARA 313)  
CAS:7775-11-3  
RTECS #:GB2955000  
Fraction by Wt: 0.1-1.0%  
Other REC Limits:TWA: 0.5 MG/M3  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

I  
ngred Name:METHYL ALCOHOL  
CAS:67-56-1  
RTECS #:PC1400000  
Fraction by Wt: 5-10%  
Other REC Limits:TWA: 260 MG/M3  
OSHA PEL:S,200PPM/250STEL  
ACGIH TLV:S,200PPM/250STEL; 93  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:2-PROPANOL  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 1-5%  
Other REC Limits:500 MG/M3

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE EFFECTS: IRRITATION. CHRON

IC

EFFECTS: AFFECT ALL TARGET ORGANS.

Effects of Overexposure:EYE CONTACT: IRRITATION OR BURNING SENSATION.

SKIN CONTACT: IRRITATION. INHALATION: DARK URINE, HEADACHES,

DIZZINESS. INGESTION: NAUSEA. SEVERE ABDOMINAL PAIN.

===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN CONTACT: WASH OFF IN FLOWING WATER. WASH WITH SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. C

ALL A

PHYSICIAN. INGESTION: GIVE A LARGE QUANTITY OF WATER. DONOT INDUCE VOMITING. CALL A PHYSICIAN AND/OR TAKE TO EMERGENCY MEDICAL FACILITY.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:IF INVOLVED IN FIRE, WATER FOG

Fire Fighting Procedures:FULL PROTECTIVE GEAR AND POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN.

Unusual Fire/Explosion Hazard:FLAMMABLE VAPOR-AIR MIXTURES POSSIBLE.

=====

===== Accidental Release Measures =====

Spill Release Procedures:MOP, WIPE UP OR SOAK UP IMMEDIATELY WITH ABSORBENT. WEAR PROPER PROTECTIVE EQUIPMENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA AT 32 TO 90 F. OPEN CONTAINERS SLOWLY AND WITH CAUTION IN ORDER TO VENT IN CASE THERE IS PRESSURE BUILDUP.

===== Exposure Controls/Personal Protection =====

=

Respiratory Protection:IF TWA'S ARE EXCEEDED, MUST BE NIOSH OR MSHA APPROVED.

Ventilation:SUFFICIENT TO KEEP BELOW TWA LIMITS

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL GOGGLES, AND FACE SHIELD

Other Protective Equipment:SUFFICIENT TO PREVENT SKIN CONTACT

Work Hygienic Practices:EYE WASH AND SAFETY SHOWER

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:110F,43C

Spec Gravity:1.08

Evaporation Rate & amp

; Reference:< BUTYL ACETATE

Solubility in Water:SLIGHT

Appearance and Odor:THICK, YELLOW-BROWN LIQUID, PUNGENT ODOR

Percent Volatiles by Volume:> 90

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Hazardous Decomposition Products:OPEN FLAMES CAN CAUSE THERMAL  
DEGRADATION GIVING OFF CHLORINE AND HYDROGEN CHLORIDE.

===== Disposal Considerations =====

Waste Disposal Methods:SEND T

O AN APPROVED WASTE DISPOSAL FACILITY.

FOLLOW ALL LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.