

AMOCO OIL CO -- MARINE DIESEL FUEL -- 9140-00-273-2377

===== Product Identification =====

Product ID:MARINE DIESEL FUEL

MSDS Date:07/25/1989

FSC:9140

NIIN:00-273-2377

MSDS Number: BRPCQ

=== Responsible Party ===

Company Name:AMOCO OIL CO

Address:200 E. RANDOLPH DRIVE

City:CHICAGO

State:IL

ZIP:60601

Info Phone Num:312-856-3907

Emergency Phone Num:800-447-8735 800-424-9300(SPILL)

Preparer's Name:DON

ALD M. BARKER

CAGE:15958

=== Contractor Identification ===

Company Name:AMOCO OIL CO

Address:200 E RANDOLPH DR

Box:City:CHICAGO

State:IL

ZIP:60601-6401

Country:US

Phone:312-856-3907- EM HLTH: 800 447-8735

CAGE:15958

===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC PETROLEUM DISTILLATES

CAS:68476-30-2

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM PETR. DIST.

ACGIH TLV:400 PPM RUBBER SOLV.

Ingred Name:NAPHTHALENE (SARA III)

CAS:91-20-3

RTECS #:QJ0

525000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM/15 STEL
ACGIH TLV:10 PPM/15 STEL; 9293
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL HUMAN>5MG/KG
Routes of Entry: Inhalation:NO Skin:
YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:NO SIGNIFICANT IRRITATION
EXPECTED.SKIN:PROLONGED CONTACT MAY CAUSE IRRITATION.INHAL:NO
SIGNIFICANT HEALTH HAZARD,UNLESS THE PRODUCT IS HEATED.INGEST:MAY
CAUSE LUNG DAMAGE IF VOMITED AFTER SWALLO WING.
Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%
WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.
Effects of Overexposure:INHAL(OFF HOT
MISTS):D
IZZINESS,HEADACHE,NAUSEA,IRRITATION OF THE EYES,NOSE AND
THROAT.
Medical Cond Aggravated by Exposure:NOT REPORTED.

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER.SKIN:REMOVE CONTAMINATED CLOTHING;WASH
WITH SOAP AND WATER.INHAL:REMOVE FROM EXPOSURE.INGEST:DO NOT INDUCE
VOMITING.GET PROMPT QUALIFIED MAEDICAL ATTENTION.IF VOMITING
OCCUR,KEEP HEAD LOWER THAN HIPS.

=====
===== Fire Fighting Measures =====

=====

Flash Point Method:TCC

Flash Point:120F-180F

Lower Limits:0.6

Upper Limits:7.5

Extinguishing Media:AGENTS APPROVED FOR CLASS B(DRY CHEMICAL,CARBON DIOXIDE,HALOGENATED AGENTS,FOAM,STEAM)OR WATER FOG.

Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS, ESPECIALLY IN ENCLOSED AREAS. WATER SPRAY MAY BE USED TO COOL FIRE EXPOSED CONTAINRS AND EQUIPMENT.

Unusual Fire/Explosion Hazard:WHEN HEATED SUFFICIENT,VAPORS MAY FORM EXPLOSIVE MIXTURES WITH AIR.

=====
=== Accidental Release Measures =====

Spill Release Procedures:REMOVE MECHANICALLY OR ADSORB ONTO AN INERT, NON-FLAMMABLE ADSORBANT. PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL AREA AWAY FROM OXIDIZERS AND IGNITION SOURCES.GROUND CONTAINERS DURING LIQUID TRANSFER.

Other Precautions:"EMPTY" CONTAINERS MAY CONTAIN RESIDUE AND/OR FUMES WHICH ARE EXPLOSIVE. DO NOT CUT,WELD,ETC.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS.

Ventilation:USE LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV/PEL

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES.

Other Protective Equipment:EYE WASH STATION,PROTECTIVE CLOTHING.

Work Hygienic Practices:WASH HANDS.SEPERA

TE WORK CLOTHES FROM STREET

CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:340F,171C

Spec Gravity:0.88

Evaporation Rate & Reference:NEGLIGIBLE

Appearance and Odor:LIQUID;CLEAR;ODOR NOT REPORTED

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS.

S

tability Condition to Avoid:HEAT,IGNITION SOURCES.

Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF OR INCINERATE I/A/W
FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly o
r implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.