View NSN Online: https://aerobasegroup.es/nsn/9150-01-368-7075

IMPERIAL OIL CO., INC. -- IMP-EP-TURBINE OIL MIL-L-17331H & AM.2 2190

MSDS Safety Information

FSC: 9150 NIIN: 01-368-7075 MSDS Date: 07/30/1993 MSDS Num: BRSWT Product ID: IMP-EP-TURBINE OIL MIL-L-17331H & AM.2 2190 MFN: 01 Responsible Party Cage: 58563 Name: IMPERIAL OIL CO.,INC. Address: ORCHARD PLACE Box: 279 City: MORGANVILLE NJ 07751 Info Phone Number: 201-591-9400 - RICHARD ROBINSON Emergency Phone Number: 908-591-9400/FAX -8825 Preparer's Name: PAUL LEWICKI Proprietary Ind: Y Review Ind: Y Published: Y
Contractor Summary
Cage: 58563 Name: IMPERIAL OIL CO INC Address: FOOT OF ORCHARD PL Box: 279 City: MORGANVILLE NJ 07751 Phone: 732-591-9400/FAX: 732-591-8825 Cage: 1DL10 Name: NAUG HTON ENERGY CORP Address: RT 940 Box: 709 City: POCONO PINES PA 18350-0709 Phone: 570-646-0422
Item Description Information
Item Manager: S9G Item Name: LUBRICATING OIL,STEAM TURBINE Specification Number: MIL-L-17331H,AM3 Unit of Issue: DR Quantitative Expression: 0000000055GL UI Container Qty: 1 Type of Container: DRUM
Ingredie

Ingredie

nts

Name: *** PROPRIETARY

Health Hazards Data

LD50 LC50 Mixture: LD50 (ORAL RAT) IS NOT AVAILABLE

OSHA: NO

Effects of Exposure: SKIN: WHILE THIS PRODUCT MAY IRRITATE THE SKIN FROM PROLONGED SKIN CONTACT, THERE IS NO MEDICAL OR TOXICOLOGICAL EVIDENCE THAT IT IS AN IRRITANT, A CORROSIVE OR A

CARCINOGEN. IT HAS A LOW ORDER OF ORA L

& DERMAL TOXICITY. INHALATION: MIST MAY CAUSE PULMONARY PROBLEMS. IF NOT TREATED, MAY CAUSE PULMONARY INJURY.

Explanation Of Carcinogenicity: BASED UPON AVAILABLE DATA & amp; TECHNOLOGY, THIS PRODUCT IS NOT CONSIDERED TO BE TOXIC OR CARCINOGENIC TO HUMANS.

Signs And Symptions Of Overexposure: THE SIGNS AND SYMPTOMS OF OVER-EXPOSURE ARE UNKNOWN.

Medical Cond Aggravated By Exposure: DIRECT CONTACT WITH THE EYES MAY CAUSE EYE IRRITATION. PROLONGE

D SKIN CONTACT MAY CAUSE SKIN IRRITATION.

First Aid: EYES: PURGE EYES WITH COPIOUS AMOUNTS OF WATER. SKIN: CLEANSE WITH WATERLESS SOAP FOLLOWED BY THOROUGH WASHING WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY

Handling and Disposal

Spill Release Procedures: CONTAIN WITH INERT MATERIAL (FULLERS EARTH, SAND, OIL DRY, OR OTHER SUITABLE DIKING M

ATERIAL. RECOVER FREE LIQUID BY PUMPING INTO

DRUMS OR OTHER SUITABLE CONTAINERS. CLEAN AREA WITH RAGS OR OTHER ABSO RBING MATERIAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE IN APPROVED EQUIPMENT OR LANDFILL

CONTAMINATED DIKING MATERIAL ACCORDING TO CURRENT LOCAL, STATE AND FEDERAL REGULATIONS. THIS APPLIES TO UNRECOVERABLE LIQUID AS WELL.

Handling And Storage Precautions: THESE LUBRICANTS BECOME VERY VISCOUS WHEN STORED AT LOW TEMPERATURES.

THEY CONGEAL AT -12 TO -32C. USE PRODUCT WITH

CAUTION AROUND OPEN FLAMES, SPARKS

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Fire and Explosion Hazard Information

Flash Point Method: COC

Flash Point Text: 440F,227C

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: WEAR MESA/NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS

. USE WATER SPRAY TO COOL EXPOSED TANKS, DRUMS AND PERSONNEL. Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

Control Measures

Respiratory Protection: USE SUPPLIED-AIR RESPIRATORY PROTECTION IN CONFINED OR ENCLOSED SPACES IF NEEDED. Ventilation: NONE SPECIFIED BY MANUFACTURER. Protective Gloves: IMPERVIOUS, NEOPRENE, RUBBER Eye Protection: SPLASH GOGGLES Other Protect ive Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: REMOVE CONTAMINATED CLOTHING AND LAUNDER OR DRY CLEAN BEFORE RE-USE. OIL SOAKED SHOES SHOULD BE DISCARDED. Supplemental Safety and Health: EMPTY CONTAINER WARNING: CONTAINERS RETAIN RESIDUE (LIQUID AND/OR VAPOR) AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRASE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARK S OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE. THE ADDITIVE IS PROPRIETARY TO BOTH THE LUBRIZOL CORP. AND EXXON CO. _____ **Physical/Chemical Properties** _____ HCC: V6 B.P. Text: 600F,316C M.P/F.P Text: 0 Decomp Text: UNKNOWN Vapor Pres: 1 @20C Vapor Density: 1 (AIR=1) Spec Gravity: 1 (WATER=1) Evaporation Rate & amp; Reference: 1 (N-BUTYL ACETATE=1) Solubility in Water: NEGLIGIBLE Appearance and Odor: AMBER-NO ODO R. Corrosion Rate: UNKNOWN Reactivity Data ______ Stability Indicator: YES Stability Condition To Avoid: KEEP AWAY FROM EXTREME HEAT AND OPEN FLAME. Materials To Avoid: KEEP AWAY FROM STRONG ACIDS, ALKALIES AND OXIDIZERS. Hazardous Decomposition Products: NITRIC ACID, CARBON MONOXIDE, CARBON DIOXIDE, DENSE CARBONACEOUS SMOKE. Hazardous Polymerization Indicator: NO Conditions To Avoid Polym

erization: NONE. WILL NOT OCCUR.
Toxicological Information
Ecological Information
======================================
======================================
Other Information
Transportation Information
Responsible Party Cage: 58563 Trans ID NO: 129900 Product ID: IMP-EP-TURBINE OIL MIL-L-17331H & AM.2 2190 MSDS Prepared Date: 07/30/1993 Review D ate: 10/18/1993 MFN: 1 Multiple KIT Number: 0 Review IND: Y Unit Of Issue: DR Container QTY: 1 Type Of Container: DRUM
Detail DOT Information
DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail IMO Information

Detail IMO Information

IMO PSN Code: ZZZ IM

O Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION _____ **Detail IATA Information** _____ IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ **Detail AFI Information** AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION ______ HAZCOM Label _____ Product ID: IMP-EP-TURBINE OIL MIL-L-17331H & amp; AM.2 2190 Cage: 58563 Company Name: IMPERIAL OIL CO INC Street: FOOT OF ORCHARD PL PO Box: 279 City: MORGANVILLE NJ Zipcode: 07751 Health Emergency Phone: 908-591-9400 Label Required IND: Y Date Of Label Review: 10/18/1993 Status Code: C Label Date: 10/18/1993 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: CAUTION **Respiratory Protection IND: YES** Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Slight Reactivity Hazard: None Hazard And Precautions: SKIN: WHILE THIS PRODUCT MAY IRRITATE THE SKIN FROM PROLONGED SKIN CONTACT, THERE IS NO MEDICAL OR TOXICOLOGICAL EVIDENCE THAT IT IS AN IRRITANT, A CORROSIVE OR A CARCINOGEN. IT HAS A LOW ORDER OF ORA L & DERMAL TOXICITY. INHALATION: MIST MAY CAUSE PULMONARY PROBLEMS. IF NOT TREATED, MAY CAUS

E PULMONARY INJURY. THESE LUBRICANTS BECOME VERY VISCOUS WHEN STORED AT LOW TEMPERATURES. THEY CONGEAL AT -1 2 TO -32C. USE PRODUCT WITH CAUTION AROUND OPEN FLAMES, SPARKS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said in

formation to have any application, use or

viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation regardless of similarity to a corresponding Department of Defense or other government situation.