View NSN Online: https://aerobasegroup.es/nsn/8030-00-915-6123

FEL-PRO INC -- FEL-PRO C-100 ANTISEIZE COMPOUND -- 8030-00-915-6123

Product ID:FEL-PRO C-100 ANTISEIZE COMPOUND MSDS Date:01/13/1987 FSC:8030 NIIN:00-915-6123 **MSDS Number: BSDFY** === Responsible Party === **Company Name: FEL-PRO INC** Address:7450 N MCCORMICK Box:C1103 City:SKOKIE State:IL ZIP:60076 Country:US Info Phone Num:312-674-7700/312-761-4500 **Emergency Phone Nu** m:312-674-7700/312-761-4500 Preparer's Name: DIANE L GALLAGHER CAGE:FO660 === Contractor Identification === **Company Name: FEL-PRO INC** Address:7450 N MCCORMICK BLVD Box:C1103 City:SKOKLE State:IL ZIP:60076 Phone: (312) 674-7700 CAGE:FO660 Company Name: FEL-PRO INC DIV OF FELT PRODUCTS MFG CO Address:7450 N MCCORMICK Box:1103 City:SKOKIE State:IL ZIP:60076-4046 Country:US Phone:847-674-7700 OR 312-761-4500 CAGE:73165

Ingred Name:LE

AD MONOXIDE CAS:1317-36-8 RTECS #:OG1750000 Fraction by Wt: 20-30% % Other REC Limits:NONE SPECIFIED OSHA PEL:0.05 MG(PB)/M3 ACGIH TLV:0.15 MG(PB)/M3

Ingred Name:MOLYBDENUM DISULFIDE CAS:1317-33-5 RTECS #:QA4697000 Fraction by Wt: 10-20% % Other REC Limits:NONE SPECIFIED OSHA PEL:15 MG(MO)/M3 ACGIH TLV:10 MG(MO)/M3

LD50 LC50 Mixture:ACUTE ORAL LD50 >5 GM/KG FOR PRODUCT Routes of Entry: Inhalation:UNKNOWN Skin:UNKNOWN Inges tion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NO ACUTE OR CHRONIC HEALTH HAZARDS KNOWN FOR PRODUCT. TOXICOLOGICAL STUDIES INDICATE PRODUCT IS NONIRRITATING TO SKIN OR EYES. Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure:NONE EXPECTED Medical Cond Aggravated by Exposure:NONE KNOWN

\_\_\_\_\_

First Aid:EYES: FLUSH WITH TEPID WATER 15 MINUTES, HOLDING EYELIDS APART, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. INGESTION: CONTAINS INORGANIC LEAD M ONOXIDE, GET MEDICAL ATTENTION IMMEDIATELY.

Flash Point:390F,199C Lower Limits:NOT GIVEN Upper Limits:NOIT GIVEN Extinguishing Media:USE WATER FOG, DRY CHEMICALS

, FOAM, OR CARBON DIOXIDE.
Fire Fighting Procedures: USE EYE PROTECTION. USE SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREAS.
Unusual Fire/Explosion Hazard:ABOVE 750 F, IN PRESENCE OF OXYGEN,
MATERIAL MAY DECOMPOSE TO FORM SULFUR OXIDES. EXCEPT AS NOTED
ABOVE, SAME FOR PETROLEUM.
======================================
Spill Release Procedures:WIPE UP WITH RAGS OR ABSORBENT MATERIAL. COMPLETE CLEAN-UP WITH DETERGENT AND WA
TER OR HIGH FLASH POINT SOLVENT CLEANER WITH ADEQUATE VENTILATION.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
<ul> <li>Handling and Storage Precautions: USE NORMAL STORAGE AND HANDLING.</li> <li>Other Precautions: DO NOT EXPOSE TO HIGH HEAT, OPEN FLAMES, OR STRONG OXIDIZERS. PRODUCT CONTAINS HYDROCARBONSDO NOT USE IN OXYGEN SERVICE. PRODUCT CONTAINS INORGANIC LEAD. KEEP OUT OF REACH OF CHILDREN.</li> </ul>
======== Exposure
Controls/Personal Protection ====================================
Respiratory Protection:NONE REQUIRED. Ventilation:LOCAL EXHAUST: ACCEPTABLE; MECHANICAL: ACCEPTABLE; OTHER: NONE.
Protective Gloves:NONE REQUIRED.
Eye Protection:SUFFICIENT TO PREVENT CONTACT.
Other Protective Equipment:NONE REQUIRED. Work Hygienic Practices:USE GOOD HOUSEKEEPING PRACTICES. WASH
THOROUGHLY BEFORE EATING, DRINKING OR SMOKING.
Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.
None Si Edined Brimanoi Actorer.
======================================
roperties ===============
HCC:N1
Boiling Pt:B.P. Text:0F,-18C
Vapor Pres:NEGLIGIBLE Vapor Density:760 MM HG
Spec Gravity:1.53
Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK PASTE; SLIGHT PETROLATUM ODOR.
Appearance and Odol.BEACK FASTE, SEIGHT FETROLATOM ODOR.
======================================
Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZERS (I.E., PEROXIDES, PERMANGANTES, NITRIC ACID, ETC).
Stability Condition to Avoid:NONE

Hazardous Decomposition Products: PYROLYSIS YIELDS CARBON

## MONOXIDE, CARBON DIOXIDE, INCOMPLETELY BURNED HYDROCARBONS, AND POSSIBLY SOX ABOVE 750F.

Waste Disposal Methods:USE CONTROLLED INCINERATION OR BURY IN A POSTED TOXIC SUBSTANCE LANDFILL IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United State

s of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.